

Parasitology

EDITORS

F. E. G. COX and C. ARME

EDITORIAL ASSISTANT

M. ELISABETH PAINTER, Ph.D.

ADVISORY BOARD

L. G. GOODWIN, F.R.S. (Chairman)

R. M. ANDERSON, F.R.S.

J. R. BAKER

D. C. BARKER

J. BARRETT

D. A. P. BUNDY

A. E. BUTTERWORTH

ELIZABETH U. CANNING

L. H. CHAPPELL*

D. W. T. CROMPTON

D. I. GIBSON

R. E. HOWELLS

C. R. KENNEDY

A. E. KEYMER

D. L. LEE

D. J. McLAREN

D. P. McMANUS

D. H. MOLYNEUX

BRIDGET M. OGILVIE

D. ROLLINSON

M. ELAINE ROSE

V. R. SOUTHGATE*

R. C. TINSLEY

K. VICKERMAN, F.R.S.


D. WAKELIN

P. J. WHITFIELD

H. H. WILLIAMS

R. A. WILSON

* Representing the British Society for Parasitology.



CAMBRIDGE UNIVERSITY PRESS

CAMBRIDGE

NEW YORK PORT CHESTER MELBOURNE SYDNEY

CONTENTS

PART 1 AUGUST 1991

CONWAY, D. J., GREENWOOD, B. M. and MCBRIDE, J. S. The epidemiology of multiple-clone <i>Plasmodium falciparum</i> infections in Gambian patients	1
CONWAY, D. J. and MCBRIDE, J. S. Population genetics of <i>Plasmodium falciparum</i> within a malaria hyperendemic area	7
SINDEN, R. E., COUCHMAN, A., SUHRBIER, A., MARSH, F., WINGER, L. and RANAWAKA, G. The development of exo-erythrocytic schizonts of <i>Plasmodium berghei</i> <i>in vitro</i> from gamma-irradiated and non-irradiated sporozoites: a study using confocal laser scanning microscopy	17
NAKAO, M. and KONISHI, E. Proliferation of <i>Toxoplasma gondii</i> in human neutrophils <i>in vitro</i>	23
NAKAO, M. and KONISHI, E. Neutrophil chemotactic factors secreted from <i>Toxoplasma gondii</i>	29
KATELARIS, P., SEOW, F. and NGU, M. The effect of <i>Giardia lamblia</i> trophozoites on lipolysis <i>in vitro</i>	35
DEPLAZES, P. and GOTTSSTEIN, B. A monoclonal antibody against <i>Echinococcus multilocularis</i> Em2 antigen	41
GERHARDUS, M. J. T., BAGGEN, J. M. C., VAN DER KNAAP, W. P. W. and SMINIA, T. Analysis of surface carbohydrates of <i>Trichobilharzia ocellata</i> miracidia and sporocysts using lectin binding techniques	51
FLESCHER, E., KEISARI, Y., LENGY, J. and GOLD, D. On the possible schistosomicidal effect of macrophage-derived lysozyme	61
RATCLIFFE, E. C. and WILSON, R. A. The magnitude and kinetics of delayed-type hypersensitivity responses in mice vaccinated with irradiated cercariae of <i>Schistosoma mansoni</i>	65
XIA, M. Y. and JOURDANE, J. Penetration and migration routes of <i>Schistosoma japonicum</i> miracidia in the snail <i>Oncomelania hupensis</i>	77
MÖSSINGER, J. <i>In vitro</i> cultivation of adult <i>Litomosoides carinii</i> : evaluation of basic culture media, gas phases and supplements	85
HASWELL-ELKINS, M. R., ELKINS, D. B., SITHITHAWORN, PAIBOON, TREESARAWAT, PHATTARA and KAEWKES, SASITHORN. Distribution patterns of <i>Opisthorchis viverrini</i> within a human community	97
HIRAI, H. and TADA, I. Morphological features of spermatozoa of <i>Paragonimus ohirai</i> (Trematoda: Platyhelminthes) examined by a silver nitrate staining technique	103
TOCQUE, K. and TINSLEY, R. C. The influence of desert temperature cycles on the reproductive biology of <i>Pseudodiplorchis americanus</i> (Monogenea)	111
KEYMER, A. E. and TARLTON, A. B. The population dynamics of acquired immunity to <i>Heligmosomoides polygyrus</i> in the laboratory mouse: strain, diet and exposure	121
LOTZ, J. M. and FONT, W. F. The role of positive and negative interspecific associations in the organization of communities of intestinal helminths of bats	127
RAKHA, N. K., DIXON, J. B., JENKINS, P., CARTER, S. D., SKERRITT, G. C. and MARSHALL-CLARKE, S. Modification of cellular immunity by <i>Taenia multiceps</i> (Cestoda): accessory macrophages and CD4 ⁺ lymphocytes are affected by two different coenurus factors	139
GRUNDLER, F., SCHNIBBE, L. and WYSS, U. <i>In vitro</i> studies on the behaviour of second-stage juveniles of <i>Heterodera schachtii</i> (Nematoda: Heteroderidae) in response to host plant root exudates	149
BEHNKE, J. M. and WAHID, F. N. Immunological relationships during primary infection with <i>Heligmosomoides polygyrus</i> (<i>Nematospirodes dubius</i>): H-2 linked genes determine worm survival	157

PART 2 OCTOBER 1991

BEN MUSA, N. and PHILLIPS, R.	. The adaptation of three isolates of <i>Babesia divergens</i> to continuous culture in rat erythrocytes	165
BONNIN, A., DUBREMETZ, J. F. and CAMERLYNCK, P.	Characterization and immunolocalization of an oocyst wall antigen of <i>Cryptosporidium parvum</i> (Protozoa: Apicomplexa)	171
IBRAHIM, S. A. M. and NOWELL, F.	Transfer of <i>Eimeria apionodes</i> from wood mice (<i>Apodemus sylvaticus</i>) to laboratory mice (<i>Mus musculus</i>)	179
OHSAWA, K., TANABE, K., KIMATA, I. and MIKI, A.	Ultrastructural changes associated with reversal of chloroquine resistance by verapamil in <i>Plasmodium chabaudi</i>	185
SINDEN, R. E.	Asexual blood stages of malaria modulate gametocyte infectivity to the mosquito vector – possible implications for control strategies	191
BHAUMIK, M., DAS, S. and ADHYA, S.	Evidence for translational control of β -tubulin synthesis during differentiation of <i>Leishmania donovani</i>	197
PIPER, K. P., MOTT, R. F., HOCKLEY, D. J. and MCLAREN, D. J.	<i>Schistosoma mansoni</i> : larval damage and role of effector cell(s) in the synergy between vaccine immunity and Praziquantel treatment	207
DUNNE, D. W., JONES, F. M. and DOENHOFF, M. J.	The purification, characterization, serological activity and hepatotoxic properties of two cationic glycoproteins (α_1 and ω_1) from <i>Schistosoma mansoni</i> eggs	225
JONES, S. R. M. and WOO, P. T. K.	Culture characteristics of <i>Trypanosoma catostomi</i> and <i>Trypanosoma phaleri</i> from North American freshwater fishes	237
SUTHERLAND, I. A., PEREGRINE, A. S., LONSDALE-ECCLES, J. D. and HOLMES, P. H.	Reduced accumulation of isometamidium by drug-resistant <i>Trypanosoma congolense</i>	245
CABLE, J. and TINSLEY, R. C.	Intra-uterine larval development of the polystomatid monogeneans, <i>Pseudodiplorchis americanus</i> and <i>Neodiplorchis scaphiopodis</i>	253
SMITH, S. A. and RICHARDS, K. S.	Ultrastructure and microanalyses of the protoscolex hooks of <i>Echinococcus granulosus</i>	267
MCKAY, D. M., FAIRWEATHER, I., JOHNSTON, C. F., SHAW, C. and HALTON, D. W.	Immunocytochemical and radioimmunometrical demonstration of serotonin- and neuropeptide – immunoreactivities in the adult rat tapeworm, <i>Hymenolepis diminuta</i> (Cestoda, Cyclophyllidea)	275
ASAOLU, S. O., HOLLAND, C. V. and CROMPTON, D. W. T.	Community control of <i>Ascaris lumbricoides</i> in rural Oyo State, Nigeria: mass, targeted and selective treatment with levamisole	291
NELLAIAPPAN, K., RAMAKRISHNAN, R. and JAMEELA BANU, M.	Evidence for the presence of quinone methide isomerase in the metacercarial cyst of <i>Microphallus</i> sp. (Trematoda: Microphallidae)	299
HEALER, J., ASHALL, F. and MAIZELS, R. M.	Characterization of proteolytic enzymes from larval and adult <i>Nippostrongylus brasiliensis</i>	305
CHACON, M. R., PARKHOUSE, R. M. E., ROBINSON, M. P., BURROWS, P. R. and GARATE, T. A	species-specific oligonucleotide DNA probe for the identification of <i>Meloidogyne incognita</i>	315

PART 3 DECEMBER 1991

ACHBAROU, A., MERCIEREAU-PUIJALON, O., SADAK, A., FORTIER, B., LERICHE, M. A., CAMUS, D. and DUBREMETZ, J. F.	Differential targeting of dense granule proteins in the parasitophorous vacuole of <i>Toxoplasma gondii</i>	321
JONES, D. A. C. and RILEY, J.	An ELISA for the detection of pentastomid infections in the rat	331
BUTTERWORTH, A. E., STURROCK, R. F., OUMA, J. H., MBUGUA, G. G., FULFORD, A. J. C., KARIUKI, H. C. and KOECH, D.	Comparison of different chemotherapy strategies against <i>Schistosoma mansoni</i> in Machakos District, Kenya: effects on human infection and morbidity	339
LEFCORT, H. and BAYNE, C. J.	Thermal preferences of resistant and susceptible strains of <i>Biomphalaria glabrata</i> (Gastropoda) exposed to <i>Schistosoma mansoni</i> (Trematoda)	357

CHANDIWANA, S. K. and WOOLHOUSE, M. E. J. Heterogeneities in water contact patterns and the epidemiology of <i>Schistosoma haematobium</i>	363
DE JONG-BRINK, M., ELSAADANY, M. and SOTO, M. S. The occurrence of schistosomin, an antagonist of female gonadotrophic hormones, is a general phenomenon in haemolymph of schistosome-infected freshwater snails	371
TURNER, C. M. R., ASLAM, N., SMITH, E., BUCHANAN, N. and TAIT, A. The effects of genetic exchange on variable antigen expression in <i>Trypanosoma brucei</i>	379
BARDEHLE, G., CONRATHS, F. J., FAHRENHOLZ, F., HINTZ, M., LINDER, D., SCHARES, G., SCHOTT, H.-H., SCHÜTZLE, B., STIRM, S., STÜBER, W. and ZAHNER, Z. A major <i>Litomosoides carinii</i> microfilarial sheath glycoprotein (gp 22): amino terminal sequence and immunological studies with corresponding synthetic peptides	387
CONNORS, V. A. and NICKOL, B. B. Effects of <i>Plagiorhynchus cylindraceus</i> (Acanthocephala) on the energy metabolism of adult starlings, <i>Sturnus vulgaris</i>	395
MICHAEL, E. and BUNDY, D. A. P. The effect of the protein content of CBA/Ca mouse diet on the population dynamics of <i>Trichuris muris</i> (Nematoda) in primary infection	403
WHARTON, D. A. Ultrastructural changes associated with exsheathment of infective juveniles of <i>Haemonchus contortus</i>	413
MCCLURE, M. A. and SPIEGEL, Y. Role of the nematode surface coat in the adhesion of <i>Clavibacter sp.</i> to <i>Anguina funesta</i> and <i>Anguina tritici</i>	421
SCOTT, M. E. <i>Heligmosoides polygyrus</i> (Nematoda): susceptible and resistant strains of mice are indistinguishable following natural infection	429
BARKER, S. C., SINGLETON, G. R. and SPRATT, D. M. Can the nematode <i>Capillaria hepatica</i> regulate abundance in wild house mice? Results of enclosure experiments in southeastern Australia	439
PAGE, A. P., RICHARDS, D. T., LEWIS, J. W., OMAR, H. M. and MAIZELS, R. M. Comparison of isolates and species of <i>Toxocara</i> and <i>Toxascaris</i> by biosynthetic labelling of somatic and ES proteins from infective larvae	451
LARSEN, E., STEWART, G. L. and NIEDERKORN, J. Y. <i>Trichinella pseudospiralis</i> overcomes innate resistance of the Chinese hamster to <i>Trichinella spiralis</i>	465
REA, J. G. and IRWIN, S. W. B. Behavioural responses of the cercariae of <i>Cryptocotyle lingua</i> (Digenea: Heterophidae) to computer-controlled shadow sequences	471
SAVILLE, D. H. and IRWIN, S. W. B. <i>In ovo</i> cultivation of <i>Microphallus primas</i> (Trematoda: Microphallidae) metacercariae to ovigerous adults and the establishment of the life-cycle in the laboratory	479

Continued from back cover

Michael, E. and Bundy, D. A. P. The effect of the protein content of CBA/Ca mouse diet on the population dynamics of <i>Trichuris muris</i> (Nematoda) in primary infection	403
Wharton, D. A. Ultrastructural changes associated with exsheathment of infective juveniles of <i>Haemonchus contortus</i>	413
McClure, M. A. and Spiegel, Y. Role of the nematode surface coat in the adhesion of <i>Clavibacter</i> sp. to <i>Anguina funesta</i> and <i>Anguina tritici</i>	421
Scott, M. E. <i>Heligmosomoides polygyrus</i> (Nematoda): susceptible and resistant strains of mice are indistinguishable following natural infection	429
Barker, S. C., Singleton, G. R. and Spratt, D. M. Can the nematode <i>Capillaria hepatica</i> regulate abundance in wild house mice? Results of enclosure experiments in southeastern Australia	439
Page, A. P., Richards, D. T., Lewis, J. W., Omar, H. M. and Maizels, R. M. Comparison of isolates and species of <i>Toxocara</i> and <i>Toxascaris</i> by biosynthetic labelling of somatic and ES proteins from infective larvae	451
Larsen, E., Stewart, G. L. and Niederkorn, J. Y. <i>Trichinella pseudospiralis</i> overcomes innate resistance of the Chinese hamster to <i>Trichinella spiralis</i>	465
Rea, J. G. and Irwin, S. W. B. Behavioural responses of the cercariae of <i>Cryptocotyle lingua</i> (Digenea: Heterophidae) to computer-controlled shadow sequences	471
Saville, D. H. and Irwin, S. W. B. <i>In ovo</i> cultivation of <i>Microphallus primas</i> (Trematoda: Microphallidae) metacercariae to ovigerous adults and the establishment of the life-cycle in the laboratory	479

Parasitology

Back volumes. Vols. 1–71: Inquiries should be addressed to Wm. Dawson & Sons Ltd, Cannon House, Folkestone, Kent. Vols. 72 onwards: quotations for parts still in print may be obtained from Cambridge or the American Branch of Cambridge University Press.

Copying. This journal is registered with the Copyright Clearance Center, 27 Congress Street, Salem, Mass. 01970. Organizations in the USA who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to C.C.C. of the per-copy fee of \$5.00. This consent does not extend to multiple copying for promotional or commercial purposes. Code 0031–1820/91 \$5.00 + .00.

ISI Tear Sheet Service. 3051 Market Street, Philadelphia, Pennsylvania 19104, USA, is authorized to supply single copies of separate articles for private use only.

For all other use, permission should be sought from Cambridge or the American Branch of Cambridge University Press.

Claims for missing issues can only be considered if made immediately after receipt of the subsequent issue.

Advertising. Details of advertising in *Parasitology* may be obtained from the publisher.

Parasitology

CONTENTS

	PAGE
Achbarou, A., Mercereau-Puijalon, O., Sadak, A., Fortier, B., Leriche, M. A., Camus, D. and Dubremetz, J. F. Differential targeting of dense granule proteins in the parasitophorous vacuole of <i>Toxoplasma gondii</i>	321
Jones, D. A. C. and Riley, J. An ELISA for the detection of pentastomid infections in the rat	331
Butterworth, A. E., Sturrock, R. F., Ouma, J. H., Mbugua, G. G., Fulford, A. J. C., Kariuki, H. C. and Koech, D. Comparison of different chemotherapy strategies against <i>Schistosoma mansoni</i> in Machakos District, Kenya: effects on human infection and morbidity	339
Lefcort, H. and Bayne, C. J. Thermal preferences of resistant and susceptible strains of <i>Biomphalaria glabrata</i> (Gastropoda) exposed to <i>Schistosoma mansoni</i> (Trematoda)	357
Chandiwana, S. K. and Woolhouse, M. E. J. Heterogeneities in water contact patterns and the epidemiology of <i>Schistosoma haematobium</i>	363
De Jong-Brink, M., Elsaadany, M. and Soto, M. S. The occurrence of schistosomin, an antagonist of female gonadotrophic hormones, is a general phenomenon in haemolymph of schistosome-infected freshwater snails	371
Turner, C. M. R., Aslam, N., Smith, E., Buchanan, N. and Tait, A. The effects of genetic exchange on variable antigen expression in <i>Trypanosoma brucei</i>	379
Bardehle, G., Conraths, F. J., Fahrenholz, F., Hintz, M., Linder, D., Schares, G., Schott, H.-H., Schützle, B., Stirm, S., Stüber, W. and Zahner, Z. A major <i>Litomosoides carinii</i> microfilarial sheath glycoprotein (gp22): amino terminal sequence and immunological studies with corresponding synthetic peptides	387
Connors, V. A. and Nickol, B. B. Effects of <i>Plagiorhynchus cylindraceus</i> (Acanthocephala) on the energy metabolism of adult starlings, <i>Sturnus vulgaris</i>	395

Continued inside back cover

© Cambridge University Press 1991

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
 40 West 20th Street, New York, NY 10011-4211, USA
 10 Stamford Road, Oakleigh, Victoria 3166, Australia

Printed in Great Britain by the University Press, Cambridge