


**THE JOURNAL**  
OF  
**MENTAL SCIENCE**  
(THE BRITISH JOURNAL OF PSYCHIATRY)



BY AUTHORITY OF  
THE ROYAL MEDICO-PSYCHOLOGICAL ASSOCIATION

EDITOR-IN-CHIEF  
**G. W. T. H. FLEMING**

WITH THE ASSISTANCE OF  
**Alexander Walk (Co-Editor)**

<b>L. C. Cook</b>	<b>F. L. Golla</b>	<b>T. F. Main</b>
<b>P. K. McCowan</b>	<b>A. Meyer</b>	<b>R. M. Norman</b>
<b>M. Partridge</b>	<b>W. Linford Rees</b>	<b>B. W. Richards</b>
	<b>W. Warren</b>	

*(The above constitute the Journal Committee)*

AND

<b>Lord Adrian</b>	<b>C. J. C. Earl</b>
<b>W. Ross Ashby</b>	<b>J. N. P. Moore</b>
<b>Sir F. C. Bartlett</b>	<b>A. A. W. Petrie</b>
<b>Sir W. E. le Gros Clark</b>	<b>Derek Richter</b>
	<b>E. T. O. Slater</b>

LONDON  
**J. & A. CHURCHILL, LTD**

Published Four times Yearly Fifteen Shillings net.



# THE JOURNAL OF MENTAL SCIENCE

Communications on general editorial matters, including MSS. for publication, books for review and other printed matter, and communications regarding the *Epitome* section, including journals to be abstracted, should be sent to the **Editor-in-Chief, Barnwood House, Gloucester.**

Communications and enquiries regarding sales should be addressed to the Publishers, **Messrs. J. & A. CHURCHILL, Ltd., 104 Gloucester Place, Portman Square, London, W.1;** and those regarding Advertisements to **Aldridge Press Ltd., 27 Chancery Lane, London, W.C.2.**

Details of membership of the Royal Medico-Psychological Association are obtainable from the **Secretary, R.M.P.A., 11 Chandos Street, Cavendish Square, London, W.1.**

---

## THE ROYAL MEDICO-PSYCHOLOGICAL ASSOCIATION PUBLICATIONS

From MESSRS. ADLARD & SON, LTD.,  
Bartholomew Press, Dorking, Surrey.

**Enquiry (History) Form**, for use in Mental Hospitals. In three sizes. Prices and specimen forms on application.

From MESSRS. J. & A. CHURCHILL, LTD.,  
104 Gloucester Place, W.1.

**"The Journal of Mental Science."** Published four times a year. Price 15/-. Postage extra.

**"Recent Progress in Psychiatry."** Vol. 2, 1950. Pp. 711. Price 50/-.

Vol. 3, 1959. Pp. 404. Price 50/-.

From MESSRS. BAILLIÈRE, TINDALL & COX,  
8 Henrietta Street, W.C.2.


**"Handbook for Mental Nurses."** 8th edn. 1954. Price 21/-.

From THE SECRETARY, 11 Chandos Street, W.1.

**The Charter and By-Laws of the Association.** Price 2/- . Postage 1½d.

**"Recent Progress in Psychiatry."** Vol. 2, 1950 } (at special price to members of R.M.P.A.)  
Vol. 3 1959 }





*Squirrel cage used for calming mental patients (18th century). Original wood engraving by John De Pole.*

# STELAZINE

brand of trifluoperazine

the new psychotropic agent  
specific for the  
hallucinated, delusional, and  
aggressive psychotic.

'Improvement became noticeable approximately ten days after commencement of treatment. This was most striking in the fading of hallucinations, cessation of impulsiveness, an awakening of interest, a desire to take part in occupations and recreations of various kinds.'

(1958), *J. ment. Sci.* **104**, 1195-98.

FORMULA : 2-trifluoromethyl-10-(3' [1"-methyl piperaziny]-4')-propyl) piperazine dihydrochloride.



Smith Kline & French Laboratories Ltd  
Welwyn Garden City, Herts.

SZ: PA49

'Stelazine' is a trademark



# 'Stemetil'

trade mark

brand

PROCHLORPERAZINE

*in*

## PSYCHOTIC ILLNESSES

Clinical trials of prochlorperazine in psychoses have been in progress in mental hospitals in the United Kingdom and abroad for more than two years. Evidence from these widespread studies, some of which are still in progress, has indicated that prochlorperazine is a valuable addition to those drugs already available for the management of psychotic illnesses.

The primary indication of 'Stemetil' is in the management of schizophrenia. In many cases 'Stemetil' may make withdrawn, autistic, catatonic cases amenable to psychotherapy at a relatively early stage in treatment.

It may be employed successfully in the management of excitement whether associated with schizophrenia, the manic-depressive psychosis, or other psychiatric conditions wherein agitation and excitement are notable features. Although the drug has been used on a very large number of patients, no case of jaundice or blood dyscrasia attributable to its use, has been reported.

### PRESENTATIONS :


Tablets of 25 mg. of the maleate; suppositories containing 25 mg. of the maleate; ampoules of 1 c.c. and 2 c.c. of a 1·25% solution of the methanesulphonate.

*Further information is available on request*



MANUFACTURED BY  
MAY & BAKER LTD





1. senile and presenile depression
2. parkinsonism
3. to counteract parkinsonoid symptoms produced by neuroplegics in the treatment of chronic and acute schizophrenia

# DISIPAL<sup>regd.</sup>

*orphenadrine hydrochloride*

"With the aid of the blocking substance orphenadrine the side effects of reserpine treatment can be greatly reduced and partially obviated, without an adverse influence, being exerted on the clinical effect. In addition, the sedative effect of reserpine is enhanced by orphenadrine . . . While, up to now, the most important use of reserpine was in the treatment of chronic psychoses, because of its delayed action, phenothiazine or convulsive treatment were preferred in acute cases with a stormy course. Now treatment with reserpine in combination with orphenadrine also seems possible in these forms of disease."

(Scheurle, G., Deut. med. Wochschr. **82**, 2227 (1957))

**Also indicated in vertigo and psychasthenia**

**Packs of 100 and 250 tablets/Prescribable on E.C. 10**



U.K. patent numbers:  
607.258 and 743.495

Manufactured and distributed in England by

**CAMDEN CHEMICAL CO. Ltd.**, London W.C.1

for

N.V. Koninklijke Pharmaceutische Fabrieken v/h  
BROCADES - STHEEMAN & PHARMACIA  
Amsterdam-Holland



*to relieve anxiety and tension . . .*  
*to calm the psychoneurotic . . .*  
*to control the acute psychotic . . .*

# Fentazin

PERPHENAZINE

*the broad-span phenothiazine*

*and unsurpassed anti-emetic*



FENTAZIN (perphenazine) is remarkably effective in a wide range of psychiatric disorders. Virtually free from side-effects, it is eminently suitable for the routine management of minor anxiety and tension states.

FENTAZIN is several times more active than older phenothiazines, and offers rapid control of even acute psychoses.

In addition, FENTAZIN is unsurpassed as an anti-emetic.

FENTAZIN TABLETS contain 2mg., 4mg., or 8mg. perphenazine. Supplied in bottles of 50 and 500 tablets of each strength.

FENTAZIN INJECTION contains 5mg. perphenazine in each 1 c.c. Supplied in ampoules of 1 c.c. in boxes of 5 ampoules.

*FENTAZIN is a trade mark*



ALLEN & HANBURY LTD LONDON E2

AHB5



**Remarkably safe and  
free from toxic effects**

**N y d r a n e**

*n*-BENZYL- $\beta$ -CHLOROPROPIONAMIDE

**in the treatment of Grand-mal  
and Psychomotor Epilepsy**

**NYDRANE is remarkable in that no toxic or unpleasant side-effects have been experienced with its use**

•

**NYDRANE usually makes patients more mentally alert, brighter, and more co-operative, opposing even the soporific action of any other anticonvulsant used**

•

**NYDRANE often successfully stabilises the more resistant cases, enabling them to lead a more normal, useful life**

•

**NYDRANE tablets are readily accepted and well tolerated**

•

Nydrane tablets each containing 500 mg. *n*-benzyl- $\beta$ -chloropropionamide, and Nydrane Co. tablets each containing 500 mg. *n*-benzyl- $\beta$ -chloropropionamide and 20 mg. Phenobarbitone, are available in bottles of 50 and 250, and tins of 1,000 tablets

Prescribable on the N.H.S.

*Literature and samples gladly sent on request*




**RONA LABORATORIES LTD**

12/13 Molyneux Street, London, W.1

AMBassador 4437/8



# ELECTRO CONVULSION THERAPY UNIT



- \* PORTABLE
- \* LIGHT
- \* EASY TO OPERATE
- \* SAFE

The latest Siemens Ediswan Electro Convulsion Therapy Unit, R1135, incorporates many improvements, making for quicker, safer and simpler operation.

The electrodes are held in position by the operator and the shock is initiated by a press button switch in one of the electrode handles. The duration of the shock is accurately controlled by an electronic timer.

The unit is suitable for use on mains voltages between 200 and 250 volts A.C.

Full information in our illustrated folder, PD17/1905A — free on request.




## ELECTRO-MEDICAL EQUIPMENT

SIEMENS EDISON SWAN LIMITED (PD17)

An A.E.I. Company. 155 Charing Cross Road, London, W.C.2

CRC 17/24



**Out of the shadows**

**Dartalan**

**SAFE AND EFFECTIVE IN**

**PSYCHOSES** Particularly Schizophrenia <sup>1 & 2</sup>

**NEUROSES** Tension states and patients with obsessional traits

**GENERAL MEDICINE** Agitated states in the elderly <sup>3</sup>

1. Am.J.Psychiat. 1958, 114, 1034.


2. A.M.A. Arch. Neurol.Psych. 1958, 80, 481.

3. Internat. Assoc. Gerontology, October, 1958.

**SEARLE**

HIGH WYCOMBE, BUCKS.





## MALVEN E.C.T. INSTRUMENTS

*Model No. 9*

A COMPLETELY PORTABLE  
INSTRUMENT FOR THE  
PSYCHIATRIST

MAINS LEADS—INSTRUMENT—  
ELECTRODES — ACCESSORIES  
ALL IN A CARRYING CASE  
12" × 7½" × 3½" WEIGHT 9 lb.

*Electrodes kept ready for immediate use*

**OTHER MODELS FOR ALL  
TECHNIQUES OF  
CURRENT APPLICATION**

*For information apply to:—*

*Sales Director,*

**MALVEN ELECTROMEDICAL LABS LTD**  
284 LONDON RD., ST. ALBANS, HERTS.  
TEL: ST. ALBANS 57453



### *Grune & Stratton Publications*

- |  |             |
|--|-------------|
| <b>PSYCHOANALYSIS OF TODAY</b> , by S. Nacht   | <b>41s.</b> |
| <b>SCIENCE &amp; PSYCHOANALYSIS, Volume II: Individual and Familial Dynamics</b> , edited by J. H. Masserman   | <b>48s.</b> |
| <b>AN INTRODUCTION TO CHILD PSYCHIATRY</b><br>by Stella Chess  | <b>39s.</b> |
| <b>PROGRESS IN PSYCHOTHERAPY, Volume IV: Social Psychotherapy</b> , edited by J. H. Masserman and J. L. Moreno | <b>62s.</b> |
| <b>GROUP PSYCHOTHERAPY: Theory and Practice</b><br>2nd Edition by J. W. Klapman                                | <b>48s.</b> |
| <b>THE SYMPTOM AS COMMUNICATION IN SCHIZOPHRENIA</b> , edited by K. L. Artiss                                  | <b>41s.</b> |

15-16 *Queen Street, London, W.1*

# In senile psychiatric syndromes



Pacatal improves the disturbed behaviour patterns of all senile psychiatric patients, from mild senile deterioration to marked senile dementia. Throughout therapy the patient's mental alertness is unimpaired. *Maximum tranquillity is achieved with minimum sedation.*

**PACATAL CONTROLS** agitation · irascibility  
restlessness · confusion · nocturnal wanderings · destructiveness  
disturbance of bowel and bladder control.

# PACATAL

pecazine

TRADE MARK

**Dosage** *The appropriate dosage varies from case to case. Low dosage levels (ranging from 25 to 100 mg. daily) have been proved effective and safe for chronic organic senile patients.*

**Presentation** *Tablets of 25 and 100 mg. strength in bottles of 50 and 500. Ampoules each containing 50 mg. in 2 ml. in boxes of 10 and 50.*

**WILLIAM R. WARNER & CO. LTD., EASTLEIGH, HAMPSHIRE.**

PAC 409/1

Now available

**PACATAL ELIXIR**

**A pleasantly flavoured presentation  
(in bottles of 4 fl. oz.) for  
elderly patients.**



**DOSAGE:** *One or two teaspoonfuls 3 times a day. Each teaspoonful contains 20 mg. pecazine.*





# BARBEVITE ELIXIR

**FOR NEURASTHENIA AND ANXIETY STATES**

This pleasantly flavoured elixir contains Phenobarbitone together with Vitamins B1, B2, B6 and Nicotinamide. Ideally suited for the treatment of various conditions associated with the B complex deficiencies such as general fatigue, anorexia, gastro-intestinal disturbances, tachycardia, irritability and depression. **FORMULA:** Phenobarbitone B.P.  $\frac{1}{2}$  grain, Aneurin Hydrochloride B.P. 1.5 mgm., Riboflavine B.P. 1.0 mgm., Pyridoxine Hydrochloride B.P.C. 0.17 mgm., Nicotinamide B.P. 10 mgm., Glycerin B.P. 42 minims, Alcohol B.P. 9 minims, Colour and flavour a sufficiency, Base to 1 fluid drachm.

POISON

SI

S4

Available in bottles containing 5, 20, 80 fl. ozs. Basic N.H.S. prices 3/9, 14/4, 51/4.


Also available in tablet form to the above formula. Bottles containing 250 tablets. Basic N.H.S. price 7/9.

Manufactured in the laboratories of  
**JAMES WOOLLEY, SONS & CO. LTD., VICTORIA BRIDGE - MANCHESTER 3.**

## 'ECTONUSTIM'

### E.C.T. APPARATUS and CEREBRAL STIMULATOR

(A.C. or D.C. Mains)



For a new improved E.C.T. technique which eliminates the need for muscle relaxants and anaesthetics.

Also:

'ECTONUS'  
 —E.C.T. apparatus

'ECTRON'  
 —E.C.T. apparatus

'ECTRON'  
 —Rubber Mouth Gag


'ECTRONOLYTE'  
 —Electrolyte Powder

Write for full details to: **ECTRON LTD**

REELEK WORKS · BALDOCK · HERTS · ENGLAND

Telegrams: "Reelek" Baldock

Telephone: Baldock 3276



## Isolation — no longer necessary for the epileptic patient

Clinical experience has clearly shown that with proper treatment and understanding the majority of epileptics are able to play a part second to none in the community. To achieve this the selection of an appropriate drug is most essential.

Evidence of the efficacy of 'Mysoline' continues to pour in from all parts of the world. It has been found that it not only reduces the frequency and severity of attacks but also has a beneficial effect on the general condition and outlook of the patient. Mental alertness replaces former dullness, and there is a renewed interest in normal activities, together with a general

improvement in sociability. For these reasons, when an improvement in performance is desirable, it is often advantageous to use 'Mysoline' in cases already controlled by other drugs.

'Mysoline' combines high activity with low toxicity and display a wide margin of safety and absence of hypnotic effect during established treatment.

Available in tablets of 0.25 G. and as a palatable oral suspension.

**Mysoline**

TRADE MARK

**PRIMIDONE B.P.**



IMPERIAL CHEMICAL INDUSTRIES LIMITED Pharmaceuticals Division Wilmslow Cheshire





# *La Métairie*

## NYON (Switzerland)

*Lake of Geneva*

*Private Nursing Home, Founded in 1857. Several villas in a large park*

### All types of modern Treatment for Mental & Nervous Diseases

Rest Cures - Psychotherapy - Insulin  
Sleep Cures - Carbo-Oxygen Therapy  
Electro-shock

For further information: Apply to Dr. W. SEMADENI, Chief Doctor  
Telephone 9.65.91

## NORTHUMBERLAND HOUSE

A Psychiatric Nursing Home for voluntary and certified patients. Situated in pleasant grounds at 237-9 Ballards Lane, N.3. Tel. FINchley 5283. Resident Medical Director, Dr. Robert M. Riggall, Memb. Brit. Psycho-Analytical Socy. with Assistant Psychiatrist. Deep Insulin Coma Unit, psychotherapy, etc. Central heating and running water in all rooms.

## CHISWICK HOUSE, Moss Lane, Pinner, Middlesex

Telephone: Pinner 234

Private Nursing Home for Nervous and Mild Mental Disorders and Alcoholism.

Psychotherapy, E.C.T., Modified insulin, etc. Fees from 18 guineas a week inclusive of nursing and medical attention. Forty patients of both sexes including a small number of long-term elderly cases. Two country houses in 5 and 6 acres respectively in adjoining grounds. Twelve miles north-west of London. Easily accessible by Metropolitan train from Baker Street to Pinner. Ten minutes walk from Pinner station.

Apply to the Medical Director, DOUGLAS MACAULAY, M.D., D.P.M.

# BARNWOOD HOUSE

## GLOUCESTER

**A REGISTERED HOSPITAL** (outside the National Health Service), for the **CARE and TREATMENT** of **LADIES and GENTLEMEN** suffering from **NERVOUS and MENTAL DISORDERS**. Within two miles of the Western and London Midland Regional Railway Stations at Gloucester, the Hospital is easily accessible by rail from London and all parts of the United Kingdom. It is beautifully situated at the foot of the Cotswold Hills, and stands in its own grounds of over 300 acres. Voluntary Patients of both sexes are also received for treatment. Special accommodation is also provided at two villa residences, both of which stand in their own grounds and are entirely separate from the main Hospital. All the most modern methods of treatment including electric shock and prefrontal leucotomy are used.

## HUME TOWERS

**27 BRANKSOME WOOD ROAD, BOURNEMOUTH**

TELEPHONE: WESTBOURNE 64384

has been opened as an ordinary nursing home for all kinds of borderline mental and nervous breakdown, with special accommodation for geriatric cases in a separate villa. Applications for admissions should be made to the Resident Medical Officer, Hume Towers.

*For Terms, etc., apply to*

**G. W. T. H. FLEMING, M.R.C.S., L.R.C.P., D.P.M.,**  
**Physician Superintendent**

TELEPHONE: No. 66207 GLOUCESTER



## HEIGHAM HALL, NORWICH

PRIVATE MENTAL HOME for Nervous and Mental illness. All types of treatment carried out. Accommodation for Alcoholics and Addicts available. Special Geriatric Unit now open.

Fees from 8 gns. per week upwards according to requirements.

Apply to Dr. J. A. SMALL.

Telephone: Norwich 20080.

## HITCHAM PLACE, BURNHAM, BUCKS.

(late Fenstanton, Christchurch Road, S.W.2)

A Private Home for the Care and Treatment of a limited number of Ladies with Mental and Nervous Disorders. Temporary and Voluntary Patients received. Large Country Mansion with twenty acres of grounds in Green Belt. Home-like surroundings.

Apply: Dr. Madeline R. Lockwood, Resident Physician. Telephone: Burnham 624

## SPRINGFIELD HOUSE, Near BEDFORD

Telephone: Bedford 3417

A Private Mental Hospital two miles from Bedford Station, for 48 patients of both sexes. Extensive grounds and vegetable garden. Elderly patients requiring special care and attention are admitted.

*Fees from 10 Guineas per week.*

*For Forms of Admission, etc., apply to the* Resident Physician, CEDRIC W. BOWER

## ST. ANDREW'S CONVENT, STIRCHES, HAWICK

Rox., Scotland

Private Licensed Home, under the care of the Augustinian Sisters, for the treatment and cure of ladies mentally afflicted. Voluntary boarders taken. Forty-two patients.

*For particulars apply to Superioress*

*Tel. No. Hawick 2360*

## CLINICAL PSYCHOLOGISTS

(MASTER'S DEGREE)

required for

PROVINCIAL MENTAL HEALTH SERVICES BRITISH COLUMBIA

Write for full particulars re existing vacancies, salaries and working conditions, etc., to:

Competition No: 59:607 B.C. Civil Service Commission, Essondale, B.C. Canada


## INDEX TO ADVERTISERS

	PAGE
Allen & Hanbury Ltd. . . . .	iv
Camden Chemical Co. Ltd. . . . .	iii
Civil Service Commission, Canada . . . . .	xiv
Ectron Ltd. . . . .	x
Grune & Stratton . . . . .	viii
Imperial Chemical Industries Ltd. . . . .	xi
Lederle Laboratories Ltd. . . . .	xvi
Eli Lilly & Co. Ltd. . . . .	Cover 3
Malven Electro-Medical Laboratories Ltd. . . . .	viii
Pharmaceutical Specialities (May & Baker) Ltd.	ii
Rona Laboratories Ltd. . . . .	v
G. D. Searle & Co. Ltd. . . . .	vii
Siemens, Edison Swan Ltd. . . . .	vi
Smith, Kline & French Laboratories Ltd. . . . .	i
Vitamins Ltd. . . . .	xviii
William R. Warner & Co. Ltd. . . . .	ix
James Woolley, Sons & Co. Ltd. . . . .	x

**Nursing Homes:**

Barnwood House, Gloucester . . . . .	xiii
Chiswick House, Pinner . . . . .	xii
Heigham Hall, Norwich . . . . .	xiv
Hitcham Place, Burnham, Bucks. . . . .	xiv
La Métairie, Nyon, Switzerland . . . . .	xii
Northumberland House, Finchley, N.3 . . . . .	xii
St. Andrew's Convent, Stirches, Hawick . . . . .	xiv
Springfield House, Bedford . . . . .	xiv

**PATIENTS  
KEYED UP  
TO A HIGH  
PITCH**



need **Miltown**\*

MEPROBAMATE \*REGD. TRADEMARK OF CARTER PRODUCTS INC

**relaxes emotional and muscular tension  
without clouding the consciousness**

**In 2 presentations**

**Capsules** 200 mg. and 400 mg. Each capsule contains 200 mg. or 400 mg. meprobamate.

Packing and basic N.H.S. cost: 200 mg. bottles of 50 7/4., 250 £1. 7. 6.

400 mg. bottles of 50 10/4., 250 £2. 4. 2.

**Tablets** 400 mg. Each scored tablet contains 400 mg. meprobamate. Packing and basic N.H.S. cost: 400 mg. bottles of 50 10/4., 250 £2. 4. 2.



**LEDERLE LABORATORIES**

a division of  
CYANAMID OF GREAT BRITAIN LTD. London W.C.2





## INSTRUCTIONS TO AUTHORS

Strict observation of the following requirements will save intending authors considerable time and worry, and will facilitate the publication of papers submitted.

(1) Authors should consult a current issue to see how a paper should be presented. They should consult *General Notes on the Preparation of Scientific Papers*, published for the Royal Society by the Cambridge University Press, 200 Euston Road, London, N.W.1 (price 2s. 9d. post free).

(2) The title should be brief and contain no sub-heading. This should be followed by the author's name, his qualifications and his present appointment.

(3) Omit a summary of the literature when this has been adequately summarized elsewhere.

(4) For reasons of economy, case-histories of patients can be published only when they are of exceptional scientific interest.

(5) Diagrams and graphs must be drawn in black ink with properly printed lettering. If they have to be redrawn by the printer, the cost, which may amount to several pounds, will be charged to the author.

(6) Tables and graphs should be kept as few as possible. If they number more than a few, the author must be prepared to pay part of their cost.

(7) Any deviation or difference that might be due to random sampling must, if it is to be discussed in its general, scientific significance, be first shown, by calculation of the appropriate probability, to be significant statistically.

(8) All references should be given at the end of the paper, in alphabetical order, and be numbered, i.e.

(1) SMITH, A. B., *J. Ment. Sci.*, 1950, **95**, 493.

(2) THOMAS, B. C., *Arch. Neur. Psychiat.*, 1955, **74**, 489.

In the body of the paper they should appear as: Smith (1), Thomas (2).

(9) When the proof arrives from the printer it is for the correction of printer's mistakes only. Larger alterations can be made only with the Editor's permission and if the author is willing to defray the cost.

(10) Each author and co-author will receive 10 reprints of his paper free of charge. If further reprints are required the order should be sent direct to Messrs. Headley Brothers, Ltd., The Invicta Press, Ashford, Kent, at the time the galley proof is sent to the author. Orders for reprints must not be sent to the Editor-in-Chief.

(11) A paper sent to the Editor-in-Chief is, as a rule, sent to one of the panel of Referees set out on the cover of the Journal for his opinion.



When high-potency Vitamin B is indicated . . .

**PARENTROVITE and OROVITE**



**Standard Reference Cards**

Factual information on all our products is available. Produced in accordance with A.B.P.I. Specifications, cards can be obtained from our representatives or from Vitamins Ltd.

**Parentrovite—massive dose of injectable B complex with C** for restoring consciousness and rational behaviour in toxic states due to drugs and infective agents . . .  
**and Orovite—high dosage vitamin B complex for oral use—** for rapid restoration of intracellular metabolism.

**VITAMINS LIMITED**

Upper Mall, London, W.6.