



VOL. XII.—1897.

THE  
JOURNAL OF LARYNGOLOGY,  
RHINOLOGY, AND OTOLOGY;

AN ANALYTICAL RECORD OF CURRENT LITERATURE

RELATING TO

THE THROAT, NOSE, AND EAR.

---

PUBLISHED MONTHLY.

---

London:

THE REBMAN PUBLISHING COMPANY, LIMITED,

SUCCESSORS TO F. J. REBMAN, 11, ADAM STREET, STRAND.

AMERICAN AGENTS:

THE F. A. DAVIS COMPANY, 1914-16, CHERRY STREET, PHILADELPHIA, PA.

---

ENTERED AT STATIONERS' HALL.



# THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY.

---

*Founded in 1887 by* **MORELL MACKENZIE** *and* **NORRIS WOLFENDEN**

---

EDITORS :

**JOHN MACINTYRE, M.B., F.R.S.E.,**  
**DUNDAS GRANT, M.A., M.D., F.R.C.S.Eng.,**  
**ARTHUR SANDFORD, M.D., M.Ch.R.U.I.**

**W. MILLIGAN, M.D. (Manchester), Sub-Ed.**  
**R. LAKE, F.R.C.S. (London), Managing Sub-Ed.**

WITH THE CO-OPERATION OF

DRS. BARON (*Bristol*), BETTMAN (*Rome*), BOTEY (*Barcelona*),  
CARTAZ (*Paris*), BRYSON DELAVAN (*New York*), DODD (*Chicago*),  
DRAISPUL (*St. Petersburg*), GRAZZI (*Florence*), GUYE (*Amsterdam*),  
HICGUET (*Brussels*), MIDDLEMASS HUNT (*Liverpool*), HUTCHISON (*Glasgow*),  
JOAL (*Paris*), KARWOWSKI (*Warsaw*), KELLY (*Glasgow*),  
LACOEARRET (*Toulouse*), LICHTWITZ (*Bordeaux*),  
LIEVEN (*Aix-la-Chapelle*), PROF. JOHN N. MACKENZIE (*Baltimore*),  
PROF. MASSEI (*Naples*), MEYJES (*Amsterdam*), E. MEYER (*Berlin*),  
HOLGER MYGIND (*Copenhagen*), PORTER (*St. Louis*),  
STGEORGE REID (*London*), RUEDA (*Madrid*), SAJOUS (*Paris*),  
SENDZIAK (*Warsaw*), SOTA (*Seville*), STCLAIR THOMSON (*London*),  
WAGGETT (*London*), WOODS (*Dublin*), AND ZIEM (*Pantzir*).

# CONTENTS.

## Original Article—

A Contribution to the Treatment of Deaf-Mutism by Operation on the so-called Adenoid Vegetations.  
By J. SENDZIAK.....Pages 173 to 175

## Societies' Meetings—

LARYNGOLOGICAL SOCIETY OF LONDON.—Cleft Palate and Turbinal Hypertrophy, *Law*—Method of Examining Infants, *Lack*—Laryngeal and Pharyngeal Paralysis, *Lack*—Laryngeal Tuberculosis, *Williams*—Lupus of Larynx, *St. C. Thomson*—Syphilitic Laryngitis, Ulceration of False and Impaired Mobility of True Cord, Tubercular Ulcer of Septum, *Symonds*—Frontal Sinusitis, Tumour of Uvula, *Bennett*—Cases for Diagnosis, *Lawrence, Spicer, Spencer*.....Pages 175 to 184

BRITISH LARYNGOLOGICAL ASSOCIATION.—Fibroma of Palate, *Brown*—Epithelioma of Auricle, Hemorrhage from Lateral Sinus, *Sandford*—Cyst of Pharynx, *Marsh*—Rhinolith, *Marsh*—Abductor Paralysis, Lingual Varix, Stenosis of Trachea, Syphilitic Laryngitis, *Collier*—Functional Aphonia, *Wingrave*.....Pages 185 to 192

CHICAGO ACADEMY OF MEDICINE.—Sinusitis, *Gradle*—Otitis Media, *Pierce*.....Pages 193 to 196

FIRST SPANISH CONGRESS (Conclusion).....Pages 197 and 198

LRTTSOMIAN LECTURES, No. 1.—Diseases of Nose and Throat in Relation to General Medicine, *De H. Hall*.....Pages 199 to 210

## Abstracts—

**Diphtheria**—Antitoxin, *Cuno, Hammer*, "Medical News," *Marcuse, Muller, Turner, Ashworth*—Bacillus, *Turner*—Scarlatina and Diphtheria, *Varnali*.....Pages 210 to 213

**Mouth, &c.**—Leptothrix, *Colin*—Riga's Disease, *Fede*—Perforation of Pillar of Fauces, *Griner*—Dentigenous Cyst, *Turner*.....Pages 213 and 214

**Oesophagus**—Congenital Atresia, *Bowes*.....Page 215

**Nose, &c.**—Peroxide of Hydrogen, *Gelli*—Abscess of Septum, *Gouguenheim*—Posterior Hypertrophy of Turbinate, *Helot*—Diseases of Lachrymal Duct, *Lubliner*—Syphilis, *Ripault*—Amblyopia from Eucaine, *Shastid*—Suppuration of Nose, *Teichmann*—Bacteriology, *Vassant*.....Pages 215 to 219

**Larynx**—Laryngectomy, *Brady*—Membranous Cast of Trachea, *Davidson*—Eucaine, *Gibb*—Intercricothyroid Laryngotomy, *Lernoyez and Griner*—Spasmus Glottidis, *Levin*—Etiology of Laryngeal Polyp, *Mendel*—Malformation of Epiglottis, *Kefstund*—Cocaine Anesthesia, *Stoerck*—Intubation, *Turner*—Laryngo-Tracheal Oœna, *Vulpius*—Laryngo-Pulmonary Phthisis, *Whalen*..Pages 219 to 223

**Ear**—Aural Pyæmia, *Brieger*—Residua of Aural Suppuration, *Grant*—Acute Otitis Media, *Hopkinson*—Pathology, *Lommel*—Cholesteatoma, *Redmer*—Pyæmia, *Ropke*—Sinus Thrombosis, *Stirling*—Cerebellar Abscess, *Walker*—Acoustic Railway Signals, *Zwaardemaker*.....Pages 223 to 227

**Obituary**—CORRADO CORRADI.....Page 227

**Future Societies' Meetings**.....Page 227

**Throat and Ear Clinics**.....Pages 228 and 229

## Reviews—

HEYMANN'S Handbuch.....Pages 230 to 232

ROSS—Intestinal Intoxication.....Page 232

SUTTON—Ligaments and their Nature.....Page 232

## Annotations—

To Prevent Dimming of Mirrors.....Page 233

Anterior Turbinotomy.....Page 233

Eucaine.....Page 234

## New Preparations—

Compound Phenacetin Tablets.....Page 234

Branalcan.....Page 234

**New Instrument**—Antrum Guide, LAKE.....Page 234

## GUIDE TO ADVERTISEMENTS.

	PAGE
Bullock & Co.....	vii.
Burroughs, Wellcome & Co.....	vi.
Carlo Clausen.....	iv.
Central London Throat Hospital.....	xii.
Down Bros.....	x.
Ingram & Royle.....	vii., ix.
Lambert Pharmacal Co.....	ii.
Mayer & Meltzer.....	xi.
Pearl Life Assurance Company.....	iv.
Rebman Publishing Company.....	iv., vii., viii.

# ATOMISATION and INHALATION.

## “Paroleine” and “Paroleine” Atomisers.

AN oily solution of medicaments for application to the nasal, naso-pharyngeal, and laryngeal mucous surfaces, is often much to be preferred to an aqueous, spirituous, or glycerine solution. An absolutely tasteless, odourless, and neutral substance like “Paroleine,” which, apart from its solvent qualities, has unique healing and soothing properties of its own, is specially fitted for use with volatile substances such as Carbolic Acid, “Eucalyptia,” Terebene, Pinol, etc., and since it adheres to the surface for some time after application, it acts as a protective for inflamed and irritable mucous membrane, and secures a longer exposure of the affected parts to the influence of the dissolved medicament.



PRICE 3s. 5d.

**The Naso-Pharyngeal Ointment Atomiser** is intended, as its name implies, for the application of “Paroleine” solutions to the mucous membrane of the naso-pharynx, but by the addition of a tongue depressor it can also be employed for the treatment of the back of the throat. It is small and compact, and as very complete directions are furnished, no difficulty need be experienced in the use of it.


**The Post-Nasal Atomiser** provides the laryngologist with a ready means of applying medicaments to the larynx, pharynx, and post-nasal regions. By an ingenious device the spray can be directed either perpendicularly or laterally.



PRICE 5s. 2d.

## The Vereker Chloride of Ammonium Inhaler.

**The Vereker Chloride of Ammonium Inhaler** was the first which enabled neutrality of the fumes to be obtained with ease and certainty. This is a point of much importance, as when either acid or alkaline the fumes are very irritating, and are likely to do more harm than good. In the Vereker Inhaler neutrality is ensured by the simple raising or lowering of one of two little tubes. The acid and ammonia are contained in glass bottles, as is the water in which the fumes are washed, and the latter are consequently much more copious and dense than when sponges, pumice stone, or other media are used instead of bottles. Neutral fumes of Ammonium Chloride have a most stimulating effect upon congested and inflamed mucous membrane, facilitating expectoration and frequently relieving laboured respiration at once. The vapour may be further medicated by adding a few drops of a volatile inhalant, such as Pinol or Eucalyptia, to the water in the wash-bottle.



Vereker Inhalers are supplied to the Medical Profession at 5s. each.

# BURROUGHS, WELLCOME & CO.,

SNOW HILL BUILDINGS, LONDON, E.C.

**Australasian Address—SYDNEY, N.S.W.**

Cable and Telegraphic Address: “Burcome, London.”