


Vol. 106, No. 445

OCTOBER, 1960

THE JOURNAL
OF
MENTAL SCIENCE
(THE BRITISH JOURNAL OF PSYCHIATRY)



BY AUTHORITY OF
THE ROYAL MEDICO-PSYCHOLOGICAL ASSOCIATION

EDITOR-IN-CHIEF
G. W. T. H. FLEMING

WITH THE ASSISTANCE OF
Alexander Walk (Co-Editor)

L. C. Cook	F. L. Golla	T. F. Main
P. K. McCowan	A. Meyer	R. M. Norman
M. Partridge	W. Linford Rees	B. W. Richards
	W. Warren	

(The above constitute the Journal Committee)

AND

Lord Adrian	J. N. P. Moore
W. Ross Ashby	A. A. W. Petrie
Sir F. C. Bartlett	Derek Richter
Sir W. E. le Gros Clark	E. T. O. Slater

LONDON
J. & A. CHURCHILL, LTD

Published Four times Yearly Fifteen Shillings net.

to relieve anxiety and tension . . .
to calm the psychoneurotic . . .
to control the acute psychotic . . .

Fentazin

PERPHENAZINE

the broad-span phenothiazine

and unsurpassed anti-emetic



FENTAZIN (perphenazine) is remarkably effective in a wide range of psychiatric disorders. Virtually free from side-effects, it is eminently suitable for the routine management of minor anxiety and tension states.

FENTAZIN is several times more active than older phenothiazines, and offers rapid control of even acute psychoses.

In addition, FENTAZIN is unsurpassed as an anti-emetic.

FENTAZIN TABLETS contain 2mg., 4mg., or 8mg. perphenazine. Supplied in bottles of 50 and 500 tablets of each strength.


FENTAZIN INJECTION contains 5mg. perphenazine in each 1 c.c. Supplied in ampoules of 1 c.c. in boxes of 5 ampoules.

FENTAZIN is a trade mark



ALLEN & HANBURY LTD LONDON E2

AH85



stelazine* in acute schizophrenia

'In those who had lost it, insight
returned at a very early stage'.


Brit. med. J., (1959) *i*, 550

*FORMULA: 2-trifluoromethyl-10-(3' [1"-methyl piperaziny]-4")-
propyl) phenothiazine dihydrochloride*

Smith Kline & French Laboratories Ltd, Welwyn Garden City, Herts

*Stelazine' (trade mark) brand of trifluoperazine

SZ:PA20



Clinical experience has shown that in the treatment of many psychoneuroses, and particularly in anxiety and tension states, a carefully selected combination of chlorpromazine and amylobarbitone is of greater therapeutic efficacy than either drug alone.

'Amargyl', an association of chlorpromazine and amylobarbitone, has been formulated to meet the demands of many clinicians who are using these two important centrally-acting drugs together.

'Amargyl' is presented as lime-coloured, sugar-coated tablets each containing chlorpromazine hydrochloride 25 mg. and amylobarbitone 50 mg.

Detailed information is available on request

**MANUFACTURED BY
MAY & BAKER LTD**

**DISTRIBUTORS
PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD · DAGENHAM**

An M&B brand Medical Product

 **ROCHE** TWO NEW


mood regulators

nitoman

*

advantages over reserpine
shorter acting
little hypotensive activity
Parkinson-like syndromes rare
can be used with E.C.T

reduces anxiety and thought disorders



marplan

*

advantages over 'Marsilid'
effective in lower doses
fewer and milder side-effects
no jaundice reported


elevates moods in depressive states

Nitoman is available as 25 mg tablets.
Marplan is available as 10 mg tablets.

 **ROCHE**

*'Marplan' and 'Nitoman' are Regd. Trade Marks of
Roche Products Limited, 15 Manchester Square, London, W.1.

a new concept
in
weight control
from
Mead Johnson



measured calories for adequate nutrition
with high satiety on 900 calories a day

Metercal

DIETARY FOR WEIGHT CONTROL

weight control without appetite depressants

Metercal permits your patients to control their weight—effectively, comfortably, safely, by the application of sound nutritional principles—without recourse to fad diets, complex dieting schedules or appetite depressants.

adequate nutrition on 900 calories daily

Available in powder form, Metercal is a scientifically blended dietary consisting of protein, carbohydrate and fat with added vitamins and minerals. One half-pound of Metercal powder supplies 900 calories as the daily feeding. It mixes readily with water to make palatable beverage meals. Metercal offers precise control of calorie intake, plus adequate nutrition in weight control programmes.

encourages patient co-operation

A gratifying feature of Metercal is its high satiety value. Overweight patients placed on Metercal alone comment on the absence of hunger, their improved sense of well-being and increased motivation to lose weight.¹

Patients welcome the convenience of Metercal. There are no complex menus to plan, no calories to count, no foods to measure and weigh.

clinical reports encouraging

In a clinical study¹ of 100 patients managed on the 900-calorie daily Metercal programme for periods up to twelve days, an average weight loss of 6½ pounds was recorded for all subjects. In another report² of overweight patients on the 900-calorie Metercal programme for periods of two to thirty weeks, weight losses of 3 to 5 pounds per patient per week were recorded for the first two weeks. Thereafter, reduction continued at an average rate of 2 to 2½ pounds per patient per week throughout the study.

These reports indicate strongly that, as well as providing optimum nutrition, Metercal is palatable, well accepted, convenient to use, satiating, and encourages good patient co-operation in weight-control programmes.

broad indications and flexibility in use

For the weight control programmes of those patients who are allowed more than 900 calories a day, the daily allotment (¼ lb.) of Metercal may be increased, or Metercal may be used in conjunction with low-calorie foods. Such programmes may be used when the patient's physical build or exertion require more than 900 calories daily, when more gradual weight loss is desired, or for maintenance of the desired weight once it is attained.

easy to prepare—easy to flavour—easy to take

All your patients do is mix Metercal and water to a creamy smoothness with a fork or eggbeater—then chill (refrigerate for preference) and serve. Vanilla Metercal has a pleasant, bland taste that many patients like best, but it is also available in orange and chocolate flavours. To add even further variety vanilla Metercal can easily be flavoured with one of the numerous household flavouring agents.

patient's Metercal weight control guide

This booklet, specially prepared for distribution to your patients tells them about the medical importance of weight control, and gives full instructions for the use of Metercal. It will simplify giving patient instruction, and the weight-loss chart encourages patient co-operation. Please write to Mead Johnson for your supply.

1. Antos, R. J. (1959) *Southwest Med.*, 40, 695-697.
2. Tullis, I. F. To be published.



Mead Johnson
Symbol of service in medicine


MEAD JOHNSON LIMITED, LONDON W.1

MJ 3

'LIBRIUM'

TRADE MARK

BRAND



The successor to the tranquillizers


ROCHE

Literature & samples available from

ROCHE PRODUCTS LIMITED,

15 MANCHESTER SQUARE, LONDON, W.1

of established
value in
psychiatry . . .



PRESENTATIONS
Tablets of 10, 25, 50 and 100 mg.
Syrup containing 25 mg. Chlorpromazine Hydrochloride BP. in each 3.6 ml. (approx. one teaspoonful).
1 per cent solution in ampoules of 5 ml.
2.5 per cent solution in ampoules of 1 ml. and 2 ml.
Suppositories containing 100 mg. base.

In Psychoses—

for rapid reduction of psychomotor over-activity without clouding of consciousness or dulling of intellect.

In Psychoneuroses—

for relief of tension, leaving the patient active but composed.

In Prolonged-Sleep Treatments—

for enhancing and prolonging the action of sedatives and hypnotics, allowing safer and easier treatment without confusion.

In the Management and Rehabilitation of Drug Addicts—

for suppressing withdrawal symptoms in those addicted to alcohol or narcotics.

Detailed information is available on request

MANUFACTURED BY


MAY & BAKER LTD



An M&B brand Medical Product

MA6841/85

Distributors: PHARMACEUTICAL SPECIALITIES · (MAY & BAKER) LTD · DAGENHAM



in anticonvulsive therapy

'SPANSULE' PHENOBARBITONE

**ensures constancy of the blood-barbiturate level
'the drug of choice' in the most effective and
convenient dosage form**

*FORMULA: Each phenobarbitone 'Spansule' sustained release capsule
contains gr. 1 or gr. 1½ phenobarbitone, according to strength.*



SMITH KLINE & FRENCH LABORATORIES LTD

Welwyn Garden City, Herts

'Spansule'* is a trade mark *Brit. Pat. No. 742007

SP:PA40

The first broad spectrum psychotropic drug

TARACTAN

Neuroleptic Thymoleptic Tranquillizer



Roche

Acts rapidly

Few side effects

Price advantage


'TARACTAN'

TRADE MARK

BRAND

Literature and samples on request from

ROCHE PRODUCTS LIMITED, 15 MANCHESTER SQUARE, LONDON, W.1



- 1. senile and presenile depression**
- 2. parkinsonism**
- 3. to counteract parkinsonoid symptoms produced by neuroplegics in the treatment of chronic and acute schizophrenia**

DISIPAL^{regd.}

orphenadrine hydrochloride

"With the aid of the blocking substance orphenadrine the side effects of reserpine treatment can be greatly reduced and partially obviated, without an adverse influence, being exerted on the clinical effect. In addition, the sedative effect of reserpine is enhanced by orphenadrine . . . While, up to now, the most important use of reserpine was in the treatment of chronic psychoses, because of its delayed action, phenothiazine or convulsive treatment were preferred in acute cases with a stormy course. Now treatment with reserpine in combination with orphenadrine also seems possible in these forms of disease."

(Scheurle, G., Deut. med. Wochschr. **82**, 2227 (1957))

Also indicated in vertigo and psychasthenia

Packs of 100 and 250 tablets/**Prescribable on E.C. 10**




U.K. patent numbers:
607.258 and 743.495

Manufactured and distributed in England by

CAMDEN CHEMICAL CO. Ltd., London W.C.1
for

N.V. Koninklijke Pharmaceutische Fabrieken v/h
BROCADES - STHEEMAN & PHARMACIA
Amsterdam-Holland



From 'Bedlam'
by Hogarth

a new advance in the
treatment of **depression**

- Nardil is a new kind of anti-depressant which acts selectively on the brain.
- Nardil acts rapidly, improvement is seen within the first week and often in the first few days
- Nardil is safe—toxic effects on blood or liver are extremely rare.
- Nardil has a simple and convenient dosage schedule (one tablet three times a day) which helps patient co-operation.
- Nardil is economical in use. Basic N.H.S. cost only 4/11 (excl. p.t.) for 25 tablets.

Nardil is available in bottles of 100 and 500 sugar-coated tablets each containing 15 mg. phenelzine.

NARDIL

BRAND OF PHENELZINE

TRADE MARK



Full technical information may be obtained from

WILLIAM R. WARNER & CO. LTD., EASTLEIGH, HAMPSHIRE



ask yourself

... what qualities you'd expect
of the ideal sedative and hypnotic.

You'll find that 'DISTAVAL'

comes surprisingly close to
satisfying all your criteria.

'DISTAVAL'


TRADE MARK

brand of thalidomide

- * Amply proved in neurological practice—both as a day-time sedative and as a night-time hypnotic.
- * Virtually free from toxicity—therefore safe even in the hands of the temporarily unstable patient.
- * Causes no initial agitation or euphoria in patients old or young.
- * Effective in releasing patients from dependance on barbiturates.

Basic cost to N.H.S. for 12 tablets from dispensing pack of 100.

'DISTAVAL'—25 mg. tablets 1/-d.
'DISTAVAL' FORTE—100 mg. tablets 2/8d.



THE DISTILLERS COMPANY (Biochemicals) LIMITED
BROADWAY HOUSE · THE BROADWAY · WIMBLEDON · LONDON S.W.19
Telephone: LIBerty 6600
Owners of the trade mark 'Distaval'

FFB36/60A.

Tofranil[®]


Geigy

N-(γ-Dimethylaminopropyl)-iminodibenzyl hydrochloride

Thymoleptic Specific therapeutic measure in the treatment of depression

'ECTONUSTIM'**E.C.T. APPARATUS and
CEREBRAL STIMULATOR**

(A.C. or D.C. Mains)



For a new improved E.C.T. technique which eliminates the need for muscle relaxants and anaesthetics.

Also:

' ECTONUS '

—E.C.T. apparatus

' ECTRON '

—E.C.T. apparatus

' ECTRON '

—Rubber Mouth Gag

' ECTRONOLYTE '

—Electrolyte Powder

Write for full details to: **ECTRON LTD**

REELEK WORKS · BALDOCK · HERTS · ENGLAND

Telegrams: "Reelek" Baldock

Telephone: Baldock 3276



La Métairie

NYON (Switzerland)


Lake of Geneva

Private Nursing Home, Founded in 1857. Several villas in a large park

All types of modern Treatment for Mental & Nervous Diseases

Rest Cures - Psychotherapy - Insulin
Sleep Cures - Carbo-Oxygen Therapy
Electro-shock

For further information: Apply to Dr. W. SEMADENI, Chief Doctor
Telephone 9.65.91



'Mysoline' opens a window on a new world

TO THE EPILEPTIC CHILD, 'Mysoline' can bring new-found confidence and alertness. It enables the child to enjoy normal activity in a safe and healthy environment. 'Mysoline' can often be used with advantage in cases already controlled with other drugs but where freedom from

hypnotic effect would be desirable.

The place of 'Mysoline' in juvenile epilepsy is now well documented in the literature.

Available in tablets of 0.25 G. and as a palatable oral suspension. Basic N.H.S. costs: 4/4d. for 30 tablets dispensed from packs of 1,000 and 5/8d. for 100 ml. of suspension.

Mysoline *greatly valued in the treatment of epilepsy*

Primidone B.P. Trade Mark

IMPERIAL CHEMICAL INDUSTRIES LIMITED PHARMACEUTICALS DIVISION WILMSLOW CHESHIRE



Ph. 5

BARNWOOD HOUSE

GLOUCESTER

A PRIVATE HOSPITAL (outside the National Health Service), for the CARE and TREATMENT of LADIES and GENTLEMEN suffering from NERVOUS and MENTAL DISORDERS. Within two miles of the Western and London Midland Regional Railway Stations at Gloucester, the Hospital is easily accessible by rail from London and all parts of the United Kingdom. It is beautifully situated at the foot of the Cotswold Hills, and stands in its own grounds of over 300 acres. Patients of both sexes are received for treatment. Special accommodation is provided at two villa residences, both of which stand in their own grounds and are entirely separate from the main Hospital. All the most modern methods of treatment including electric shock and prefrontal leucotomy are used.

HUME TOWERS

27 BRANKSOME WOOD ROAD, BOURNEMOUTH

TELEPHONE: WESTBOURNE 64384

has been opened as an ordinary nursing home for all kinds of borderline mental and nervous breakdown, with special accommodation for geriatric cases in a separate villa. Applications for admissions should be made to the Resident Medical Officer, Hume Towers.

For Terms, etc., apply to

G. W. T. H. FLEMING, M.R.C.S., L.R.C.P., D.P.M.,
Physician Superintendent

TELEPHONE: No. 66207 GLOUCESTER

WYKE HOUSE, ISLEWORTH

MIDDLESEX Tel. ISLeworth 7000

A Private Home for the individual treatment and care of all forms of Nervous and Mental Illness, including Addiction. Voluntary, temporary, or certified admission. The number of patients is limited to twenty-five and all modern treatments are given, including deep insulin. This well-known Home for Men and Women and the Aged stands in its own grounds of 15 acres, seven miles from Marble Arch.

Further particulars from the Resident Physicians:

H. Pullar-Strecker, M.D.

G. W. Smith, O.B.E., M.B.

NORTHUMBERLAND HOUSE

A Psychiatric Nursing Home for voluntary and certified patients. Situated in pleasant grounds at 237-9 Ballards Lane, N.3. Tel. FINchley 5283. Resident Medical Director, Dr. Robert M. Riggall, Memb. Brit. Psycho-Analytical Socy. with Assistant Psychiatrist. Deep Insulin Coma Unit, psychotherapy, etc. Central heating and running water in all rooms.

CHISWICK HOUSE, PINNER, MIDDLESEX

Telephone: Pinner 0234

Private Nursing Home for Nervous and Psychological Troubles including Alcoholism. All modern treatments. Forty patients of both sexes. Country house in six acres of grounds. Twelve miles north-west London. Easily accessible by Metropolitan train from Baker Street to Pinner — 22 minutes. Ten minutes walk Pinner Station.

Medical Director, Douglas Macaulay, M.D., D.P.M.

HITCHAM PLACE, BURNHAM, BUCKS.

(late Fenstanton, Christchurch Road, S.W.2)

A Private Home for the Care and Treatment of a limited number of Ladies with Mental and Nervous Disorders. Temporary and Voluntary Patients received. Large Country Mansion with twenty acres of grounds in Green Belt. Home-like surroundings.

Apply: Dr. Madeline R. Lockwood, Resident Physician. *Telephone: Burnham 624*

SPRINGFIELD HOUSE, Near BEDFORD

Telephone: Bedford 3417

A Private Mental Hospital two miles from Bedford Station, for 48 patients of both sexes. Extensive grounds and vegetable garden. Elderly patients requiring special care and attention are admitted.

Fees from 11 Guineas per week.

For Forms of Admission, etc., apply to the Resident Physician, CEDRIC W. BOWER

CLINICAL PSYCHOLOGISTS

(Master's Degree)

required for

Provincial Mental Health Services

BRITISH COLUMBIA, CANADA

Write for full particulars re existing vacancies, salaries and working conditions to The Personnel Officer, B. C. Civil Service Commission, ESSONDALE, British Columbia.

COMPETITION No. 60:448

Enquiries regarding advertising in

JOURNAL OF MENTAL SCIENCE

should be addressed to:—

Advertisement Manager

ALDRIDGE PRESS LTD

27 Chancery Lane London WC2

Telephone: HOLborn 8655/6

Telegrams: Presreps, Holb. London

INDEX TO ADVERTISERS

Allen & Hanbury Ltd.	Cover 2
Camden Chemical Co. Ltd.	x
Civil Service Commission, Canada	xviii
The Distillers Co. (Biochemicals) Ltd.	xii
Ectron Ltd.	xiv
Geigy Ltd.	xiii
Imperial Chemical Industries Ltd. (Pharmaceutical Division)	xv
Lederle Laboratories Ltd.	xxii
Eli Lilly & Co. Ltd.	Cover 3
Mead Johnson Ltd.	iv and v
Pharmaceutical Specialities (May & Baker) Ltd.	ii and vii
Roche Products Ltd.	iii, vi and ix
G. D. Searle & Co. Ltd.	xx
Smith, Kline & French Laboratories Ltd.	i and viii
Vitamins Ltd.	xxiv
William R. Warner & Co. Ltd.	xi

Nursing Homes:

Barnwood House, Gloucester	xvi
Chiswick House, Pinner	xvii
Hitcham Place, Burnham, Bucks.	xviii
Hume Towers, Bournemouth	xvi
La Métairie, Nyon, Switzerland	xiv
Northumberland House, Finchley, N.3	xvii
Springfield House, Bedford	xviii
Wyke House, Isleworth	xvii



In gastro-intestinal disorders

Pro-Banthine with Dartalan

controls stress, relieves distress

SEARLE

THE JOURNAL OF MENTAL SCIENCE

Communications on general editorial matters, including MSS. for publication, printed matter, and communications regarding the *Epitome* section, including journals to be abstracted, should be sent to the **Editor-in-Chief, Dr. G. W. T. H. Fleming, Barnwood House, Gloucester.**

Books for review should be sent to **Dr. A. Walk, c/o R.M.P.A., 11 Chandos Street, Cavendish Square, London, W.1.**

Communications and enquiries regarding sales should be addressed to the Publishers, **Messrs. H. K. LEWIS & Co. Ltd., 136 Gower Street, W.C.1;** and those regarding Advertisements to **Aldridge Press Ltd., 27 Chancery Lane, London, W.C.2.**

Details of membership of the Royal Medico-Psychological Association are obtainable from the **Secretary, R.M.P.A., 11 Chandos Street, Cavendish Square, London, W.1.**

THE ROYAL MEDICO-PSYCHOLOGICAL ASSOCIATION PUBLICATIONS

From MESSRS. ADLARD & SON, LTD.,
Bartholomew Press, Dorking, Surrey.

Enquiry (History) Form, for use in Mental Hospitals. In three sizes. Prices and specimen forms on application.

From Messrs. H. K. LEWIS & Co. Ltd.,
136 Gower Street, W.C.1

"The Journal of Mental Science." Published six times a year. Price 15/-. Postage extra.

From Messrs. J. & A. CHURCHILL, Ltd.,
104 Gloucester Place, W.1

"Recent Progress in Psychiatry." Vol. 2, 1950. Pp. 711. Price 50/-.
Vol. 3, 1959. Pp. 404. Price 50/-.

From MESSRS. BAILLIÈRE, TINDALL & COX,
8 Henrietta Street, W.C.2.

"Handbook for Mental Nurses." 8th edn. 1954. Price 21/-.

From THE SECRETARY, 11 Chandos Street, W.1.

The Charter and By-Laws of the Association. Price 2/- . Postage 1½d.

"Recent Progress in Psychiatry." Vol. 2, 1950 } (at special price to members of R.M.P.A.)
Vol. 3, 1959 }



for
the patient
who

'sees no way out'

... the patient who is caught up in the intricate web of her own worries and problems... MILTOWN brings the composure that leads to a new outlook on life.

Miltown*

MEPROBAMATE

*REGD. TRADEMARK OF CARTER PRODUCTS INC.

the safe sedative that relaxes both body and mind

- TABLETS 400 mg. *Bottle of 50*
- 200 mg. *Bottle of 250*
- CAPSULES 200 mg. *Bottle of 50*
- 250 mg. *Bottle of 250*
- CAPSULES 400 mg. *Bottle of 50*
- 250 mg. *Bottle of 250*



LEDERLE LABORATORIES

a division of
CYANAMID OF GREAT BRITAIN LTD. London W.C.2



INSTRUCTIONS TO AUTHORS

Strict observation of the following requirements will save intending authors considerable time and worry, and will facilitate the publication of papers submitted.

(1) Authors should consult a current issue to see how a paper should be presented. They should consult *General Notes on the Preparation of Scientific Papers*, published for the Royal Society by the Cambridge University Press, 200 Euston Road, London, N.W.1 (price 2s. 9d. post free).

(2) The title should be brief and contain no sub-heading. This should be followed by the author's name, his qualifications and his present appointment.

(3) Omit a summary of the literature when this has been adequately summarized elsewhere.

(4) For reasons of economy, case-histories of patients can be published only when they are of exceptional scientific interest.

(5) Diagrams and graphs must be drawn in black ink with properly printed lettering. If they have to be redrawn by the printer, the cost, which may amount to several pounds, will be charged to the author.

(6) Tables and graphs should be kept as few as possible. If they number more than a few, the author must be prepared to pay part of their cost.

(7) Any deviation or difference that might be due to random sampling must, if it is to be discussed in its general, scientific significance, be first shown, by calculation of the appropriate probability, to be significant statistically.

(8) All references should be given at the end of the paper, in alphabetical order, and be numbered, i.e.

(1) SMITH, A. B., *J. Ment. Sci.*, 1950, **95**, 493.

(2) THOMAS, B. C., *Arch. Neur. Psychiat.*, 1955, **74**, 489.

In the body of the paper they should appear as: Smith (1), Thomas (2).

(9) When the proof arrives from the printer it is for the correction of printer's mistakes only. Larger alterations can be made only with the Editor's permission and if the author is willing to defray the cost.

(10) Each author and co-author will receive 10 reprints of his paper free of charge. If further reprints are required the order should be sent **direct** to Messrs. Headley Brothers, Ltd., The Invicta Press, Ashford, Kent, at the time the galley proof is sent to the author. Orders for reprints must **not** be sent to the Editor-in-Chief.

(11) A paper sent to the Editor-in-Chief is, as a rule, sent to one of the panel of Referees set out on the cover of the Journal for his opinion.



When high-potency Vitamin **B** is indicated . . .

PARENTROVITE and OROVITE



Standard Reference Cards

Factual information on all our products is available. Produced in accordance with A.B.P.I. Specifications, cards can be obtained from our representatives or from Vitamins Ltd.

Parentrovite—massive dose of injectable B complex with C for restoring consciousness and rational behaviour in toxic states due to drugs and infective agents . . .
and Orovite—high dosage vitamin B complex for oral use— for rapid restoration of glucose metabolism.

VITAMINS LIMITED

Upper Mall, London, W.6.