

# The Journal of Laryngology and Otology

EDITED BY  
WALTER HOWARTH

ASSISTANT EDITOR  
G. H. BATEMAN

## Contents

THE EFFECTS OF NOISE ON HEARING . . . . .	ARAM GLORIG
SOME OCCUPATIONAL EFFECTS OF NOISE . . . . .	DONALD STEWART
THE EFFECTS OF NOISE UPON HEARING . . . . .	E. D. D. DICKSON
PRE-EPIDERMOSIS . . . . .	A. TUMARKIN ✓
CLINICAL RECORDS—	
THE OCCURRENCE OF RECRUITMENT IN GLAU- COMA PATIENTS . . . . .	G. CHILARIS and A. COYAS
EXUDATIVE CHOROIDITIS SECONDARY TO MAXIL- LARY SINUSITIS WITH REMARKABLE IM- PROVEMENT AFTER CALDWELL LUC OPERA- TION . . . . .	K. C. GADRE
MUCOCOELE OF THE RIGHT MAXILLARY SINUS WITH PROPTOSIS OF THE RIGHT EYE . . . . .	L. S. PARKER
PERFORATION OF THE PALATE SECONDARY TO RHINOLITHIASIS . . . . .	V. T. HAMMOND
METASTATIC CARCINOMA OF THE TEMPORAL BONES	M. BALSLEV JØRGENSEN
CLINICAL NOTES—	
MORE LIGHT ON TRANSILLUMINATION. A REPLY TO MR. TUMARKIN . . . . .	M. E. N. SMITH ✓
INTERNATIONAL SYMPOSIUM ON OTOSCLEROSIS	I. SIMSON HALL ✓
SOCIETIES' PROCEEDINGS—	
ROYAL SOCIETY OF MEDICINE—SECTION OF OTOLOGY	
GENERAL NOTES	

London

Headley Brothers

109 Kingsway WC2

Annual Subscription £4/4/0 net, U.S.A. \$13

Monthly, 10/- net post free

# The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY  
WALTER HOWARTH

ASSISTANT EDITOR  
G. H. BATEMAN

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2.

8 The annual subscription is four guineas sterling (U.S.A. \$13) post free, and is payable in advance.

9. Single copies will be on sale at 10s. od. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2.

#### *United States of America*

Orders for this *Journal* may be sent through local bookseller, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2, England.

© *Journal of Laryngology and Otology*, 1960

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

**J. & A. CHURCHILL LTD.**

**COMMON DISEASES OF THE EAR, NOSE AND THROAT**

*New (Third) Edition. Just Published.*

By PHILIP READING, M.S., F.R.C.S.

*This manual for students and newly qualified practitioners is confined to essential facts based on precise knowledge of normal anatomy and physiology. Operative technique is restricted to minor procedures which may be undertaken by the non-specialist.*

2 Coloured Plates and 44 Text Figures. **24s.**

**RECENT ADVANCES IN  
OTO-LARYNGOLOGY**

By F. BOYES KORKIS, M.B., Ch.B.(N.Z.), F.R.C.S.  
(Eng.), D.L.O.

Third Edition. 146 Illustrations. **60s.**

By the same author:

**EAR, NOSE AND THROAT  
NURSING**

85 Illustrations. **12s. 6d.**

**RECENT ADVANCES IN CEREBRAL  
PALSY**

Edited by R. S. ILLINGWORTH,  
M.D., F.R.C.P., D.P.H., D.C.H.  
136 Illustrations. **50s.**

From the U.S.A.

**THE ESOPHAGUS**

**Medical and Surgical Management**

By E. B. B. BENEDICT, M.D., and G. L. NARDI, M.D.  
16 Colour Plates and 108 Text Figures **105s.**

New Book

**DEAFNESS**

Now Available

By J. CHALMERS BALLANTYNE, F.R.C.S., D.L.O.

*This small book is intended for all who work in this field of social medicine. It covers the basic science of Audiology; Diagnosis of Deafness; Hearing Aids; Conductive, Perceptive and Psychogenic Deafness; and has several valuable Appendices. It will appeal to many educationists, speech therapists, etc., as well as to medical students and practitioners.*



71 Illustrations. **25s**

**104 GLOUCESTER PLACE, LONDON, W.1**

**WHICH DEAF AID?**

Your patient can compare a complete range of aids to hearing at no extra cost.

Mr. D. C. ALLEN, a member of the Society of Hearing Aid Audiologists, will advise your patients impartially and demonstrate a selection of the leading makes of hearing aids without obligation.



**FOR YOUR OWN GUIDANCE**

Send now for an attractive, specially prepared *Desk Folder* which will tell you at a glance "which deaf aid suits which kind of deafness," complete with a reply-paid referral pad. (Over 50 different fittings are listed).



**HEARING COUNSELLORS LTD**

53 GEORGE STREET, LONDON, W.1 Tel.: WELbeck 8493

Signatories to the Code of Commercial Practice of the Hearing Aid Industry approved by the National Institute for the Deaf—Member of the Hearing Aid Manufacturers and Suppliers Association.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



# 5 drops

## for the removal of EAR WAX

Cerumol avoids discomfort to the patient, inconvenience to the doctor and saves time for both.

Cerumol is now routinely used in most hospitals and general practices throughout the country.


Satisfactory results confirm that it is the most efficient agent yet introduced for the purpose and that it is exceptionally reliable and safe.

In 10-30 minutes the softened or disimpacted wax can usually be wiped out with a probe tipped with cotton wool, or by gentle syringing.

Patients can readily be instructed to instil the drops themselves and, in many cases, the loosened wax will run out of its own accord, rendering further attendance at the surgery unnecessary.

# CERUMOL

Regd. TRADE MARK



Active constituents per 100 ml.

p-dichlorobenzene B.P.C.	2 G.
Benzocaine B.P.	2.7 G.
Chlorbutol B.P.	5 G.
Ol. Terebinth B.P.	10 ml.

For surgery use—dropper vial

Hospital Pack—2 oz. bottles.



**LABORATORIES FOR APPLIED BIOLOGY LTD**


91, AMHURST PARK, LONDON, N.16.

TEL: STAmford Hill 2552/3

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

CASE 3.

# Fitting HEARING AIDS in DIFFICULT CASES



**Case 3:** MR. V. AGE: 65 YEARS

*History:* Deafness caused through measles. Progressive deterioration in hearing over 50 years.

*Hearing aid fitting:* Amplivox Super 'A' with low-tone earphone.

*Remarks:* Severity of hearing loss requires constant use of the aid. Very good results have been achieved in varied and often difficult conditions.

In measuring the performance of a hearing aid, no yardstick is more indicative than the results achieved in 'difficult cases'. The above case history is only one of the many successes which Amplivox have had over the past quarter-century.

Contributing to this success are the care and thoroughness with which the Amplivox Hearing Advisory Service fit a hearing aid. Air and bone conduction pure tone audiograms, loudness tolerance levels and phonetically balanced word tests are the basis of testing. It is this extreme care in testing and fitting which, coupled with expert knowledge of the instrument characteristics, ensures optimum hearing in all cases.

Amplivox incorporate the world's finest hearing aids in their range, including head-borne and body-worn aids (many

incorporating AVC) from the Super 'A', for the profoundly deaf, to the latest all-behind-the-ear model, Secrette.

There are permanent Amplivox Hearing Advisory Centres in principal cities throughout the country, providing a reliable and thorough service for the hard-of-hearing.

For further information and descriptive literature please telephone the local Amplivox Centre or write to:

## AMPLIVOX LTD.

80 New Bond Street, London, W.1  
Tel: Hyde Park 9888

CENTRES AT: BIRMINGHAM, BOURNEMOUTH, BRISTOL, CARDIFF, EDINBURGH, GLASGOW, HULL, LEEDS, LEICESTER, LIVERPOOL, MANCHESTER, NEWCASTLE, DUBLIN

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

## POST-TONSILLECTOMY COMFORT

### Immediate pain relief—Speedier Convalescence

The pain of traumatized tissues following tonsillectomy, demands its own relief—and points the need for analgesia that quickly reaches the irritated area.

ASPERGUM provides 'salivary analgesia' through the simple act of chewing — it brings pain-relieving acetylsalicylic acid into *intimate* and *prolonged* contact with the tonsillar

region, seldom reached even intermittently by gargling. The rhythmic stimulation of muscular action also aids in relieving local spasticity & stiffness: more rapid tissue repair is promoted. Each pleasantly flavoured chewing gum tablet provides  $3\frac{1}{2}$  grains acetylsalicylic acid, permitting frequent use. Particularly suitable for children.

# Aspergum

(Category S)

for more than two decades a dependable  
and welcome aid to patient-comfort

*Ethically promoted in packages of 16 tablets and moisture proof bottles of 36 and 250*

WHITE LABORATORIES LTD., 428, SOUTHCROFT ROAD, LONDON, S.W.16

# THE LARYNGOSCOPE

A Monthly Journal  
devoted to the disease of  
EAR, NOSE AND THROAT

*Official organ for the American Laryngological  
Rhinological and Otological Society*

Price \$15.00 per year      Canada \$15.50 per year  
Foreign \$16.00 per year

MAX A. GOLDSTEIN, M.D.  
FOUNDER

THEODORE E. WALSH, M.D.  
EDITOR

640 SOUTH KINGSHIGHWAY  
SAINT LOUIS 10, MO.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

# GOOD REASONS

## WHY YOUR PATIENTS SHOULD VISIT A PHILIPS AUDIOMETRIC CENTRE

■ Philips have always laid great stress on meeting the individual needs of every patient and at a Philips Audiometric Centre patients can discuss their special needs with a trained audiologist—*entirely free of charge.*

■ The new Philips range of Hearing Aids incorporates the latest improvements in this sphere—many of them the result of Philips own constant research into problems of sound reproduction.

■ And every instrument is exceptionally light, inconspicuous and reasonably priced.

**All fully  
Transistorised  
and Guaranteed  
for 1 year**

**KL 6500** Weight 0.3 ounces  
Price **19 GNS**

**KL 5910** Weight 2.1 ounces  
Price **£40.0.0**

**KL 6200** Weight 2.1 ounces  
Price **£48.0.0**

**KL 6075** Weight 0.3 ounces  
Price **£59.0.0**

There are **PHILIPS**  
Audiometric Centres at:

CENTURY HOUSE · SHAFTESBURY AVENUE  
LONDON · W.C.2.

1 ST. PAUL'S SQUARE · BIRMINGHAM 3.

11-13 PENARTH ROAD · CARDIFF.

27 ST. MARY'S GATE · NOTTINGHAM.

51 VICTORIA STREET · BRISTOL.

20 CANNON STREET · MANCHESTER 4.

72 WELLINGTON STREET · LEEDS 1.

HIGHLAND HOUSE · WATERLOO ST · GLASGOW C.2.

34 N. W. THISTLE STREET LANE · EDINBURGH 2.




**PHILIPS ELECTRICAL LTD**

CENTURY HOUSE · SHAFTESBURY AVENUE · LONDON · WC2  
(HA0017)

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

“Hearing Aid?  
I always  
send  
my patients  
to  
Ingrams”



**REFER YOUR  
PATIENTS TO  
Ingrams**

**The Independent  
Hearing Aid Suppliers**

*Member of the Society of Hearing  
Aid Audiologists.*

**Resident Representatives  
in all parts of the country.**

*Largest selection of Different Makes in the Country*

“I know my patients get the best possible choice of aids with Ingrams. Ingrams don’t make aids—they are Independent Suppliers of all the best makes. This means the patient can compare one make against another, Ingrams can advise impartially about each make, and the patient gets the best possible fitting. Patients like it and I can rely on Ingrams.

Ingrams have at Shepherd Street one of the best equipped consulting rooms I’ve ever seen. Their speech Audiometry equipment, for example, is outstanding. They also do domiciliary visits throughout the country—a lot of my patients like this, especially those outside London.”

**Ingrams Hearing Aids Limited**

**2, Shepherd Street, Shepherd Market,  
London, W.1.  
HYDe Park 9041 and 9042**

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



**First clinical audiometer  
to provide  
100% accurate audiograms**



# AMPLIVOX MODEL 82

**world's most fully-developed clinical audiometer**


It is now known that the disc type of earphone, used in conventional audiometers for air conduction testing and the application of masking noise, transfers the sound by bone conduction to the opposite ear at a level only 40 dB below the signal level. This means that up to 50% of audiograms taken at the present time with other audiometers may be invalid.

The Amplivox Model 82 Audiometer provides, for the first time, the means of taking accurate audiograms in cases of severe unilateral deafness through the provision of narrow band masking applied by insert earphone. This new masking technique is of special significance in bone conduction audiometry.

In addition to the exclusive narrow band masking feature, the Model 82 provides loudness balance test facilities, and all the other tests essential to proved pure tone audiometry.

## AMPLIVOX LTD

Medical Acoustic Division  
80 New Bond St, London W.1. Tel: HYDe Park 9888



**SEND FOR THIS  
DESCRIPTIVE  
BROCHURE**

Containing full information on the latest audiometric techniques in air and bone conduction.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

# The Journal of Laryngology and Otology

---

	PAGE
THE EFFECTS OF NOISE ON HEARING. Aram Glorig (Los Angeles) . . . . .	447
SOME OCCUPATIONAL EFFECTS OF NOISE. Donald Stewart (Birmingham)	479
THE EFFECTS OF NOISE UPON HEARING. E. D. D. Dickson (London)	485
PRE-EPIDERMOSIS. A. Tumarkin (Liverpool) . . . . .	487
CLINICAL RECORDS—	
The Occurrence of Recruitment in Glaucoma Patients. G. Chilaris and A. Coyas (Athens, Greece) . . . . .	501
Exudative Choroiditis Secondary to Maxillary Sinusitis with Remarkable Improvement after Caldwell Luc Operation K. C. Gadre (Bombay) . . . . .	504
Mucocœle of the Right Maxillary Sinus with Proptosis of the Right Eye. L. S. Parker (Brisbane) . . . . .	507
Perforation of the Palate secondary to Rhinolithiasis V. T. Hammond (London) . . . . .	510
Metastatic Carcinoma of the Temporal Bones. M. Balslev Jørgensen (Copenhagen, Denmark) . . . . .	513
CLINICAL NOTES—	
More Light on Transillumination. A Reply to Mr. Tumarkin. M. E. N. Smith (Swansea) . . . . .	519
International Symposium on Otosclerosis. I. Simson Hall (Edinburgh) . . . . .	521
SOCIETIES' PROCEEDINGS—	
ROYAL SOCIETY OF MEDICINE—SECTION OF OTOTOLOGY . . . . .	523
GENERAL NOTES . . . . .	526