



Erratum

Assessing and upgrading the cleanliness of the emergency department – ERRATUM

Elisheva Levine MD¹, Samar Abo-Gush RN, MA¹, Bath Sheva Ezagui RN, MA¹, Ruth David RN, MA¹, Puah Kopuit RN, MA¹, Naama Bagrish RN, MA², Todd Zalus MD², Marc V. Assous MD, PhD³, Yossi Freier-Dror PhD⁴ , Amos M. Yinnon MD¹  and Shmuel Benenson MD, MSc¹

¹Infection Control and Prevention Unit, Shaare Zedek Medical Center, Jerusalem, Israel, ²Emergency Department, Shaare Zedek Medical Center, Jerusalem, Israel, ³Clinical Microbiology Laboratory, Shaare Zedek Medical Center, and The Eisenberg R&D Authority, Shaare Zedek Medical Center, affiliated with the Hebrew University-Hadassah Medical School, Jerusalem, Israel and ⁴Mashav Applied Research, Jerusalem, Israel

DOI: <https://doi.org/10.1017/ice.2024.177>; first published online by Cambridge University Press: 26 December 2024.

Due to an error that occurred during production, the article¹ was published with a title that erroneously repeated some words. The article's correct title is "Assessing and upgrading the cleanliness of the emergency department." The article has been updated.

Reference

1. Levine E, Abo-Gush S, Ezagui BS, *et al.* Assessing and upgrading the cleanliness of the emergency department. *Infect Control Hosp Epidemiol* 2024.

