

Smart solutions: optimising paediatric ear and hearing care using teleotology

*Babatunde Oremule MBChB, MPH, FRCS (ORL-HNS)^{1,2}, James M. Dempsey BSc (Hons), MSc^{1,2},
Gabrielle H. Saunders PhD³, Jaya Nichani, M Phil, FRCS (ORL- HNS)^{1,2}, Iain A. Bruce MD, FRCS (ORL-
HNS)^{1,2}

1. Paediatric ENT Department, Royal Manchester Children's Hospital, Manchester University
NHS Foundation Trust, Manchester, United Kingdom
2. Division of Infection, Immunity and Respiratory Medicine, School of Biological Sciences,
Faculty of Biology, Medicine and Health, University of Manchester, Manchester, United
Kingdom
3. Manchester Centre for Audiology and Deafness (ManCAD), School of Health Sciences I
Faculty of Biology, Medicine and Health, University of Manchester, Manchester, United
Kingdom

* Corresponding author – Babatunde.oremule@manchester.postgrad.ac.uk

Structured abstract

Objectives

Paediatric ear and hearing services in the United Kingdom are currently facing significant challenges leading to increased waiting times for patients. This letter aims to explore teleotology, focusing on ear health care delivered via telemedicine, as a potential solution to alleviate service pressures and improve care delivery.

Methods

The current state of paediatric ear and hearing services in the UK was reviewed and the potential for teleotology to improve service delivery by reducing face-to-face consultations and improving triage processes was explored.

Results

Evidence from studies conducted in adults in the UK suggests that teleotology can optimise the allocation of resources, ensure timely treatment, and enhance the quality of care, aligning with the NHS Long Term Plan and recommendations from the GIRFT report.

Conclusions

The findings from adult teleotology are encouraging, but further research is required to demonstrate the efficacy of teleotology for children and young people in NHS settings.

MeSH keywords

Telemedicine

Otolaryngology

Pediatrics

Health Services Accessibility

Health Care Delivery

Dear Editor,

The mounting challenges facing paediatric ear and hearing services in the UK

Paediatric healthcare in the UK is in a concerning state. According to a Nuffield Trust report, as of March 2023, there were over 400,000 children waiting for planned paediatric hospital care in England, a significant increase of over 158,000 children since April 2012. This increase is all the more alarming given the significant reduction in paediatric research and funding.¹ There has been a global decline in the publication of paediatric clinical trials, with the trend particularly evident in Europe. In the UK, this decline has been observed over the past two decades. Only 5% of the UK's annual public and charitable research expenditure of approximately £2.2 billion is allocated to paediatric research, which is equivalent to less than £10 per child per year.² Since the outbreak of the COVID-19 pandemic, research output related to paediatric ear, nose, and throat (ENT) diseases has declined by over 50%.³

Paediatric ear and hearing health services in the UK face significant challenges due to chronic and worsening staff shortages.⁴ This has resulted in a gap between the need for paediatric ENT services and the available resources, leading to longer waiting times for diagnosis and specialist appointments for children. Delay in treatment is especially harmful to children, for whom early intervention is crucial in managing ear and hearing issues effectively. This situation is particularly challenging in urban areas where the COVID-19 pandemic has created a backlog in addition to other service pressures, making access to specialist care even more difficult.⁵

It is against this backdrop that teleotology has emerged as a promising solution, offering a digital-first approach to paediatric ear and hearing care. It is important to note that while teleotology and teleaudiology are related, they focus on different aspects of care:

teleaudiology is primarily concerned with hearing health, whereas teleotology focuses on ear health, the focus of this article.

Teleotology aligns with The NHS Long Term Plan's aims to reduce face-to-face appointments by 30% through telemedicine.⁶ Teleotology also aligns with recommendations made in the ENT Getting It Right First Time (GIRFT) report which recommends maximising audiology services to manage chronic ear disease and provide post-operative care.⁷ The report also suggests making optimal use of clinical outpatient resources to reduce unnecessary consultant-led follow-ups. By providing clinicians with more information with which to make decisions, employing a teleotology approach can greatly enhance the triage process, ensuring those most in need are prioritised.

This article argues for research into the application of teleotology in paediatric ear and hearing care in NHS settings. Adopting a teleotology approach could improve the quality and accessibility of paediatric ear and hearing care, thereby enabling timely and effective treatment for children and young people.

Embracing the digital shift

Although teleotology is increasingly used worldwide, only two studies have evaluated its effectiveness for NHS patients, both of which involved only adult participants.^{8,9} The studies demonstrated that a teleotology approach is a cost-effective and efficient approach to community-led ear and hearing care. A teleotology approach may be beneficial in several areas of the ear and hearing pathway, provided that appropriate patient selection is made

and a clearly defined remit is in place [Table 1]. The authors believe that this model of care should also be explored for children and young people in NHS settings.

The recent expansion of non-medically trained Primary Care Network (PCN) multidisciplinary roles in general practice under the Additional Roles Reimbursement Scheme (ARRS) has significantly increased the pool of referring professionals to secondary and tertiary ear and hearing care services. A pertinent example involves “Pharmacy First”, an NHS England directive enabling pharmacies in England to provide treatment for seven common health conditions without the need for patients to visit their GP.¹⁰ Amongst these common conditions is earache. Earache can be caused by a variety of conditions but is most commonly caused by otitis media. It can be difficult to distinguish between acute otitis media, which requires treatment with antibiotics, and otitis media with effusion, which is usually treated without medication. Despite its very common occurrence, even experienced healthcare professionals such as General Practitioners and Paediatricians, can have difficulty distinguishing between the two conditions.¹¹ This can lead to mismanagement such as inappropriate prescription of antibiotics, which can contribute to antibiotic resistance.¹² As more care is provided in non-traditional settings, such as pharmacies, ensuring that there are clear pathways to access an ENT specialist opinion is critical to ensure the best clinical care is provided and patient safety is maintained. Adopting a teleotology approach would facilitate this and help to optimise patient care pathways.

Comparison to adult services

Paediatric ear and hearing services differ significantly from adult services in several key aspects. Firstly, the specialist nature of paediatric care makes it less accessible due to the

scarcity of specialised resources. For example, conducting an age-appropriate hearing assessment for children can require more than one audiologist. This can limit the number of paediatric patients that can be seen in a clinic compared to an adult clinic where typically only one audiologist is needed per patient. In addition, paediatric services often need to work together with community organisations such as schools, and maintain proactive communication with parents and caregivers, which is not typically a factor in adult care. Moreover, the focus and goals of care in paediatric and adult services are distinct. In paediatric care, the primary emphasis is on screening and early intervention to identify and address issues as early as possible, in contrast to adult ear and hearing services, where the focus is often on diagnosing and treating existing conditions.

Rethinking paediatric ear care

Teleotology provides a unique opportunity to address the specific challenges and considerations involved in providing ear and hearing care for children and young people. Originally designed to address the disparity in access to specialist ear and hearing care for children residing in rural areas, teleotology has become increasingly useful for children residing in urban areas, who face unique challenges due to dense populations, diverse socio-economic conditions and varying access to healthcare.¹³ Children in urban areas are often exposed to higher levels of air pollution, which has been linked to increased incidence of otitis media with effusion.^{14,15} A major advantage of teleotology over the current standard care pathway is that it enables early identification of patients who require more specialised care, allowing a significant proportion of cases to be managed in primary care. This approach

not only streamlines patient care, but also optimises resource allocation in secondary care, ensuring timely and appropriate treatment for those most in need.

Despite the undoubted success of the universal new-born hearing screening (UNHS) programme there still are approximately 45,000 children with a disabling hearing impairment living in the UK.¹⁶ It is possible for children with mild hearing loss to pass the UNHS, and some may develop late-onset or progressive hearing loss (PHL). The School Entry Hearing Screening (SES) is a crucial public health intervention used to identify children with late-onset or PHL. Unfortunately, the system is not standardised, partly due to limitations in resources and concerns about the cost-effectiveness of the approach.^{17,18} However, the authors suggest that a teleotology/teleaudiology approach is perfectly suited for this task, with the potential to decrease costs and improve access to hearing services at the community level, thereby maintaining a crucial service.¹⁹

Teleotology expands access to ear health screening and assessment, providing cost-effective access to specialist healthcare. It can result in high levels of patient satisfaction, reduce ear health inequalities, and decrease carbon emissions associated with providing healthcare, among other benefits [Figure 1].²⁰⁻²⁴ If modifications are made specifically for children, such as child-friendly user interfaces on mobile hearing assessment devices, healthcare access disparities might be significantly reduced. For instance, some parents of children with special needs find it challenging to attend hospital outpatient appointments.²⁵ In such scenarios, parents could be trained on how to use telehealth devices. This would enable them to complete virtual or telehealth appointments at a time and place that suits them. This patient-centred approach could result in improved attendance at follow-up appointments and greater compliance with treatment plans.

Considerations for effective teleotology deployment

The implementation of a teleotology service necessitates the availability of certain essential resources. The most pivotal of these is a secure and user-friendly telemedicine platform. The availability of diagnostic equipment, including digital otoscopes and audiometers, is also of critical importance, as it enables remote examination and diagnosis. Advancing technology has led to the development of portable, easy-to-use smartphone and tablet devices, which now provide access to these solutions. One factor that initially prevented widespread uptake was the cost and speed of internet connectivity, but high-speed internet connectivity is now ubiquitous in the developed world. In order to protect patient information and adhere to regulations such as the Data Protection Act (2018), it is imperative that robust data security measures and compliance protocols are in place. Finally, comprehensive training programmes for healthcare providers are essential to equip them with the skills needed to utilise teleotology tools and platforms effectively.

While these resources form the foundation of a teleotology service, several additional resources can enhance its efficacy and patient experience. Integration with electronic health records (EHR) systems facilitates more effective data management and continuity of care. Mobile health applications offer patients the convenience of conducting preliminary assessments and providing data to clinicians ahead of consultations, streamlining the care process. Advanced analytics and AI tools further elevate teleotology by offering data-driven insights that enhance diagnosis and treatment planning. Artificial intelligence (AI) algorithms can assist in the diagnosis of ear conditions, while predictive analytics can personalise patient care, thereby improving outcomes.

It is important to not take a one-size-fits-all approach when integrating teleotology into existing pathways in order to avoid failure. The NHS is not a single entity, but rather a collection of hundreds of organisations of varying sizes at different levels (central, national, regional, and local) with distinct roles and responsibilities. A thorough assessment of local needs and available infrastructure will highlight any necessary technological upgrades and identify staff who require upskilling. This will also determine an organisation's overall readiness to adopt a "joined-up" approach to implementing teleotology services. Ultimately, implementing any digital health transformation project depends on the acceptance and "buy-in" of service users and healthcare professionals. Therefore, supporting staff with appropriate training, and educating patients about the goals and remit of teleotology services, will play an important role in successful integration.²⁶

It is crucial to recognise the potential limitations of a teleotology approach if not appropriately used. Although the Wachter Review (2016) recommended that all NHS Trusts should be supported to go 'paperless' by 2020, many NHS Trusts are currently behind on this target.²⁷⁻²⁸ This may hinder the implementation teleotology in certain areas due to a lack of digital readiness. This challenge might be overcome by partnering with providers that offer secure cloud-based solutions, that are compliant with NHS data protection standards.

Anywhere from 17-64% of patients who have a teleotology appointment may require a follow-up face-to-face appointment, meaning that many of the benefits teleotology brings may be negated if used inappropriately.²⁹ Research into the application of teleotology in the paediatric setting should focus on identifying appropriate patient populations and presenting complaints, determining the timing of teleotology consultations, such as for triage or post-operative monitoring, and demonstrating acceptability and feasibility. This will

ensure that teleotology is used in the most beneficial way to optimise patient care and improve patient experience.

Conclusion

There is considerable potential for teleotology to have a positive impact on paediatric ear and hearing healthcare services and patient health outcomes, as well as on the environment. Furthermore, it could enable essential public hearing health screening services to evolve to meet demand. The introduction and expansion of teleotology represents a crucial step towards the future delivery of sustainable children's ear and hearing services in both urban and rural areas within the NHS. However, it is not a panacea and further evidence is required to demonstrate the feasibility and acceptability of teleotology for children in urban areas accessing NHS ear and hearing care.

References

1. Nuffield Trust. Growing problems, one year on: the state of children's health care and the Covid-19 backlog. Nuffield Trust, 2023
2. RCPCH Commission on Child Health Research. "Turning the Tide": Harnessing the power of child health research, 2012
3. Grantham-Hill S, Eyre M, Ramanan AV, Modi N, De Wildt SN, Lim M. Global Association of the COVID-19 Pandemic With Pediatric Clinical Trial Publication. *JAMA Netw Open* 2023;6: e213456
4. OECD. "Doctors" (indicator). 2024. Available from: https://www.oecd-ilibrary.org/social-issues-migration-health/doctors/indicator/english_4355e1ec-en [Accessed 26th Feb 2024]
5. Macdonald N, Clements C, Sobti A, Rossiter D, Unnithan A, Bosanquet N. Tackling the elective case backlog generated by Covid-19: the scale of the problem and solutions. *J Public Health (Bangkok)* 2020;42:712–716
6. NHS Long Term Plan. Available from: <https://www.longtermplan.nhs.uk/> [Accessed 25th Oct 2023]
7. Marshall A. Ear, Nose and Throat Surgery GIRFT Programme National Specialty Report. GIRFT, 2019
8. Cottrell E, George A, Coulson C, Chambers R. Telescopic otology referrals: Evaluation of feasibility and acceptability. *Laryngoscope Investig Otolaryngol* 2020;5:221–227
9. Forde CT, Dimitrov L, Doal S, Patel J, Clare D, Burslem M et al. Delivery of remote otology care: a UK pilot feasibility study. *BMJ Open Qual* 2022;11: e000123

10. NHS England. Over 10,000 NHS pharmacies begin treating people for common conditions. Available from: <https://www.england.nhs.uk/2024/01/over-10000-nhs-pharmacies-begin-treating-people-for-common-conditions/> [Accessed 26th Feb 2024]
11. Pichichero ME, Poole MD. Comparison of performance by otolaryngologists, pediatricians, and general practitioners on an otoendoscopic diagnostic video examination. *Int J Pediatr Otorhinolaryngol* 2005;69:361–366
12. Cullas Ilarslan NE, Gunay F, Topcu S, Ciftci E. Evaluation of clinical approaches and physician adherence to guidelines for otitis media with effusion. *Int J Pediatr Otorhinolaryngol* 2018;112:97–103
13. Eikelboom RH, Mbaio MN, Coates HL, Atlas MD, Gallop MA. Validation of tele-otology to diagnose ear disease in children. *Int J Pediatr Otorhinolaryngol* 2005;69:739–744
14. Apostolopoulos K, Xenelis J, Tzagaroulakis A, Kandiloros D, Yiotakis J, Papafragou K. Otitis media with effusion prevalence in mountainous/rural and urban environment in Greece. *Hippokratia* 2020;24:47–53
15. Chadha SK, Gulati K, Garg S, Agarwal AK. Comparative prevalence of otitis media in children living in urban slums, non-slum urban and rural areas of Delhi. *Int J Pediatr Otorhinolaryngol* 2014;78:2271–2274
16. Consortium for Research in Deaf Education. 2022 Report for England, 2023
17. Bamford J, Fortnum H, Bristow K, Smith J, Vamvakas G, Davies L et al. Current practice, accuracy, effectiveness and cost-effectiveness of the school entry hearing screen. *Health Technol Assess* 2007;11:1–160

18. Fortnum H, Ukoumunne OC, Hyde C, Taylor RS, Ozolins M, Errington S et al. A programme of studies including assessment of diagnostic accuracy of school hearing screening tests and a cost-effectiveness model of school entry hearing screening programmes. *Health Technol Assess* 2016;20:1–210
19. Yousuf Hussein S, Swanepoel DW, Mahomed F, Biagio de Jager L. Community-based hearing screening for young children using an mHealth service-delivery model. *Glob Health Action* 2018;11:1467077
20. Harris MS, Dodson EE. Hearing health access in developing countries. *Curr Opin Otolaryngol Head Neck Surg* 2017;25:353–358
21. Alenezi EMA, Veselinović T, Tao KFM, Altamimi AAH, Tran TT, Herbert H et al. Ear Portal: An urban-based ear, nose, and throat, and audiology referral telehealth portal to improve access to specialist ear-health services for children. *J Telemed Telecare* 2023;1357633X231158839
22. Shah MU, Sohal M, Valdez TA, Grindle CR. iPhone otoscopes: Currently available, but reliable for tele-otoscopy in the hands of parents? *Int J Pediatr Otorhinolaryngol* 2018;106:59–63
23. Meng X, Dai Z, Hang C, Wang Y. Smartphone-enabled wireless otoscope-assisted online telemedicine during the COVID-19 outbreak. *Am J Otolaryngol* 2020;41:102476
24. Purohit A, Smith J, Hibble A. Does telemedicine reduce the carbon footprint of healthcare? A systematic review. *Future Healthc J* 2021;8:e85–e91
25. Erkkola-Anttinen N, Irjala H, Laine MK, Tähtinen PA, Löyttyniemi E, Ruohola A. Smartphone Otoscopy Performed by Parents. *Telemed J E Health* 2019;25:477–484

26. Health Education England. The Topol Review - Preparing the healthcare workforce to deliver the digital future, 2019
27. Wachter R. Making IT work: harnessing the power of health information technology to improve care in England. London, UK: Department of Health, 2016
28. Best J. NHS still reliant on paper patient notes and drug charts despite electronic upgrades, The BMJ finds. *BMJ* 2023;382
29. Gupta T, Gkiousias V, Bhutta MF. A systematic review of outcomes of remote consultation in ENT. *Clin Otolaryngol* 2021;46:699–719




Figure 1

Table 1. Roles and tasks that might benefit from teleotology.

ROLE/TASK	DESCRIPTION
MICROSUCTION BY ALLIED HEALTH PROFESSIONALS	Ear care procedures by trained professionals
SCHOOL NURSES DIRECT ACCESS ENT	Enabling school nurses to consult ENT specialists remotely
PHARMACIES DIAGNOSING AND TREATING EAR CONDITIONS	Pharmacists using teleotology for ear condition diagnosis and treatment
GP DIRECT ACCESS TO ENT (ENHANCED ADVICE AND GUIDANCE)	GPs consulting ENT specialists remotely for better patient care
COMMUNITY HEALTH SERVICES DIRECT ACCESS TO ENT	Community health services connecting with ENT specialists for specialist opinion
TELE-CONSULTATIONS	Virtual consultations with ENT specialists for diagnosis and treatment
VIRTUAL TRIAGE FOR PEDIATRIC EMERGENCIES	Prioritising urgent care needs and scheduling through virtual triage