


DATES OF PUBLICATIONS IN PARTS

PART 1, pp. 1–17014 March 1983
PART 2, pp. 171–35514 June 1983
PART 3, pp. 357–53712 September 1983
PART 4, pp. 539–72029 December 1983

ERRATA (VOL. 73)

- p. 20, line 6 in Fig. 1, for *Toxorhynchites* read *A. africanus*
p. 21, line 6 in Fig. 2, for *Toxorhynchites* read *A. africanus*
p. 160, penult. line in Fig. 2, for 0.007 read 0.0007
p. 222, line 19, for *S. scyron* read *I. scyron*
p. 225, line 12, for *Calionima* read *Callionima*
p. 370, second species, for *Sisyphus costatus* (Thunberg) read *Sisyphus crispatus* Gory
p. 453, replace Fig. 25 with the following:



NOTES FOR AUTHORS

Papers submitted for publication in the *Bulletin of Entomological Research* should be sent, in duplicate, to the Director, Commonwealth Institute of Entomology, 56 Queen's Gate, London SW7 5JR. They must deal with original research concerning insects, mites or ticks of economic importance in the agricultural, medical or veterinary fields; they must be of more than purely local interest, and taxonomic papers will not be accepted unless the organisms dealt with are of definite importance in the field of applied entomology. Review articles may also be submitted, but will normally be by invitation. Papers must not have been published or accepted for publication elsewhere. They will normally be published in order of their receipt in definitive form.

For general guidance on presentation and style, including the preparation of illustrations, contributors are urged to consult *Writing Scientific Papers in English. An ELSE-Ciba Foundation Guide for Authors* (by Maeve O'Connor & E. Peter Woodford), 116 pp., Amsterdam, Associated Scientific Publishers, 1975, ISBN 90-219-4035-3.

Text

Papers should be typewritten (double spaced, with ample margins and on one side of the paper only) and a current number of the *Bulletin* should be consulted for details of style and lay-out. Titles should be as brief as is consistent with clarity. Abbreviations should conform to *British Standard 1991, Part 1, 1967*, and are alike in singular and plural; stops will be used only where ambiguity might occur, e.g. 'in.' not 'in' for inch, but 'in²' for square inch. Metric units are preferred; if non-metric units are used, metric equivalents should be given at least once in each article.

Tables

Tables should be reduced to the simplest form, and should not be used where text or illustrations give the same information. They should be submitted on separate sheets at the end of the article and must on no account be of a size or form that will not conveniently fit into the page of the *Bulletin*.

Illustrations

Line drawings and graphs must be in jet-black indian ink, preferably on bristol board or tracing cloth. Graphs may be drawn on paper ruled in pale blue or light grey; paper having green, red, yellow or brown lines should not be used. Any stippling or hatching, as well as any numerals or lettering, on the text-figures must be completed, by the author, in a form suitable for reproduction; this work is *not* undertaken by the printer. Text-figures, when reproduced, cannot exceed 12.7 cm in width; if, therefore, the original drawings are larger, the lettering on them must be in proportion, so that it is still legible when reduced; special attention should be paid to the relative scales of lettering and line thicknesses in relation to the figure as a whole. Photographs for reproduction as plates are admissible when they are a real contribution to the text. Captions to text-figures and plates should be typed on a separate sheet.

Abstract

Each paper must contain a carefully prepared and accurate informative abstract that shall be complete in itself and intelligible without reference to the text or figures. It should not exceed 250 words, and should be included at the beginning immediately after the title, author and author's affiliation.

References

References must be based on the name and year system and conform to the present usages of the *Bulletin*. Titles of journals should be abbreviated as in the 4th edition of *The World List of Scientific Periodicals*. References to unpublished information should normally be included only in the text—(A. B. Jones, pers. comm.) or (A. B. Jones. Control of sandflies by insecticides. Unpublished report. Ross Institute, London, 1950).

Offprints

Free copies of offprints are allowed as follows: One author—20 copies; two or more authors—30 copies. Further copies may be obtained on payment, and the number required should be specified when the paper is submitted.

BULLETIN OF ENTOMOLOGICAL RESEARCH

(World List Abbreviation: *Bull. ent. Res.*)

ISSN 0007—4853

	PAGE
BRIESE, D. T. & MENDE, H. A. Selection for increased resistance to a granulosis virus in the potato moth, <i>Phthorimaea operculella</i> (Zeller) (Lepidoptera: Gelechiidae)	1
SEMPALA, S. D. K. Seasonal population dynamics of the immature stages of <i>Aedes africanus</i> (Theobald) (Diptera: Culicidae) in Zika Forest, Uganda ..	11
SEMPALA, S. D. K. Interactions between immature <i>Aedes africanus</i> (Theobald) and larvae of two predatory species of <i>Toxorhynchites</i> (Diptera: Culicidae) in Zika Forest, Uganda	19
PARH, I. A. The effects of <i>Empoasca dolichi</i> Paoli (Hemiptera: Cicadellidae) on the performance and yield of two cowpea cultivars	25
WALLACE, M. M. H. & TYNDALE-BISCOE, M. Attempts to measure the influence of dung beetles (Coleoptera: Scarabaeidae) on the field mortality of the bush fly <i>Musca vetustissima</i> Walker (Diptera: Muscidae) in south-eastern Australia	33
TYNDALE-BISCOE, M. Effects of ovarian condition on nesting behaviour in a brood-caring dung beetle, <i>Copris diversus</i> Waterhouse (Coleoptera: Scarabaeidae)	45
VALE, G. A. The effects of odours, wind direction and wind speed on the distribution of <i>Glossina</i> (Diptera: Glossinidae) and other insects near stationary targets	53
CHAPMAN, R. F., WOODHEAD, S. & BERNAYS, E. A. Survival and dispersal of young larvae of <i>Chilo partellus</i> (Swinhoe) (Lepidoptera: Pyralidae) in two cultivars of sorghum	65
BERNAYS, E. A., CHAPMAN, R. F. & WOODHEAD, S. Behaviour of newly hatched larvae of <i>Chilo partellus</i> (Swinhoe) (Lepidoptera: Pyralidae) associated with their establishment in the host-plant, sorghum	75
FORNO, I. W., SANDS, D. P. A. & SEXTON, W. Distribution, biology and host specificity of <i>Cytobagous singularis</i> Hustache (Coleoptera: Curculionidae) for the biological control of <i>Salvinia molesta</i>	85
JONES, O. T., LISK, J. C., LONGHURST, C., HOWSE, P. E., RAMOS, P. & CAMPOS, M. Development of a monitoring trap for the olive fly, <i>Dacus oleae</i> (Gmelin) (Diptera: Tephritidae), using a component of its sex pheromone as lure ..	97
STRIBLEY, M. F., MOORES, G. D., DEVONSHIRE, A. L. & SAWICKI, R. M. Application of the FAO-recommended method for detecting insecticide resistance in <i>Aphis fabae</i> Scopoli, <i>Sitobion avenae</i> (F.), <i>Metopolophium dirhodum</i> (Walker) and <i>Rhopalosiphum padi</i> (L.) (Hemiptera: Aphididae)	107
PADGHAM, D. E. The influence of the host-plant on the development of the adult brown planthopper, <i>Nilaparvata lugens</i> (Stål) (Hemiptera: Delphacidae) and its significance in migration	117
KIRK, A. A. The biology of <i>Bubas bison</i> (L.) (Coleoptera: Scarabaeidae) in southern France and its potential for recycling dung in Australia	129
CAMPBELL, C. A. M. The assessment of mealybugs (Pseudococcidae) and other Homoptera on mature cocoa trees in Ghana	137
VILLANI, F., WHITE, G. B., CURTIS, C. F. & MILES, S. J. Inheritance and activity of some esterases associated with organophosphate resistance in mosquitoes of the complex of <i>Culex pipiens</i> L. (Diptera: Culicidae)	153

© Commonwealth Agricultural Bureaux, 1983

All rights reserved. No part of this publication may be reproduced, in any form or by any means, electronically, mechanically, by photocopying, recording or otherwise, without prior permission of the copyright owner.