

BULLETIN  
OF  
ENTOMOLOGICAL RESEARCH

ISSUED BY THE IMPERIAL  
BUREAU OF ENTOMOLOGY.

EDITOR: THE DIRECTOR.

---

VOL. X.

---

LONDON

1919-1920.

# IMPERIAL BUREAU OF ENTOMOLOGY.

## Honorary Committee of Management.

**VISCOUNT HARCOURT**, *Chairman.*

Lieutenant-Colonel A. W. ALCOCK, C.I.E., F.R.S., London School of Tropical Medicine.

Major E. E. AUSTEN, D.S.O., Entomological Department, British Museum (Natural History).

Dr. A. G. BAGSHAW, C.M.G., Director, Tropical Diseases Bureau.

Major-General Sir J. ROSE BRADFORD, K.C.M.G., F.R.S., Secretary, Royal Society.

Major-General Sir DAVID BRUCE, K.C.B., F.R.S., Chairman, Governing Body, Lister Institute.

Mr. J. C. F. FRYER, Entomologist to the Ministry of Agriculture and Fisheries.

Sir SIDNEY F. HARMER, K.B.E., F.R.S., Director, British Museum (Natural History).

Professor H. MAXWELL LEFROY, Imperial College of Science and Technology.

Hon. E. LUCAS, Agent-General for South Australia.

Dr. R. STEWART MACDOUGALL, Lecturer on Agricultural Entomology, Edinburgh University.

Sir JOHN McFADYEAN, Principal, Royal Veterinary College, Camden Town.

Sir PATRICK MANSON, G.C.M.G., F.R.S., Late Medical Adviser to the Colonial Office.

Sir DANIEL MORRIS, K.C.M.G., Late Adviser to the Colonial Office in Tropical Agriculture.

Professor R. NEWSTEAD, F.R.S., Dutton Memorial Professor of Medical Entomology, Liverpool University.

Professor G. H. F. NUTTALL, F.R.S., Quick Professor of Protozoology, Cambridge.

Professor E. B. POULTON, F.R.S., Hope Professor of Zoology, Oxford.

Lieutenant-Colonel Sir DAVID PRAIN, C.M.G., C.I.E., F.R.S., Director, Royal Botanic Gardens, Kew.

Sir H. J. READ, K.C.M.G., C.B., Colonial Office.

The Honourable N. C. ROTHSCHILD.

Dr. HUGH SCOTT, Curator in Entomology, Museum of Zoology, Cambridge.

Sir ARTHUR E. SHIPLEY, G.B.E., F.R.S., Master of Christ's College, Cambridge.

Mr. R. A. C. SPERLING, C.M.G., Foreign Office.

Sir STEWART STOCKMAN, Chief Veterinary Officer, Ministry of Agriculture.

Mr. F. V. THEOBALD, Vice-Principal, South Eastern Agricultural College, Wye.

Mr. C. WARBURTON, Zoologist to the Royal Agricultural Society of England.  
The Chief Entomologist in each of the Self-governing Dominions is an *ex officio* member of the Committee.

**General Secretary.**

Mr. A. C. C. PARKINSON (Colonial Office).

**Director and Editor.**

Dr. GUY A. K. MARSHALL, C.M.G.

**Assistant Director.**

Dr. S. A. NEAVE.

*Head Office.*—British Museum (Natural History), Cromwell Road, London, S.W.7.

*Publication Office.*—88, Queen's Gate, London, S.W.7.

# CONTENTS.

## ORIGINAL ARTICLES.

|                                                                                                                           | PAGE. |
|---------------------------------------------------------------------------------------------------------------------------|-------|
| ADERS, W. MANSFIELD-                                                                                                      |       |
| Insects Injurious to Economic Plants in the Zanzibar Protectorate....                                                     | 145   |
| Notes on the Identification of Anophelinae and their Larvae in the<br>Zanzibar Protectorate.....                          | 329   |
| AUSTEN, MAJOR E. E.                                                                                                       |       |
| A Contribution to Knowledge of the Tabanidae of Palestine.....                                                            | 277   |
| BAKER, DR. A. C.                                                                                                          |       |
| <i>Neotoxoptera violae</i> , Theo., and its Allies.....                                                                   | 45    |
| BARRAUD, LIEUT. P. J.                                                                                                     |       |
| Notes on some Culicidae collected in Lower Mesopotamia.....                                                               | 323   |
| BEZZI, PROF. M.                                                                                                           |       |
| A new Australian species of <i>Rioxa</i> with a remarkable Life-habit (Dipt. ;<br>Trypaneidae).....                       | 1     |
| Notes on the Ethiopian Fruit-flies of the Family Trypaneidae, other<br>than <i>Dacus</i> —iii .....                       | 211   |
| BRAIN, CHAS. K.                                                                                                           |       |
| The Coccidae of South Africa—iv.....                                                                                      | 95    |
| CLEARE, L. D., JNR.                                                                                                       |       |
| A useful Breeding Cage.....                                                                                               | 43    |
| DISTANT, W. L.                                                                                                            |       |
| A new Lygaeid Bug found among Stored Rice in Java.....                                                                    | 41    |
| DUKE, DR. H. LYNDBURST.                                                                                                   |       |
| An Enquiry into the Relations of <i>Glossina morsitans</i> and Ungulate<br>Game with special reference to Rinderpest..... | 7     |
| EDWARDS, F. W.                                                                                                            |       |
| Mosquito Notes.....                                                                                                       | 129   |
| FISKE, W. F.                                                                                                              |       |
| Investigations into the Bionomics of <i>Glossina palpalis</i> .....                                                       | 347   |
| INGRAM, DR. A.                                                                                                            |       |
| The Domestic-breeding Mosquitos of the Northern Territories of the<br>Gold Coast.....                                     | 47    |

(693) Wt.P2 154. 1,000. 9.20. B.&F.,Ltd. G11/14.

|                                                                                                                                         |     |
|-----------------------------------------------------------------------------------------------------------------------------------------|-----|
| INGRAM, DR. A., & MACFIE, DR. J. W. S.<br>The Early Stages of West African Mosquitos—iv.....                                            | 59  |
| JACK, RUPERT W.<br>Tsetse Fly in Southern Rhodesia, 1918.....                                                                           | 71  |
| MACFIE, DR. J. W. S.<br>The Chaetotaxy of the Pupa of <i>Stegomyia fasciata</i> .....                                                   | 161 |
| MACFIE, DR. J. W. S., & INGRAM, DR. A.<br>The Early Stages of West African Mosquitos—iv.....                                            | 59  |
| MACGREGOR, CAPT. M. E.<br>On the Occurrence of <i>Stegomyia fasciata</i> in a Hole in a Beech Tree in<br>Epping Forest.....             | 91  |
| MARSHALL, DR. GUY A. K.<br>Some injurious South African Weevils.....                                                                    | 273 |
| MAULIK, S.<br>A new Hispid Beetle injurious to the Oil Palm in the Gold Coast.....                                                      | 171 |
| MUIR, F.<br>On some African Delphacidae (Homoptera).....                                                                                | 139 |
| NEWSTEAD, ROBERT.<br>Observations on Scale-Insects (Coccidae)—vi.....                                                                   | 175 |
| STANTON, A. T.<br>The Mosquitos of Far Eastern Ports with special reference to the<br>Prevalence of <i>Stegomyia fasciata</i> , F. .... | 333 |
| TRÄGÅRDH, IVAR.<br>On the Use of Experimental Plots when studying Forest Insects....                                                    | 157 |
| TURNER, R. E.<br>On a New Mutillid Parasite of <i>Glossina morsitans</i> .....                                                          | 327 |
| VEITCH, ROBERT.<br>Notes on the more important Insects in Sugar-cane Plantations in Fiji                                                | 21  |

---

## MISCELLANEOUS.

|                           |                   |
|---------------------------|-------------------|
| Collections received..... | 93, 209, 345, 465 |
|---------------------------|-------------------|

## PLATES.

---

|                                                                          | PAGE.            |
|--------------------------------------------------------------------------|------------------|
| I. Wings of <i>Neotoxoptera violae</i> and its allies.....               | <i>facing</i> 46 |
| II.—IV. Views of habitats of <i>Glossina morsitans</i> in S. Rhodesia .. | 90               |
| V.—XII. South African Coccidae.....                                      | 128              |
| XIII.—XV. Views showing ravages of <i>Oryctes</i> in Coconut Palm..      | 156              |
| XVI. Scale-Insects.....                                                  | 208              |
| XVII.—XVIII. Wings of Trypetidae.....                                    | 272              |
| XIX. Injurious South African Curculionidae.....                          | 276              |

---

## MAPS.

---

|                                                                       | PAGE.                   |
|-----------------------------------------------------------------------|-------------------------|
| Chart of Experiment on <i>Glossina</i> .....                          | <i>to face</i> 17       |
| Charts showing density of <i>Glossina</i> in Uganda.....              | 372, 388, 411, 423, 458 |
| Map showing increase of <i>G. morsitans</i> in Sebungwe District..... | <i>to face</i> 90       |
| Map of Southern Rhodesia.....                                         | 90                      |
| The Suri-suri Fly Belt.....                                           | 90                      |

---

# ILLUSTRATIONS IN THE TEXT.

Details of :—

PAGE.

|                                                                                          |     |
|------------------------------------------------------------------------------------------|-----|
| <i>Rioxa termitoxena</i> , Bezzi, sp. n. . . . .                                         | 2   |
| <i>Rhabdocnemis obscura</i> , Boisd. . . . .                                             | 23  |
| Pupa of <i>Anopheles pretoriensis</i> , Theo. . . . .                                    | 60  |
| "    " <i>rufipes</i> , Gough . . . . .                                                  | 61  |
| "    " <i>Ochlerotatus hirsutus</i> , Theo. . . . .                                      | 62  |
| "    " <i>nigeriensis</i> , Theo. . . . .                                                | 64  |
| "    " <i>Culex</i> " <i>ager</i> var. <i>ethiopicus</i> , Edw. . . . .                  | 65  |
| "    "    " <i>quasiyelidus</i> , Theo. . . . .                                          | 67  |
| "    "    " <i>univittatus</i> , Theo. . . . .                                           | 69  |
| Male genitalia, <i>Culex aurantapez</i> , Edw. . . . .                                   | 135 |
| "    " <i>Dicranotropis nigeriensis</i> , Muir, sp. n. . . . .                           | 140 |
| "    "    " <i>bridwelli</i> , Muir, sp. n. . . . .                                      | 141 |
| "    "    " <i>ibadanensis</i> , Muir, sp. n. . . . .                                    | 142 |
| "    " <i>Delphacodes bridwelli</i> , Muir, sp. n. . . . .                               | 140 |
| "    " <i>Megamelus furcifer</i> , Horv. . . . .                                         | 142 |
| "    "    " <i>kolophon</i> , Kirk . . . . .                                             | 142 |
| "    "    " <i>nigeriensis</i> , Muir, var. n. . . . .                                   | 142 |
| "    "    " <i>flavolineatus</i> , Muir, sp. n. . . . .                                  | 143 |
| <i>Olypeococcus hempeli</i> , Ckll., ♀ . . . . .                                         | 175 |
| <i>Pseudococcus inquilinus</i> , Newst., sp. n., ♀ . . . . .                             | 179 |
| "    " <i>perniciosus</i> , N. & W., var., ♀ . . . . .                                   | 180 |
| "    " <i>filamentosus</i> , Ckll., ♀ . . . . .                                          | 180 |
| <i>Pseudophilippia inquilina</i> , Newst., sp. n., ♀ . . . . .                           | 181 |
| <i>Antonina waterstoni</i> , Newst., sp. n., ♀, 183 ; ♂ . . . . .                        | 184 |
| <i>Pulvinaria brevicornis</i> , Newst., sp. n., ♀ . . . . .                              | 186 |
| "    " <i>broadwayi</i> var. <i>echinopsidis</i> , Newst., nov., ♀ . . . . .             | 187 |
| <i>Lecanium subacutum</i> , Newst., sp. n., ♀ . . . . .                                  | 188 |
| <i>Lecanium</i> ( <i>Eucalymnatus</i> ) <i>decemplex</i> , Newst., sp. n., ♀ . . . . .   | 189 |
| "    " <i>inquilinum</i> , Newst., sp. n., ♀ . . . . .                                   | 190 |
| "    " <i>deformosum</i> , Newst., sp. n., ♀ . . . . .                                   | 191 |
| "    " <i>nigrum</i> var. <i>nitidum</i> , Newst., ♀ . . . . .                           | 192 |
| <i>Platysaissetia montrichardiae</i> , Newst., sp. n., ♀ . . . . .                       | 193 |
| <i>Aspidiotus</i> ( <i>Chrysomphalus</i> ) <i>apicatus</i> , Newst., sp. n., ♀ . . . . . | 195 |
| "    "    " <i>umboniferus</i> , Newst., sp. n. . . . .                                  | 196 |
| "    " <i>articulatus</i> var. <i>magnospinus</i> , Newst., ♀ . . . . .                  | 197 |
| "    "    ( <i>Odonaspis</i> ) <i>rhizophilus</i> , Newst., sp. n., ♀ . . . . .          | 198 |
| "    " <i>fiorineides</i> , Newst., sp. n., ♀ . . . . .                                  | 199 |
| <i>Chionaspis madiunensis</i> , Zehnt., ♀ . . . . .                                      | 201 |
| "    " <i>tenuidisculus</i> , Newst., sp. n., ♀ . . . . .                                | 202 |
| "    " <i>praelonga</i> , Newst., sp. n., ♀ . . . . .                                    | 203 |
| "    " <i>auratilis</i> , Newst., sp. n., ♀ . . . . .                                    | 204 |
| "    " <i>dura</i> , Newst., sp. n., ♀ . . . . .                                         | 205 |
| "    " <i>laniger</i> , Newst., sp. n., ♀ . . . . .                                      | 207 |
| <i>Haematopota sewelli</i> , Aust., sp. n., ♂ & ♀ . . . . .                              | 283 |
| Chart of effect of Rinderpest Blood on <i>Glossina</i> . . . . .                         | 16  |
| <i>Trochorrhopalus strangulatus</i> , Gyl. . . . .                                       | 26  |
| <i>Rhopaea subnitida</i> , Arrow ; <i>R. vestita</i> , Arrow . . . . .                   | 29  |
| <i>Adoretus versutus</i> , Har. . . . .                                                  | 30  |
| <i>Simodactylus cinnamomeus</i> , Boisd. . . . .                                         | 31  |
| <i>Iacon stricticollis</i> , Fairm. . . . .                                              | 33  |
| <i>Monocrepidius pallipes</i> , Esch. . . . .                                            | 33  |
| <i>Ampera intrusa</i> , Dist., sp. n. . . . .                                            | 41  |
| Portable breeding cage . . . . .                                                         | 43  |

**X.**

**ILLUSTRATIONS IN THE TEXT.**

|                                                                    |      |      |      |      |     |          |
|--------------------------------------------------------------------|------|------|------|------|-----|----------|
| Map of Northern Territories, Gold Coast                            | ..   | ..   | ..   | ..   | ..  | 48       |
| Map of experimental plot in pine forest, Sweden                    | ..   | ..   | ..   | ..   | ..  | 158      |
| Diagram showing distribution of pine pests                         | ..   | ..   | ..   | ..   | ..  | 159      |
| Cephalo-thorax of pupa of <i>Stegomyia fasciata</i>                | ..   | ..   | ..   | ..   | ..  | 163      |
| Abdomen of pupa of <i>Stegomyia fasciata</i>                       | ..   | ..   | ..   | ..   | ..  | 165, 168 |
| <i>Coelaenomenodera elaeidis</i> , Maulik, sp. n., 172; larva      | ..   | ..   | ..   | ..   | ..  | 173, 174 |
| <i>Aspidoproctus gowdeyi</i> , Newst., sp. n., ♂ genital armature  | ..   | ..   | ..   | ..   | ..  | 177      |
| <i>Aspidiotus longispina</i> , Morgan, ♀ puparium                  | ..   | ..   | ..   | ..   | ..  | 194      |
| Head of :—                                                         |      |      |      |      |     |          |
| <i>Chrysops punctifera</i> , Lw., ♀                                | ..   | ..   | ..   | ..   | ..  | 279      |
| <i>Haemalopota sewelli</i> , Austen, sp. n., ♂; wing of ♀          | ..   | ..   | ..   | ..   | ..  | 283      |
| „ <i>minuscularia</i> , Aust., sp. n.                              | ..   | ..   | ..   | ..   | ..  | 286      |
| „ <i>minuscula</i> , Aust., sp. n.                                 | ..   | ..   | ..   | ..   | ..  | 286      |
| „ <i>innominata</i> , Aust., sp. n.                                | ..   | ..   | ..   | ..   | ..  | 286      |
| <i>Tabanus alexandrinus</i> , Wied., ♀                             | ..   | ..   | ..   | ..   | ..  | 298      |
| „ <i>insecutor</i> , Aust., sp. n., ♀                              | ..   | ..   | ..   | ..   | ..  | 298      |
| „ <i>rupinae</i> , Aust., sp. n., ♂ ♀, 304; imago, ♀               | ..   | ..   | ..   | ..   | ..  | 303      |
| „ <i>arenivagus</i> , Aust., sp. n., ♂ ♀ 308; imago, ♀             | ..   | ..   | ..   | ..   | ..  | 306      |
| „ <i>accensus</i> , Aust., sp. n., ♂, 311; imago, ♀                | ..   | ..   | ..   | ..   | ..  | 310      |
| „ <i>leleani</i> , Aust., sp. n., ♂ ♀, 315; imago, ♀               | ..   | ..   | ..   | ..   | ..  | 312      |
| „ <i>pallidipes</i> , Aust., sp. n., ♀, and imago                  | ..   | ..   | ..   | ..   | ..  | 318      |
| „ <i>dalei</i> , Aust., sp. n., ♂, 319; wing                       | ..   | ..   | ..   | ..   | ..  | 320      |
| <i>Mutilla auxiliaris</i> , Turner, sp. n., ♀ ♂                    | ..   | ..   | ..   | ..   | ..  | 327      |
| <i>Anopheles funestus</i> , thorax of larva, plumose hair enlarged | ..   | ..   | ..   | ..   | ..  | 330      |
| Sketch-map of the Kome-Damba Group of the Sesse Islands            | ..   | ..   | ..   | ..   | ..  | 352      |
| Charts re <i>Glossina</i> on islands and shores of Victoria Nyanza | 370, | 371, | 429, | 431, | 445 |          |

## ERRATA.

|      |                                     |      |                      |
|------|-------------------------------------|------|----------------------|
| Page | 20, line 42, for Sleep              | read | Sleeping             |
| "    | 35, " 8, " Ward                     | "    | world                |
| "    | 135, fig. 1, " ame                  | "    | same                 |
| "    | 140, " 1, " <i>Dicranotropis</i>    | "    | <i>Delphacodes</i>   |
| "    | 147, line 34, " <i>Rhyncophorus</i> | "    | <i>Rhynchophorus</i> |
| "    | 151, " 12, " <i>Cylas</i>           | "    | <i>Cylas</i>         |
| "    | 183, " 5, " of facies               | "    | facies of            |
| "    | 200, " 11, " n                      | "    | in                   |
| "    | 253, " 35, " perpicillaris          | "    | perspicillaris       |
| "    | 321, " 5, " V                       | "    | M                    |
| "    | 465, " 42, " Jawaera                | "    | Goldberg             |

  

|      |                                                                                                                      |      |                     |
|------|----------------------------------------------------------------------------------------------------------------------|------|---------------------|
| Page | 64, line 15, for "6 mm."                                                                                             | read | "0.6 mm."           |
| "    | 66, " 29, Transpose "8-9 hairs" and "5-7 hairs"                                                                      |      |                     |
| "    | 69, fig. 7, The upper enlarged pecten spine should bear no secondary spines.                                         |      |                     |
| "    | 161, line 7, For "Circum-ocular" read "Post-ocular"                                                                  |      |                     |
| "    | " " 28, " "                                                                                                          | "    | " "                 |
| "    | " " 29, " "Posterior"                                                                                                | "    | " "Median"          |
| "    | " " 31, " "Anterior"                                                                                                 | "    | " "Lower anterior"  |
| "    | " " 32, " "Superior"                                                                                                 | "    | " "Upper anterior"  |
| "    | " " 33, " "Antero-inferior"                                                                                          | "    | " "Lower posterior" |
| "    | " " 34, " "Postero-inferior"                                                                                         | "    | " "Upper posterior" |
| "    | 164, " 36, After "these setae" insert "(previously referred to as the inner lateral row.—Bull. Ent. Res. x, p. 59.)" |      |                     |
| "    | " " 41, After "these setae" insert "(previously referred to as the outer lateral row.—Bull. Ent. Res. x, p. 59.)"    |      |                     |
| "    | 167, " 19, For "seta single"                                                                                         | read | "seta; single"      |
| "    | " " 30, " "(P)"                                                                                                      | "    | " "(P)"             |