

The Journal of Laryngology and Otology

EDITED BY
G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

Contents

✓COCHLEAR PROBLEMS IN OTOSCLEROSIS SURGERY. . .	J. CAUSSE and J. BEL
STAPEDECTOMY WITH POLYSTRUT AND FAT GRAFT RECONSTRUCTION—A SURVEY AND ANALYSIS OF THE RESULTS OF 200 CASES	H. B. HOLDEN, W. G. HOOD and L. R. S. TAYLOR
HEARING LOSS AND PAGET'S DISEASE	NATHANIEL L. SPARROW, and ARNDT J. DUVALL III
A FURTHER STUDY ON THE TEMPORARY EFFECT OF INDUSTRIAL NOISE ON THE HEARING OF STAPEDECTOMIZED EARS AT 4,000 C.P.S.	K. FERRIS
THE COCHLEAR GEOMETRY AS A FREQUENCY ANALYSER	L. NAFTALIN
A SYNDROME OF VERTIGO AND SALIVARY GLAND ENLARGEMENT WITH OBSERVATIONS ON THE AETIOLOGY OF RECURRENT PAROTITIS.	A. C. ARULPRAGASAM
PERSISTENT STAPEDIAL ARTERY: A TEMPORAL BONE REPORT	D. GARFIELD DAVIES
CLINICAL RECORDS—	
PERSONAL AND FAMILY MEDICAL HISTORY IN MENIÈRE'S DISEASE	R. HINCHCLIFFE
TREATMENT OF A CASE OF CROCODILE-TEARS BY VIDIAN NEURECTOMY	RAMESH CHANDRA
GLOMUS JUGULARE TUMOUR WITH CHANGING DRUM MEMBRANE PICTURE	P. H. SCHMIDT
✓MIDDLE EAR ASPIRATOR	L. N. DOWIE

GENERAL NOTES

London
Headley Brothers
109 Kingsway WC2

Annual Subscription £5/5/0 net, U.S.A. \$15

Monthly, 12/6 net post free

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgment must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2.

8. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.

9. Single copies will be on sale at 12s. 6d. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2.

United States of America

Orders for this *Journal* may be sent through local booksellers, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2, England.

© *Journal of Laryngology and Otology*, 1967

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

CONTENTS

	PAGE
COCHLEAR PROBLEMS IN OTOSCLEROSIS SURGERY. J. Causse and J. Bel (Béziers, France)	577
STAPEDECTOMY WITH POLYSTRUT AND FAT GRAFT RECONSTRUCTION—A SURVEY AND ANALYSIS OF THE RESULTS OF 200 CASES. H. B. Holden, W. G. Hood and L. R. S. Taylor (London)	593
HEARING LOSS AND PAGET'S DISEASE. Nathaniel L. Sparrow, (Raleigh, North Carolina) and Arndt J. Duvall III, (Minneapolis, Minnesota)	601
A FURTHER STUDY ON THE TEMPORARY EFFECT OF INDUSTRIAL NOISE ON THE HEARING OF STAPEDECTOMIZED EARS AT 4,000 C.P.S. K. Ferris (London)	613
THE COCHLEAR GEOMETRY AS A FREQUENCY ANALYSER. L. Naftalin (Lincoln, England)	619
A SYNDROME OF VERTIGO AND SALIVARY GLAND ENLARGEMENT WITH OBSERVATIONS ON THE AETIOLOGY OF RECURRENT PAROTITIS. A. C. Arulpragasam (Kandy, Ceylon)	633
PERSISTENT STAPEDIAL ARTERY: A TEMPORAL BONE REPORT. D. Garfield Davies (London)	649
 CLINICAL RECORDS—	
PERSONAL AND FAMILY MEDICAL HISTORY IN MENIÈRE'S DISEASE. R. Hinchcliffe (London)	661
TREATMENT OF A CASE OF CROCODILE-TEARS BY VIDIAN NEURECTOMY. Ramesh Chandra (Durgapur, India)	669
GLOMUS JUGULARE TUMOUR WITH CHANGING DRUM MEMBRANE PICTURE. P. H. Schmidt (The Hague)	673
MIDDLE EAR ASPIRATOR. L. N. Dowie (London)	677
 GENERAL NOTES	 681



Instrumentation for Audiology and Psychoacoustics

U.K. Distributors of the World's leading makes

Our Range includes:

- Portable Audiometers
- Clinical Audiometers
- Bekeasy Audiometers
- Speech Audiometers
- Acoustic Impedance Meters
- Sound Level Meters
- Zwislocki Bridge
- Psychogalvanometer
- Auditory Trainers
- Group Hearing Aids
- Individual Hearing Aids for School use
- Silicon Based Aural Impression Materials
- Audiometric Examination Rooms and many other items



GRASON-STADLER



Please let us know your needs

**G. C. Johnson, Leyton Instrument Company Limited,
54 Albert Road, Caversham, Reading, Berks Reading 72293**

**When the patient
needs a hearing aid-**

**Whom do you
recommend ?**

**INGRAMS, of course,
the firm with the different
makes to choose from.**

**The usual trial
periods are available
for all patients.**

INGRAMS

2 Shepherd Street, London, W.1. Tel: HYDe Park 9041.

BRANCHES AT

Aberdeen—461 Union Street. Tel: Aberdeen 29632

Birmingham—Five Ways Shopping Centre. Tel: Midland 4314

Brighton—5 Duke Street. Tel: Brighton 28699

Croydon—11 Essex House, George Street. Tel: Croydon 4663


Edinburgh—17 Stafford Street. Tel: Caledonian 1942

Glasgow—38 Bath Street. Tel: Douglas 7710

Manchester—Peter House, St. Peter Square, Oxford St.

Tel: Central 5711

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



THE DROP THAT SOOTHES THE INFECTED EAR

'Otosporin' rapidly destroys virtually *all* bacteria commonly found in ear infections, reduces irritation, inflammation and pain. 'Otosporin' brand Drops contain polymyxin B sulphate, neomycin sulphate and hydrocortisone in a bland suspension designed to facilitate penetration. Issued in bottles of 5 ml.


'OTOSPORIN'



Burroughs Wellcome & Co. London
(The Wellcome Foundation Ltd.)

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

ZEISS Operation Microscope II with Zoom focusing and Zoom optical system



- A revolutionary step in the design of surgical microscopes, giving complete foot-button control of—
- a Motorised height adjustment of the rollable stand.
 - b Motorised fine focussing upwards and downwards
 - c Motorised pancratic zoom system giving continuous magnification range 5x to 25x (with the zoom objective 200 mm and 12.5x oculars)

Accessories include Observation Tubes, Camera Attachments and Oculars for spectacle wearers.

Full details from Carl Zeiss at
Degenhardt & Co. Ltd.,
20/22 Mortimer Street,
London, W.1
Museum 8050 (15 lines)

Scottish Enquiries to
Degenhardt & Co. (Scotland) Ltd.,
22 Burnbank Gardens,
Glasgow, N.W. Douglas 0520

ZEISS




West
Germany

Degenhardt

*A new range of Zeiss Surgical Microscopes will be shown for the first time at
The Academic Conference in Otolaryngology, Oxford, July 30–August 4

AMPLIVOX

FOR CLINICAL AUDIOMETRY



Audiometer Booths
 prefabricated to ensure correct acoustic environment for threshold audiometry, research, etc. Available in standard and special sizes.

Automatic Audiometers
 As exclusive U.K. distributors, we are able to offer Rudmose Self-Recording Audiometers from the most simple to the most comprehensive Diagnostic Békésy Audiometer illustrated.



Calibration Service, Screening, Speech & Industrial Audiometers
 Please write for technical literature to meet your needs

AMPLIVOX
 HEARING ADVISORY SERVICE LTD
 80 New Bond St, London, W1 Tel: 01-493 9888

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



Fabahistin[®]

Mebhydrolin B.P.C.

For HAYFEVER

- ✿ Effective where others fail
- ✿ Less sedating
- ✿ No impairment of reaction time



FBA PHARMACEUTICALS LTD
Haywards Heath • Sussex
U.K. Subsidiary of BAYER GERMANY

® Reg'd Trade Mark of BAYER GERMANY

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

***WHEN A HEARING AID
IS RECOMMENDED
ONLY AMPLIVOX
OFFERS THIS
HEARING AID SERVICE***

The design and manufacture of a complete range with individual fitting facilities.

Best of other makes in addition to Amplivox aids—Amplivox hearing aids are ONLY available from Amplivox.

Highest degree of training of any hearing aid organisation.

Master Hearing Aid evaluations.

Expert follow-up and rehabilitation advice.

14 branch offices with while-you-wait service.

**FOR YOUR PATIENTS' GREATEST SATISFACTION
SPECIFY AMPLIVOX**

AMPLIVOX

World's most experienced and complete hearing service

AMPLIVOX HEARING ADVISORY SERVICE

80 NEW BOND STREET

LONDON, W.1

TEL : 01-493 9888

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

For the longest-lasting,
gentlest relief of **hay-feve**

Pronounced topical antihistaminic activity combined with a gentle, prolonged decongestant action, provides prompt, sustained relief of nasal congestion in all seasonal and perennial allergies.

Otrivine-Antistin[®]

xylometazoline hydrochloride 0.05% antazoline sulphate 0.5%



New for allergic conjunctivitis
Sterile Eye Drops

[conforming to the B.P.C. 1966 specifications]

**for all non-infective
inflammation caused by
occupational hazards
or irritants.**



Nasal spray or drops
Sterile Eye Drops

$\frac{1}{2}$ fl. oz Basic N.H.S. 3s. 8d.
10ml Basic N.H.S. 5s. 0d.

C I B A

OA/3

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

ORBENIN

and its success in Gram-Positive Infections

Otitis media Otitis externa

Boils
Carbuncles
Infected dermatoses

Pneumonia
Lung abscess
Acute bronchitis

Osteomyelitis
Osteitis

Tonsillitis Pharyngitis

Post-operative wound infections
Burns
Skin graft protection

Septicaemia
Acute endocarditis

Staphylococcal enterocolitis

Staphylococcal urinary tract infections

Staphylococcal meningitis

ORBENIN (cloxacillin sodium B.P.) is a penicillin active against virtually all Gram-positive organisms, including staphylococci, β -haemolytic streptococci and pneumococci, irrespective of their resistance to other antibiotics.

It is encouraging that the widespread use of Orbenin in hospitals has not resulted in the emergence of resistant strains.

More than 300 references in the World Literature testify to the excellent clinical results obtained with Orbenin in a wide variety of Gram-positive infections.

Detailed literature is available on request.

Dosage:

Two capsules (500mg.) or one vial (250mg.) q.i.d.

Availability:



Capsules
(250mg.)



Vials
(250mg.)




Syrup
(125mg
5ml.)



Orbenin (cloxacillin sodium B.P.) (regd.) is a product of British research at
Beecham Research Laboratories
Brentford, England. Telephone: ISLeworth 4111

BÉKÉSY ACCESSORY



For the very first time a fully automatic unit has been made available for a Clinic Audiometer, making the combined units into a true BÉKÉSY Audiometer.

This automatic accessory is being made for the PETERS SPD/5 CLINIC AUDIOMETER, which has a continuous frequency range and continuously variable attenuation. The result is therefore a true Békésy audiometer.

It can be attached to or detached from the audiometer in under one minute so that the two units together offer the facilities of an advanced clinic audiometer or Békésy audiometry at will.


It can be fitted to any existing SPD/5 Audiometer.


Please write for full details and demonstration to :

ALFRED PETERS & SONS LIMITED
51 GELL STREET, SHEFFIELD 3

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

 **5 drops**

 **to remove
ear wax**

 **easily**

 **rapidly**

 **safely**



CERUMOL[®]

Active ingredients per 100 ml.
p-dichlorobenzene B.P.C. 2 G., Benzocaine B.P 2.7 G.,
Chlorbutol B.P. 5 G., Ol. Terebinth 10 ml.

In convenient dropper vial for surgery
use. Also in 2 oz. Hospital pack.



LABORATORIES FOR APPLIED BIOLOGY LTD
91 Amhurst Park London N 16 Tel: STAmford Hill 2252

Sole distributors in the Irish Republic

MESSRS. SEROVACCINE LTD 25-28, Great Strand Street, Dublin 1, Eire.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

- Robust construction—high grade components
- Portable, battery operated
- Modern transistor circuitry
- Versatile with many facilities

LINCO



AUDITORY TRAINING UNIT LINCO MK. 3

- Improved performance
- Treble and Bass tone controls
- Compact and light weight
- Reasonably priced—£52 ex works

For further details please write to:

G. C. Johnson, Leyton Instrument Co. Ltd.,
54 Albert Rd., Caversham, Reading, Berks. Reading 72293

THE LARYNGOSCOPE

A Monthly Journal
devoted to the disease of
EAR, NOSE AND THROAT

*Official organ for the American Laryngological
Rhinological and Otological Society*

Price \$18.00 per year Canada \$19.00 per year
Foreign \$19.00 per year

ESTABLISHED 1896


THEODORE E. WALSH, M.D.
EDITOR

517 SOUTH EUCLID AVENUE
SAINT LOUIS MO. 63110.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

KAMPLEX AUDIOMETRIC EQUIPMENT

AUDIOMETERS



CLINIC AUDIOMETER DA1

SCREENING PORTABLE TA16
DIAGNOSTIC PORTABLE TA15


CLINIC AUDIOMETER DA1
DOUBLE CHANNEL DA2

AUTOMATIC AUDIOMETER AB1

ACOUSTIC IMPEDANCE APPARATUS ZA2

PNEUMOMETER ZP1

SKIN RESISTANCE APPARATUS RA4



SOUND LEVEL METER GA6

VISIBLE SPEECH APPARATUS

AUDITORY TRAINERS

Write for full catalogue and detailed descriptions to:

ALFRED PETERS & SONS LTD
51 GELL STREET, SHEFFIELD 3

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

Why is Penbritin the safer antibiotic in paediatrics?

Because, doctor, it combines high activity against a wide range of bacteria with the low toxicity of a penicillin.

So side-effects are infrequent?

"Side-effects are rare: the occasional macular exanthema will disappear on cessation of treatment."

Practitioner, (1967), 198, 23.

Also, there are no reports of interference with the calcification of teeth and bone, or significant change in blood picture, in over 1,000 references to Penbritin.

What about high dosage?

Not even then. "In view of its lack of toxicity, dosage of ampicillin can be adjusted flexibly."

Pharmakotherapie, (1963), 1, 197

Does this distinguish it from other oral broad spectrum antibiotics?

Yes. Penbritin can be given with confidence to children of all ages, even in high doses if required, and as a long term treatment when necessary.

I suppose that with all these advantages Penbritin tends to be expensive?

Not at all. As it has been more widely used in medical practice, it has become progressively cheaper—in fact, it has just been reduced in price for the 7th time, by 12½%.

You have made your point!

Now doctor, not only is Penbritin safer, and active against the wide range of bacteria that cause common infections in children; it is also bactericidal in action, and blood levels can be increased, in severe infections, by doubling the dose . . .

You really are going to town, aren't you? Do take it easy. I accept the arguments for the use of Penbritin.

I have heard about its bactericidal action . . . in fact I have used

Penbritin, though in a rather limited way. What I would like to hear about, next time, are the advantages of Penbritin in the various paediatric infections I treat.

Of course, doctor. I would like to remind you however that there are two strengths of Penbritin Syrup available, both pleasantly fruit flavoured.

Published trials in this country and throughout the world endorse the effectiveness of Penbritin in a wide range of indications including:

Acute tonsillitis · Sinusitis · Laryngitis
Bronchitis · Pneumonia · Otitis Media
Wound infections · Carbuncles
Furunculosis · Impetigo · Cellulitis
Erysipelas · Recurrent Cystitis
Pyelonephritis

Children's dosage:

Under 2 years: 62.5-125 mg. four times daily, before meals.
2-10 years: 125-250 mg. four times daily, before meals.
1/M: 25-50 mg./kg. body wt. daily.

Availability:

Paediatric Tablets containing 125 mg. ampicillin B.P.
Capsules 250 mg. and 500 mg.
Syrup 125 mg./5ml. teaspoonful.
Syrup Forte 250 mg./5 ml. teaspoonful.
I.M. injection 100 mg., 250 mg. and 500 mg

Contra-Indications: Penicillin allergy.

Additional information is available on request.



Penbritin* is a product of British research from
Beecham Research Laboratories
Brentford, England. — originators of the new penicillins




*Regd



**NEW
FOR OTITIS
EXTERNA
AND CHRONIC
OTITIS MEDIA**

**FOR
INFLAMMATION
AND
INFECTION
IN THE EAR**

**ANTI-
INFLAMMATORY
ANTI-
BACTERIAL
ANTIFUNGAL**



**LOCORTEN-
VIOFORM
EARDROPS**

flumethasone pivalate 0.02%
iodochlorhydroxyquinoline 1%

Basic NHS price 9s. 8d

**LOCORTEN-
VIOFORM
EARDROPS**

7.5 ml, in controlled-drop
dispenser

**LOCORTEN-
VIOFORM
EARDROPS**


C I B A

L.B.D./i

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

Specifically designed for you and your patients. Precision-engineered, functionally-built equipment for the Ear, Nose and Throat and other Specialists.

S.M.R. keeps you and your patients' comfort and satisfaction in mind. Whatever your needs . . . whether they be for one unit or a completely equipped treatment room, you are assured of the finest . . . a room that reflects professional good taste.



Picture shows what can be done with small treatment room areas. The rooms are complete from the compact treatment unit to the physician's stool. Yet, this equipment fits easily and functionally into a small area. This is just one of many room arrangements available from S.M.R.



STAINLESS STEEL POLISH


SMR Stainless Steel Polish cleans and preserves with superior results—ends fingerprints, watermarks and surface stains.

22 Oz. economy size . . . \$2.25

SURGICAL MECHANICAL RESEARCH INC.

883 West 16th Street, P.O. Box 1185
Newport Beach, Calif. 92663

Knott's Berry Farm



Please send for our new catalog
Direct factory sales, F.O.B. Newport Beach, Calif.


Please mention *The Journal of Laryngology and Otology* when replying to advertisements



Fibre Light SYSTEM

A COMPLETE ILLUMINATION
SYSTEM FOR USE WITH YOUR
PRESENT ENDOSCOPES

Prov. Patent No. 17924/66



DOWN BROS. AND MAYER & PHELPS LTD
CHURCH PATH, MITCHAM, SURREY, ENGLAND

In Canada
410 Dundas Street West, Toronto, 2B, Canada

Please mention *The Journal of Laryngology and Otology* when replying to advertisements