

Index of Subjects

- $\delta^{13}\text{C}$, 181, 395
abandoned pasture, 421
above-ground biomass, 591
abundance, 585
Aburria kujubi, 615
Acacia, 523
Aepyceros melampus, 291
Africa, 243
afromontane forest, 205
Agelanthus brunneus, 205
Agelanthus djurensis, 205
Aglaiia spectabilis, 531
allocation trade-offs, 377
allochthonous, 127
allometry, 299
Alouatta pigra, 153
altitude, 243, 463
Amaioua guianensis, 263
Amazilia cyanocephala, 497
Amazon caatinga, 519
Amazon, 105, 263, 515, 591
Amazonas, 543
Amazonia, 427
amphibians, 427
Analysis of Similarity, 405
Andes, 11
androdioecy, 343
Anolis, 215
ants, 331, 437
ant diversity, 515
Apis mellifera, 343
arboreal, 199
Argentina, 417
arthropod, 437
Atlantic forest, 223, 615
Atta, 361
Atta cephalotes, 263
attraction, 281
Austracris guttulosa, 307
Avicennia germinans, 171
Avicennia marina, 307
- Bahia, 223
basal area, 299
bats, 243
Bay Islands, 215
beetle pollination, 317
behaviour, 343
beta diversity, 463
biodiversity, 243
biomass, 427, 437, 483
birds, 331, 421
black-and-gold howler monkey, 417
Borneo, 45
Botswana, 161
Brazil, 321, 515
Bromeliaceae, 423
browser, 291
browsing, 161
Brunei, 45
bulbuls, 1
butterflies, 313
- Campylopterus curvipennis*, 497
canonical ordination, 83
canopy, 327
canopy palms, 463
canopy trees, 463
carbon emissions, 591
carbon storage, 23
Caryocar glabrum, 519
catastrophic event, 405
Cayos Cochinos, 215
cerrado, 317
 CH_4 , 557
Chiapas, 369
Chiroptera, 181, 243
Chisocheton cumingianus, 531
chital, 385
Cinnamomum bejolghota, 531
Cithaerias pireta, 585
climate, 83
climate change, 463
climbing plants, 199
closed-canopy, 45
cloud forest, 83, 483
 CO_2 , 557
coarse particulate organic matter (CPOM), 127
collembolan, 395
Colombia, 11
communities, 603
community ecology, 385
community structure, 515
competition, 215
competitive exclusion, 571
conductivity, 611
Costa Rica, 421
crab spiders, 97
Cricetomys emini, 507
crown humus, 23
Culex, 97
cyanolichen, 73
Cycadaceae, 233
Cynopterus sphinx, 255
- Danum valley, 611
dead organic matter, 23
decomposition, 437
defence, 123, 125, 377
defoliation, 161
Democratic Republic of Congo, 507
demonic intrusion, 421
dendrometry, 299
detritus, 437
dewlap, 215
diet, 153
dietary overlap, 571
Dipterocarpaceae, 377
Dipterocarpus, 281
Dipteryx oleifera, 327
dispersal, 227
dispersal assembly, 463
distance, 463
distance decay, 271
disturbance, 83, 153, 483, 527
disturbances, 515
drought tolerance, 519
dry forest, 83
Dulcedo polita, 585
dung beetle, 507
Dysoxylum binectariferum, 531
- ecological filter, 361
ecological restoration, 421
ecosystem engineering, 361
Ecuador, 23
effective seed dispersal, 119
elements, 127
elephant, 291, 385
elephants, 227
elevation, 243
elevation gradient, 483
emergent, 327
endangered species, 233
Endonepenthia schuitemakeri, 97
environmental gradients, 33, 243
Eperua leucantha, 519
epiphyte, 23, 423
Eschweilera ovata, 223
export, 127
extrafloral nectaries, 603
- fast growth, 281
fire, 55
fish, 271
fishes, 405
floodplain lakes, 271
food selection, 153
foraging, 199
foraging patterns, 1
forest degradation, 55
forest ecology, 421
forest fire, 591
forest regeneration, 361
forest type, 105
forest understorey, 33
Formicidae, 199, 515
fragment age, 353, 353
fragmentation, 369
frugivore, 187, 543
frugivorous birds, 11
frugivory, 11, 511, 615
fruit availability, 1, 153
fruit bat, 255

- fruit preferences, 417
 fruit set, 353
 fruiting phenology, 11
 functional traits, 527
- gallery forest, 141
 gap ecology, 45
 gaur, 385
 geitonogamy, 343
 generalist, hunting, 531
 generalized least-squares, 369
 geographical, 463
 geomorphology, 427
 germination, 227, 445
 germination experiment, 119
 Gini coefficient, 171
Globimetula braunii, 205
 grass, 55
 grassland, 453
 Greater Calakmul Region, 119
 greenhouse gases, 557
 growth, 483
 Guam, 233
 guilds, 291
 gut passage time, 615
- habitat, 199
 habitat fragmentation, 317, 321
 habitat structure, 243
 Haeterini, 585
 Hawaii, 73
 head triangulation, 123, 125
 herbivory, 161, 307, 361, 377
 honey bee, 343
 host, 523
 hummingbird behaviour, 497
 hummingbirds, 313
 hurricane, 153, 327
 hydrological characteristics, 405
- India, 385, 405
 infection intensity, 523
 insect pollination, 343
 insect-infested fruits, 417
 insect–plant relations, 307
 interspecific competition, 281, 571
 invasion ecology, 233
 invasive species, 313
 island biogeography, 215
- keystone, 291
- Laguncularia racemosa*, 171, 343
 land-use cover, 369
 Lauraceae, 531
 leaf chemistry, 141
 leaf litter, 395, 437
 leaf mass per area, 527
 leaf-cutting ant nest, 263
 leaves, 127
 Lecythidaceae, 223
 lemur abundance, 141
 Lepidoptera, 45, 331
Lestodiplosis, 97
 life-history strategy, 281
 light, 45
- Litsea monopetala*, 531
 litterfall, 127
 lizards, 427
Lobiopa insularis, 317
 local flower density, 353
 local richness, 271
 Loranthaceae, 205, 523
Loxodonta africana, 227
- Malaysia, 33
 male fitness, 343
 mammalian communities, 65
Manacus manacus, 511
 mangroves, 405
Manilkara zapota, 119
 mark–recapture, 65, 585
 marula, 227
 Mato Grosso, 515
 maximum water storage capacity, 23
 megafauna, 119
 Melastomataceae, 511
 Meliaceae, 531
 Mexico, 119, 171
Miconia, 11
Miconia theizans, 11
Micranda sprucei, 519
 mimicry, 123, 125
Misumenops nepenthicola, 97
 mixed forest, 519
 model caterpillars, 331
 Moran's I, 369
 morphology, 123, 125, 299
 mortality, 483
 multidimensional scaling, 515
 mutualism, 205, 603
- N₂O, 557
 native species reforestation, 511
Neobalanocarpus, 281
Nepenthes gracilis, 97
 net ecosystem productivity, 303
 net primary productivity, 303
 networks, 603
 Nicaragua, 327
 niche assembly, 463
 Nigeria, 205
 nitrogen, 611
 nitrogen fixation, 73
 non-invasive monitoring, 571
Norops, 215
 null-models, 65
 nutrient concentrations, 263
 nutrient recycling, 611
 nutrient surge, 405
 nutrient uptake, 263
 nutrients, 127, 307
 nutrition, 153
 Nymphalidae, 585
- oceanic islands, 233
Ocotea aciphylla, 519
 oribatid mite, 395
 Orthoptera, 307
 osmotic potential, 519
- Palicourea padifolia*, 497
 palms, 321
 Panama, 527
 parasitoids, 331
Paraxerus cepapi, 227
 Pasoh forest reserve, 557
 patch dynamics, 291
 pattern, 65
 Peninsular Malaysia, 557
 permanent plots, 83
 phenotypic, 215
 phenotypic plasticity, 527
Pheretima darnleiensis, 611
 phosphorus, 73, 437
 phytotelmata, 97
Pierella helvina, 585
Pipra erythrocephala, 511
 plant allometry, 171
 plant distribution, 445
 plant functional groups, 453
 plant recruitment, 361
 plant–herbivore interactions, 161
 plant–water relations, 263
 plasticine replicas, 123, 125
 plasticity, 215
 pollen limitation, 205
 pollinator abundance, 317
Polyalthia simiarum, 531
 population biology, 585
 population dynamics, 233
 potential, 519
 predation pressure, 331
 predation, 97, 123, 125, 215
 primary, 331
 primary productivity, 427
 primates, 153, 543
 PRORENA, 527
 protein : fibre ratio, 141
Protium, 263
 pteridophytes, 445
Pteroglossus bailloni, 615
 Puerto Rico, 127
- rain forest, 181, 331
 rainfall, 55, 105
Ramphastos dicolorus, 615
Ramphastos toco, 615
Ramphastos vitellinus, 615
 recruitment, 423, 483
 reforestation, 181
 re-infection, 523
 relative growth rate, 377
 reproductive output, 317
 reproductive phenology, 321
 resilience, 603
 resource distribution, 1
 resource partitioning, 571
Rhizophora mangle, 171
 richness, 243
 river, 271
 root infection, 453
Rousettus leschenaulti, 255
 Rubiaceae, 511
- Sabah, 377
 safe microsites, 445

- salinity, 307
 sambar, 385
 sap flow, 263
 savanna, 161, 291
 Scarabaeidae, 507
 scatterhoarding, 227
Sciurus aestuans, 223
Sclerocarya birrea, 227
 sclerophyllous leaves, 519
 seasonality, 321
 secondary, 331
 secondary dispersal, 507
 secondary forest, 453
 seed dispersal, 187, 223, 255, 417, 421, 543, 615
 seed fate, 615
 seed germination, 361
 seed predation, 223, 507
 seed predator, 543
 seed rain, 181
 seed set, 353
 seed size, 531
 seed-dispersal mutualism, 531
 seedlings, 161, 291
 segregation, 281
 selection, 215
 self compatibility, 205
 shade, 45
 shade tolerance, 377
 shade tree, 187
 shade-tolerant, 327
 shape, 299
Shorea, 281
 shrubs, 55
 size hierarchies, 171
 size-asymmetric competition, 171
 slow growth, 281
 snakes, 123, 125
 soil, 611
 soil fertility, 453
 soil texture, 33
 soil water status, 557
 South Africa, 291
 space, 83
 spatial analysis, 497
 spatial association, 281, 511
 specialist, 531
 species, 243
 species extinction, 141
 species overlap, 65
 species richness, 55, 427
 sprouting, 527
 squirrels, 227
 stability, 603
 stable isotope, 263, 395
 streams, 127
 substrate, 199
 succession, 23, 181
 succession continuum, 453
 successional status, 527
 summation method, 303
 sun, 45
 sunbirds, 205
 sunflecks, 33
 survival, 233
 symbioses, 453
Syzygium oblatum, 255
 taper, 299
Tapirus bairdii, 119
 tea, 187
 temperature, 105
 temporal variation, 557
 Thailand, 1
Thomasis nepenthophilus, 97
Tillandsia butzii, 423
Tillandsia multicaulis, 423
Tillandsia punctulata, 423
 topographic heterogeneity, 23
 topography, 55, 83, 445
 tree density, 55, 171
 tree recruitment, 161
 tree regeneration, 33, 55
 tree size, 523
 Tripteroides, 97
 tropical birds, 1
 tropical diversity, 105
 tropical dry forest, 369
 tropical forest, 33, 421, 453, 515
 tropical montane forest, 73
 tropical podzol, 519
 tropical rain forest, 437, 531, 585, 591
 tropical trees, 527
 tropics, 181, 307
Turdus rufiventris, 615
 turgor maintenance, 519
 variation partitioning, 463
 Venezuela, 519
 Veracruz, 171
 Viscaceae, 523
 water, 519
 water availability, 445
 Western Ghats, 187
 wetlands, 307
 Winkler funnels, 515
 Zingiberales, 445
 zonation, 303
 zoochory, 507

Index of Authors

- AHRESTANI, F. S., HEITKÖNIG, I. M. A. & PRINS, H. H. T. Diet and habitat-niche relationships within an assemblage of large herbivores in a seasonal tropical forest, 385
- ALEXANDER, L. G. & DEVRIES, P. J. Variation in capture height and trap persistence among three Costa Rican understorey butterfly species, 585
- ALMEIDA, T. see BARNETT, A. A.
- ALVAREZ, F. see GRANADO-LORENCIO, C.
- ANDRADE, R. B. see SILVEIRA, J. M.
- ANDREAZZI, C. S., PIRES, A. S., PIMENTA, C. S. & FERNANDEZ, F. A. S. Increased female reproduction favours the large-seeded palm *Attalea humilis* in small Atlantic Forest fragments, 321
- AZEVEDO MARQUES LESCANO, L. E. see ZANGARO, W.
- BAGCHI, R. see PAINE, C. E. T.
- BALL, M. C. see REEF, R.
- BARLOW, J. see SILVEIRA, J. M.
- BARNETT, A. A., BOYLE, S. A., PINTO, L. P., LOURENC, W. C., ALMEIDA, T., SOUSA SILVA, W., RONCHI-TELES, B., BEZERRA, B. M., ROSS, C., MACLARNON, A. & SPIRONELLO, W. R. Primary seed dispersal by three Neotropical seed-predating primates (*Cacajao melanocephalus ouakaryi*, *Chiropotes chiropotes* and *Chiropotes albinasus*), 543
- BATTLES, J. J. see SHERMAN, R. E.
- BEAUNE, D., BOLLACHE, L., BRETAGNOLLE, F. & FRUTH, B. Dung beetles are critical in preventing post-dispersal seed removal by rodents in Congo rain forest, 507
- BECK, J. see CURRAN, M.
- BEHIE, A. M. & PAVELKA, M. S. M. Food selection in the black howler monkey following habitat disturbance: implications for the importance of mature leaves, 153
- BENNER, J. W. & VITOUSEK, P. M. Cyanolichens: a link between the phosphorus and nitrogen cycles in a Hawaiian montane forest, 73
- BEST, T. L. see POINDEXTER, C. J.
- BEZERRA, B. M. see BARNETT, A. A.
- BLAKE, J. G. see BLUNDO, C.
- BLUNDO, C., MALIZIA, L. R., BLAKE, J. G. & BROWN, A. D. Tree species distribution in Andean forests: influence of regional and local factors, 83
- BOBACK, S. M. see LOGAN, M. L.
- BOESCH, C. see HEAD, J. S.
- BOLLACHE, L. see BEAUNE, D.
- BORGES, F. J. A. see DA SILVA ELIAS, M. A.
- BOSE, A. see JOHNSON, S.
- BOY, J. see WERNER, F. A.
- BOYLE, S. A. see BARNETT, A. A.
- BRANCALION, P. H. S. see DE BARROS LEITE, A.
- BRAUN, M., PIECHOWSKI, D., KAZDA, M. & GOTTSBERGER, G. Fragment size and local flower density influence seed set of the understorey tree *Paypayrola blanchetiana* (Violaceae) in Brazilian Atlantic rain forest, 353
- BRAVO, S. P. From which *Ocotea diospyrifolia* trees does *Alouatta caraya* (Primates, Ateleidae) eat fruits?, 417
- BRETAGNOLLE, F. see BEAUNE, D.
- BROCKLEMAN, W. Y. see KHAMCHA, D.
- BROWN, A. D. see BLUNDO, C.
- CALMÉ, S. see O'FARRILL, G.
- CAMPBELL, J. A. see LOGAN, M. L.
- CAO, M. see TANG, Z.-H.
- CAPELLOTTO COSTA, F. R. see DE OLIVEIRA RODRIGUES, F. R.
- CARVAJAL-QUINTERO, J. D. see GRANADO-LORENCIO, C.
- CARVALHO, K. S. see SAHA, A. K.
- CASANOVES, F. see CHAIN-GUADARRAMA, A.
- CASTAÑO-VILLA, G. J. see MORALES-BETANCOURT, J. A.
- CHAIN-GUADARRAMA, A., FINEGAN, B., VILCHEZ, S. & CASANOVES, F. Determinants of rain-forest floristic variation on an altitudinal gradient in southern Costa Rica, 463
- CHAPMAN, H. M. see WESTON, K. A.
- CHAUDHURI, A. see MUKHERJEE, S.
- CHETANA, H. C. & GANESH, T. Importance of shade trees (*Grevillea robusta*) in the dispersal of forest tree species in managed tea plantations of southern Western Ghats, India, 187
- CHIMCHOME, V. see KHAMCHA, D.
- CLARK, D. A. see HUANG, C.-Y.
- COCHRANE, M. A. see SILVEIRA, J. M.
- CURRAN, M., KOPP, M., BECK, J. & FAHR, J. Species diversity of bats along an altitudinal gradient on Mount Mulanje, southern Malawi, 243
- DA S. L. STERNBERG, L. see SAHA, A. K.
- DA SILVA ELIAS, M. A., FRANCESCINELLI, E. V., JUEN, L., BORGES, F. J. A., FERREIRA, G. M. & VILAR DE CARVALHO, F. M. Reproductive success of *Cardiopetalum calophyllum* (Annonaceae) treelets in fragments of Brazilian savanna, 317
- DA SILVA LIMA, L. M. see KLIMAS, C. A.
- DE ALMEIDA ALVES, R. see ZANGARO, W.
- DE BARROS LEITE, A., BRANCALION, P. H. S., GUEVARA, R. & GALETTI, M. Differential seed germination of a keystone palm (*Euterpe edulis*) dispersed by avian frugivores, 615
- DE LOURDES ROMERO-ALMARAZ, M. see POINDEXTER, C. J.
- DE OLIVEIRA RODRIGUES, F. R. & CAPELLOTTO COSTA, F. R. Litter as a filter of emergence for herbaceous seedlings and sporophytes in central Amazonia, 445
- DE SOUZA VILELA, F., FLESHER, K. M. & RAMALHO, M. Dispersal and predation of *Eschweilera ovata* seeds in the Atlantic Forest of Southern Bahia, Brazil, 223
- DEICHMANN, J. L., TOFT, C. A., DEICHMANN, P. M., LIMA, A. P. & WILLIAMSON, G. B. Neotropical primary productivity affects biomass of the leaf-litter herpetofaunal assemblage, 427
- DEICHMANN, P. M. see DEICHMANN, J. L.
- DEVRIES, P. J. see ALEXANDER, L. G.
- DÍAZ-CASTELAZO, C. see SÁNCHEZ-GALVÁN, I. R.
- DING, X.-M. see TANG, Z.-H.
- DITLHOGO, M. K. see HARTNETT, D. C.
- DOS SANTOS, J. R. see MARTINS, F. S. R. V.
- DUBE, J. S. see NDAGURWA, H. G. T.
- DUFF, K. J. see O'KANE, C. A. J.
- FAHEY, T. J. see SHERMAN, R. E.
- FAHR, J. see CURRAN, M.
- FERNANDA JIMÉNEZ-SEGURA, L. see GRANADO-LORENCIO, C.
- FERNANDEZ, F. A. S. see ANDREAZZI, C. S.
- FERREIRA, G. M. see DA SILVA ELIAS, M. A.
- FINEGAN, B. see CHAIN-GUADARRAMA, A.
- FLANDERS, J. see TANG, Z.-H.
- FLESHER, K. M. see DE SOUZA VILELA, F.
- FONTÚRBEL, F. E. see MORALES-BETANCOURT, J. A.
- FRANCESCINELLI, E. V. see DA SILVA ELIAS, M. A.
- FREIRE CORREIA, M. see KLIMAS, C. A.
- FRUTH, B. see BEAUNE, D.
- GALE, G. A. see KHAMCHA, D.
- GALETTI, M. see DE BARROS LEITE, A.

- GALLAHER, K. see MIDGLEY, J. J.
 GALVÃO, L. S. see MARTINS, F. S. R. V.
 GANESH, T. see CHETANA, H. C.
 GARCÍA-FRANCO, J. G. see TOLEDO-ACEVES, T.
 GONZALEZ, A. see O'FARRILL, G.
 GOTTSBERGER, G. see BRAUN, M.
 GRANADO-LORENCIO, C., GULFO, A., ALVAREZ, F., FERNANDA JIMÉNEZ-SEGURA, L., CARVAJAL-QUINTERO, J. D. & HERNÁNDEZ-SERNA, A. Fish assemblages in floodplain lakes in a Neotropical river during the wet season (Magdalena River, Colombia), 271
 GRANT, P. B. C. see PRYKE, J. S.
 GUEVARA, R. see DE BARROS LEITE, A.
 GUIMARÃES, M. & SAWAYA, R. J. The snake head-shape signal: a reply to Valkonen & Mappes, 125
 GULFO, A. see GRANADO-LORENCIO, C.

 HAMM, C. A. see YANOVIK, S. P.
 HAMM, C. A. What pollinates *Lantana camara* in the mountains of Costa Rica?, 313
 HARTNETT, D. C., OTT, J. P., SEBES, K. & DITLHOGO, M. K. Coping with herbivory at the juvenile stage: responses to defoliation and stem browsing in the African savanna tree *Colophospermum mopane*, 161
 HAYASHI, Y. see ITOH, M.
 HEAD, J. S., ROBBINS, M. M., MUNDRY, R., MAKAGA, L. & BOESCH, C. Remote video-camera traps measure habitat use and competitive exclusion among sympatric chimpanzee, gorilla and elephant in Loango National Park, Gabon, 571
 HEARTSILL SCALLEY, T., SCATENA, F. N., MOYA, S. & LUGO, A. E. Long-term dynamics of organic matter and elements exported as coarse particulates from two Caribbean montane watersheds, 127
 HECTOR, A. see PAINE, C. E. T.
 HEITKÖNIG, I. M. A. see AHRESTANI, F. S.
 HERNÁNDEZ-SERNA, A. see GRANADO-LORENCIO, C.
 HERNÁNDEZ-TREJO, H. see MÉNDEZ-ALONZO, R.
 HLADIK, A. see SIMMEN, B.
 HOLL, K. D. see LEIGHTON REID, J.
 HOMECHAUDHURI, S. see MUKHERJEE, S.
 HOMEIER, J. see WERNER, F. A.
 HOWE, H. F. see SETHI, P.
 HUANG, C.-Y., TULLY, K. L., CLARK, D. A., OBERBAUER, S. F. & MCGLYNN, T. P. The $\delta^{15}\text{N}$ signature of the detrital food web tracks a landscape-scale soil phosphorus gradient in a Costa Rican lowland tropical rain forest, 395

 IPONGA, D. M. see NGOMANDA, A.
 ITOH, M., KOSUGI, Y., TAKANASHI, S., KANEMITSU, S., OSAKA, K., HAYASHI, Y., TANI, M. & RAHIM NIK, A. Effects of soil water status on the spatial variation of carbon dioxide, methane and nitrous oxide fluxes in tropical rain-forest soils in Peninsular Malaysia, 557

 JIE LING CHUA, T. & LEK MIN LIM, M. Cross-habitat predation in *Nepenthes gracilis*: the red crab spider *Misumenops nepenthicola* influences abundance of pitcher dipteran larvae, 97
 JIMÉNEZ, L., NEGRETE-YANKELEVICH, S. & MACÍAS-ORDÓÑEZ, R. Spatial association between floral resources and hummingbird activity in a Mexican tropical montane cloud forest, 497
 JOHNSON, S., BOSE, A., SNADDON, J. L. & MOSS, B. The role of earthworms in nitrogen and solute retention in a tropical forest in Sabah, Malaysia: a pilot study, 611
 JUEN, L. see DA SILVA ELIAS, M. A.

 KACHI, N. see SUZUKI, R. O.
 KAINER, K. A. see KLIMAS, C. A.
 KANEMITSU, S. see ITOH, M.
 KASSIM, A. R. see SUZUKI, R. O.
 KATSUKI, K. N. see LEIGHTON REID, J.
 KATTAN, G. H. see KESSLER-RIOS, M. M.
 KAZDA, M. see BRAUN, M.
 KELLY, D. see WESTON, K. A.
 KENNEDY, M. L. see POINDEXTER, C. J.
 KESSLER-RIOS, M. M. & KATTAN, G. H. Fruits of Melastomataceae: phenology in Andean forest and role as a food resource for birds, 11
 KHAMCHA, D., SAVINI, T., BROCKLEMAN, W. Y., CHIMCHOME, V. & GALE, G. A. Influence of food availability and distribution on the movement patterns of a forest avian frugivore, the puff-throated bulbul (*Alophoixus pallidus*), 1
 KLIMAS, C. A., KAINER, K. A., WADT, L. H., STAUDHAMMER, C. L., RIGAMONTE-AZEVEDO, V., FREIRE CORREIA, M. & DA SILVA LIMA, L. M. Control of *Carapa guianensis* phenology and seed production at multiple scales: a five-year study exploring the influences of tree attributes, habitat heterogeneity and climate cues, 105
 KOMIYAMA, A. see POUNGPARN, S.
 KOPP, M. see CURRAN, M.
 KOSUGI, Y. see ITOH, M.
 KRETZSCHMAR, A. S. see VOIGT, C. C.
 KRUGER, L. M. see MIDGLEY, J. J.

 LACAU, S. see SILVEIRA, J. M.
 LANDRY, C. L. & RATHCKE, B. J. Insect visitation rates and foraging patterns differ in androdioecious and hermaphroditic-only populations of *Laguncularia racemosa* (Combretaceae) in Florida, 343
 LAWRENCE, J. H. see MARLER, T. E.
 LEAL, I. R. see SILVA, P. S. D.

 LEIGHTON REID, J., KATSUKI, K. N. & HOLL, K. D. Do birds bias measurements of seed rain?, 421
 LEK MIN LIM, M. see JIE LING CHUA, T.
 LEÓN-CORTÉS, J. L. see PINEDA-DIEZ DE BONILLA, E.
 LÉPENGUÉ, N. see NGOMANDA, A.
 LIMA, A. P. see DEICHMANN, J. L.
 LÍRIO RONDINA, A. B. see ZANGARO, W.
 LOGAN, M. L., MONTGOMERY, C. E., BOBACK, S. M., REED, R. N. & CAMPBELL, J. A. Divergence in morphology, but not habitat use, despite low genetic differentiation among insular populations of the lizard *Anolis lemurinus* in Honduras, 215
 LÓPEZ-PORTILLO, J. see MÉNDEZ-ALONZO, R.
 LOURENC, W. C. see BARNETT, A. A.
 LOVELOCK, C. E. see REEF, R.
 LOZADA, S. L. see TOLEDO-ACEVES, T.
 LUGO, A. E. see HEARTSILL SCALLEY, T.
 LUIS RANGEL-SALAZAR, J. see PINEDA-DIEZ DE BONILLA, E.

 MA, X.-F. see TANG, Z.-H.
 MACDONALD, D. W. see O'KANE, C. A. J.
 MACÍAS-ORDÓÑEZ, R. see JIMÉNEZ, L.
 MACLARNON, A. see BARNETT, A. A.
 MACMILLAN, K. see TOLEDO-ACEVES, T.
 MAKAGA, L. see HEAD, J. S.
 MAKNUAL, C. see POUNGPARN, S.
 MALIZIA, L. R. see BLUNDO, C.
 MAPPES, J. see VALKONEN, J. K.
 MARLER, T. E. & LAWRENCE, J. H. Demography of *Cycas micronesica* on Guam following introduction of the armoured scale *Aulacaspis yasumatsui*, 233
 MARTIN, P. H. see SHERMAN, R. E.
 MARTINS, F. S. R. V., XAUD, H. A. M., DOS SANTOS, J. R. & GALVÃO, L. S. Effects of fire on above-ground forest biomass in the northern Brazilian Amazon, 591
 MATEOS, M. L. L. see TOLEDO-ACEVES, T.
 MAVOUNGOU, J.-F. see NGOMANDA, A.
 MAVOUROULOU, Q. M. see NGOMANDA, A.
 MBATCHI, B. see NGOMANDA, A.
 MCGLYNN, T. P. & POIRSON, E. K. Ants accelerate litter decomposition in a Costa Rican lowland tropical rain forest, 437
 MCGLYNN, T. P. see HUANG, C.-Y.
 MELO, F. P. L. see SILVA, P. S. D.
 MÉNDEZ-ALONZO, R., HERNÁNDEZ-TREJO, H. & LÓPEZ-PORTILLO, J. Salinity constrains size inequality and allometry in two contrasting mangrove habitats in the Gulf of Mexico, 171
 MESTRE, L. A. M. see SILVEIRA, J. M.
 MIDGLEY, J. J., GALLAHER, K. & KRUGER, L. M. The role of the elephant (*Loxodonta africana*) and the tree squirrel (*Paraxerus cepapi*) in marula (*Sclerocarya birrea*) seed predation, dispersal and germination, 227
 MLAMBO, D. see NDAGURWA, H. G. T.

- MOLTCHANOVA, E. V. see WESTON, K. A.
MONTGOMERY, C. E. see LOGAN, M. L.
MORALES-BETANCOURT, J. A., CASTAÑO-VILLA, G. J. & FONTÚRBEL, F. E. Resource abundance and frugivory in two manakin species (Aves: Pipridae) inhabiting a reforested area in Colombia, 511
MOSS, B. see JOHNSON, S.
MOUTINHO, P. see SAHA, A. K.
MOYA, S. see HEARTSILL SCALLEY, T.
MUKHERJEE, S., CHAUDHURI, A., SEN, S. & HOMECHAUDHURI, S. Effect of Cyclone Aila on estuarine fish assemblages in the Matla River of the Indian Sundarbans, 405
MUNDRY, R. see HEAD, J. S.
MUNDY, P. J. see NDAGURWA, H. G. T.
NDAGURWA, H. G. T., MUNDY, P. J., DUBE, J. S. & MLAMBO, D. Patterns of mistletoe infection in four *Acacia* species in a semi-arid southern African savanna, 523
NEGRETE-YANKELEVICH, S. see JIMÉNEZ, L.
NGOMANDA, A., MAVOUROULOU, Q. M., OBIANG, N. L. E., IPONGA, D. M., MAVOUNGOU, J.-F., LÉPENGUÉ, N., PICARD, N. & MBATCHI, B. Derivation of diameter measurements for buttressed trees, an example from Gabon, 299
NOGUEIRA, M. A. see ZANGARO, W.
NOVOTNY, V. see TVARDIKOVA, K.
NUMATA, S. see SUZUKI, R. O.
O'FARRILL, G., CALMÉ, S., SENGUPTA, R. & GONZALEZ, A. Effective dispersal of large seeds by Baird's tapir: a large-scale field experiment, 119
O'KANE, C. A. J., DUFF, K. J., PAGE, B. R. & MACDONALD, D. W. Heavy impact on seedlings by the impala suggests a central role in woodland dynamics, 291
OBERBAUER, S. F. see HUANG, C.-Y.
OBIANG, N. L. E. see NGOMANDA, A.
OESKER, M. see WERNER, F. A.
OKUDA, T. see SUZUKI, R. O.
ONG, R. C. see PAINE, C. E. T.
OSAKA, K. see ITOH, M.
OTT, J. P. see HARTNETT, D. C.
OWEN, R. D. see POINDEXTER, C. J.
PAGE, B. R. see O'KANE, C. A. J.
PAINE, C. E. T., STENFLO, M., PHILIPSON, C. D., SANER, P., BAGCHI, R., ONG, R. C. & HECTOR, A. Differential growth responses in seedlings of ten species of Dipterocarpaceae to experimental shading and defoliation, 377
PATANAPONPAIBOON, P. see POUNGPARN, S.
PAVELKA, M. S. M. see BEHIE, A. M.
PEREIRA ANSANELO, A. see ZANGARO, W.
PHILIPSON, C. D. see PAINE, C. E. T.
PICARD, N. see NGOMANDA, A.
PIECHOWSKI, D. see BRAUN, M.
PIMENTA, C. S. see ANDREAZZI, C. S.
PINEDA-DIEZ DE BONILLA, E., LEÓN-CORTÉS, J. L. & LUIS RANGEL-SALAZAR, J. Diversity of bird feeding guilds in relation to habitat heterogeneity and land-use cover in a human-modified landscape in southern Mexico, 369
PINTO, L. P. see BARNETT, A. A.
PIRES, A. S. see ANDREAZZI, C. S.
POINDEXTER, C. J., SCHNELL, G. D., SÁNCHEZ-HERNÁNDEZ, C., DE LOURDES ROMERO-ALMARAZ, M., KENNEDY, M. L., BEST, T. L., WOOTEN, M. C. & OWEN, R. D. Co-occurrence of small mammals in a tropical dry deciduous forest: comparisons of communities and individual species in Colima, Mexico, 65
POIRSON, E. K. see MCGLYNN, T. P.
POUNGPARN, S., KOMIYAMA, A., SANGTEIAN, T., MAKNUAL, C., PATANAPONPAIBOON, P. & SUCHEWABORIPONT, V. High primary productivity under submerged soil raises the net ecosystem productivity of a secondary mangrove forest in eastern Thailand, 303
PRASAD, A. E. Landscape-scale relationships between the exotic invasive shrub *Lantana camara* and native plants in a tropical deciduous forest in southern India, 55
PRINS, H. H. T. see AHRESTANI, F. S.
PRYKE, J. S., VRDOLJAK, S. M., GRANT, P. B. C. & SAMWAYS, M. J. Butterfly behavioural responses to natural Bornean tropical rain-forest canopy gaps, 45
RAHIM NIK, A. see ITOH, M.
RAMALHO, M. see DE SOUZA VILELA, F.
RATHCKE, B. J. see LANDRY, C. L.
REED, R. N. see LOGAN, M. L.
REEF, R., BALL, M. C. & LOVELOCK, C. E. The impact of a locust plague on mangroves of the arid Western Australia coast, 307
RICO-GRAY, V. see SÁNCHEZ-GALVÁN, I. R.
RIGAMONTE-AZEVEDO, V. see KLIMAS, C. A.
ROBBINS, M. M. see HEAD, J. S.
RONCHI-TELES, B. see BARNETT, A. A.
ROSS, C. see BARNETT, A. A.
RUSSO, S. E., ZHANG, L. & TAN, S. Covariation between understorey light environments and soil resources in Bornean mixed dipterocarp rain forest, 33
SAHA, A. K., CARVALHO, K. S., DA S. L. STERNBERG, L. & MOUTINHO, P. Effect of leaf-cutting ant nests on plant growth in an oligotrophic Amazon rain forest, 263
SALK, C. F. Within-species leaf trait variation and ecological flexibility in resprouting tropical trees, 527
SAMWAYS, M. J. see PRYKE, J. S.
SÁNCHEZ-GALVÁN, I. R., DÍAZ-CASTELAZO, C. & RICO-GRAY, V. Effect of Hurricane Karl on a plant-ant network occurring in coastal Veracruz, Mexico, 603
SÁNCHEZ-HERNÁNDEZ, C. see POINDEXTER, C. J.
SANER, P. see PAINE, C. E. T.
SANGTEIAN, T. see POUNGPARN, S.
SARIKAS, C. & URQUHART, G. R. Survival of *Dipteryx oleifera* (Fabaceae) trees after Hurricane Ida in Nicaragua, 327
SAVINI, T. see KHAMCHA, D.
SAWAYA, R. J. see GUIMARÃES, M.
SCATENA, F. N. see HEARTSILL SCALLEY, T.
SCHNELL, G. D. see POINDEXTER, C. J.
SEBES, K. see HARTNETT, D. C.
SEN, S. see MUKHERJEE, S.
SENGUPTA, R. see O'FARRILL, G.
SETHI, P. & HOWE, H. F. Fruit removal by hornbills in a semi-evergreen forest of the Indian Eastern Himalaya, 531
SHENG, L.-X. see TANG, Z.-H.
SHERMAN, R. E., FAHEY, T. J., MARTIN, P. H. & BATTLES, J. J. Patterns of growth, recruitment, mortality and biomass across an altitudinal gradient in a neotropical montane forest, Dominican Republic, 483
SILVA, P. S. D., LEAL, I. R., WIRTH, R., MELO, F. P. L. & TABARELLI, M. Leaf-cutting ants alter seedling assemblages across second-growth stands of Brazilian Atlantic forest, 361
SILVEIRA, J. M., BARLOW, J., ANDRADE, R. B., MESTRE, L. A. M., LACAU, S. & COCHRANE, M. A. Responses of leaf-litter ant communities to tropical forest wildfires vary with season, 515
SILVERI, C. see YANOVIK, S. P.
SIMMEN, B., TARNAUD, L. & HLADIK, A. Leaf nutritional quality as a predictor of primate biomass: further evidence of an ecological anomaly within prosimian communities in Madagascar, 141
SNADDON, J. L. see JOHNSON, S.
SOBRADO, M. A. Leaf tissue water relations in tree species from contrasting habitats within the upper Rio Negro forests of the Amazon region, 519
SOLIS, M. see YANOVIK, S. P.
SOUSA SILVA, W. see BARNETT, A. A.
SPIRONELLO, W. R. see BARNETT, A. A.
STAUDHAMMER, C. L. see KLIMAS, C. A.
STENFLO, M. see PAINE, C. E. T.
SUCHEWABORIPONT, V. see POUNGPARN, S.
SUPARDI MD. NOOR, N. see SUZUKI, R. O.

- SUZUKI, R. O., NUMATA, S., OKUDA, T., SUPARDI MD. NOOR, N., KASSIM, A. R. & KACHI, N. Species associations among dipterocarp species co-occurring in a Malaysian tropical rain forest, 281
- TABARELLI, M. see SILVA, P. S. D.
- TAKANASHI, S. see ITOH, M.
- TAN, S. see RUSSO, S. E.
- TANG, Z.-H., XU, J.-L., FLANDERS, J., DING, X.-M., MA, X.-F., SHENG, L.-X. & CAO, M. Seed dispersal of *Syzygium oblatum* (Myrtaceae) by two species of fruit bat (*Cynopterus sphinx* and *Rousettus leschenaultii*) in South-West China, 255
- TANI, M. see ITOH, M.
- TARNAUD, L. see SIMMEN, B.
- TOFT, C. A. see DEICHMANN, J. L.
- TOLEDO-ACEVES, T., GARCÍA-FRANCO, J. G., LOZADA, S. L., MATEOS, M. L. L. & MACMILLAN, K. Germination and seedling survivorship of three *Tillandsia* species in the cloud-forest canopy, 423
- TULLY, K. L. see HUANG, C.-Y.
- TVARDIKOVA, K. & NOVOTNY, V. Predation on exposed and leaf-rolling artificial caterpillars in tropical forests of Papua New Guinea, 331
- URQUHART, G. R. see SARIKAS, C.
- VALKONEN, J. K. & MAPPE, J. Comments on Guimarães & Sawaya (2011). Pretending to be venomous: is a snake's head shape a trustworthy signal to a predator?, 123
- VILAR DE CARVALHO, F. M. see DA SILVA ELIAS, M. A.
- VILCHEZ, S. see CHAIN-GUADARRAMA, A.
- VITOUSEK, P. M. see BENNER, J. W.
- VOIGT, C. C., VOIGT-HEUCKE, S. L. & KRETZSCHMAR, A. S. Isotopic evidence for seed transfer from successional areas into forests by short-tailed fruit bats (*Carollia* spp.; Phyllostomidae), 181
- VOIGT-HEUCKE, S. L. see VOIGT, C. C.
- VRDOLJAK, S. M. see PRYKE, J. S.
- WADT, L. H. see KLIMAS, C. A.
- WERNER, F. A., HOMEIER, J., OESKER, M. & BOY, J. Epiphytic biomass of a tropical montane forest varies with topography, 23
- WESTON, K. A., CHAPMAN, H. M., KELLY, D. & MOLTCHANOVA, E. V. Dependence on sunbird pollination for fruit set in three West African montane mistletoe species, 205
- WILLIAMSON, G. B. see DEICHMANN, J. L.
- WIRTH, R. see SILVA, P. S. D.
- WOOTEN, M. C. see POINDEXTER, C. J.
- XAUD, H. A. M. see MARTINS, F. S. R. V.
- XU, J.-L. see TANG, Z.-H.
- YANOVIK, S. P., SILVERI, C., HAMM, C. A. & SOLIS, M. Stem characteristics and ant body size in a Costa Rican rain forest, 199
- ZANGARO, W., PEREIRA ANSANELO, A., AZEVEDO MARQUES LESCANO, L. E., DE ALMEIDA ALVES, R., LÍRIO RONDINA, A. B. & NOGUEIRA, M. A. Infection intensity, spore density and inoculum potential of arbuscular mycorrhizal fungi decrease during secondary succession in tropical Brazilian ecosystems, 453
- ZHANG, L. see RUSSO, S. E.

JOURNAL OF tropical ecology

INSTRUCTIONS FOR AUTHORS

Potential contributors are advised that careful attention to the details below will greatly assist the Editor and thus speed the processing of their manuscripts. Poorly prepared manuscripts will be returned to authors.

Submission

All manuscripts must be submitted online via the website:

<http://mc.manuscriptcentral.com/jte>

Detailed instructions for submitting your manuscript online can be found at the submission website by clicking on the 'Instructions and Forms' link in the top right of the screen; and then clicking on the 'Author Submission Instructions' icon on the following page.

The Editor will acknowledge receipt of the manuscript, provide it with a manuscript reference number and assign it to reviewers. The reference number of the manuscript should be quoted in all correspondence with JTE Office and Publisher.

The submission of a manuscript will be taken to imply that the material is original, and that no similar paper has been published or is currently submitted for publication elsewhere. Papers are first inspected for suitability by the Editor or a Board member. Those suitable papers are then critically reviewed by usually two or three expert persons. On their advice the Editor provisionally accepts, or rejects, the paper. If acceptance is indicated the manuscript is usually returned to the author for revision. In some cases a resubmission is invited and on receipt of the new version the paper will be sent to a third referee. If the author does not return the revised or resubmitted version within six months the paper will be classified as rejected. Final acceptance is made when the manuscript has been satisfactorily revised.

Preparation of the manuscript

Authors are strongly advised to consult a recent issue of the JTE to acquaint themselves with the general layout of articles. Manuscripts should be neatly typewritten on A4 paper i.e. 21 cm × 30 cm. Double sided copy is permissible for review purposes, but final submission for publication must be on one side of the paper only. Double spacing must be used throughout, allowing wide margins (about 3 cm) on all sides. Main text pages should be numbered.

When a revised ms is being returned the author is requested to send a copy of the final version on computer disk (Apple Macintosh or IBM compatible PC) together with the hard copy typescript, giving details of the wordprocessing software used (e.g. Microsoft Word, Word or Word Perfect). However, the publisher reserves the right to typeset material by conventional means if an author's disk proves unsatisfactory.

A paper should be prepared using the following format:

Page 1. *Title page.* This should contain (a) the full title, preferably of less than 20 words and usually containing the geographical location of the study; (b) a running title of not more than 48 letters and spaces; (c) a list of up to 10 key words in alphabetical order suitable for international retrieval systems; (d) the full name of each author and their current affiliation; (e) the name of the institution in which the work was carried out; and (f) the present email and postal address of the author to whom proofs should be sent.

Page 2. *Abstract.* This should be a single paragraph, in passive mode, no more than 200 words long, a concise summary of the paper intelligible on its own in conjunction with the title, without abbreviations or references.

Page 3. *et seq.* The main body of the text may contain the following sections in the sequence indicated:

Discussion, (e) Acknowledgements, (f) Literature Cited, (g) Appendices, (h) Tables, (i) Legends to Figures. An extra section between (a) and (b) for Study Site or Study Species might be necessary.

Main headings should be in capital type and ranged left; sub-headings should be ranged left. A *Short Communication* has a title and keywords but no abstract (except what is entered in Manuscript Central) or section headings until Acknowledgements and item Literature Cited.

Acknowledgements should be brief. *Notes* should be avoided if at all possible; any notes will be printed at the end of the paper and not as footnotes.

Scientific names. The complete Latin name (genus, species and authority) must be given in full for every organism when first mentioned in the text unless a standard reference is available which can be cited. Authorities might alternatively appear in Tables where they are first used.

Units of measurement. Measurements must be in metric units; if not, metric equivalents must also be given. The minus index (m^{-1} , mm^{-3}) should be used except where the unit is an object, e.g. 'per tree', not 'tree⁻¹'. Use d^{-1} , mo^{-1} and y^{-1} for per day, per month and per year.

Abbreviations. In general, abbreviations should be avoided. Numbers one to nine should be spelled out and number 10 onwards given in figures. Dates should follow the sequence day-month-year, e.g. 1 January 1997. The 24-hour clock should be used, e.g. 16h15.

Online supplementary material

Supplementary material is not copy edited or typeset but loaded onto CJO exactly as supplied. Supplementary material must be submitted at the same time as the article and must be clearly marked to distinguish it from the main article text.

Authors should ensure that they mention within their article that supplementary material is available on CJO.

Language

All papers should be written in English, and spelling should generally follow *The Concise Oxford Dictionary of Current English*. Abstracts in other languages will be printed if the author so desires together with an abstract in English. All abstracts must be provided by the author.

Literature cited

References to literature in the text should conform to the 'name-and-date' system: e.g. Fleming (1982); (Goh & Sasekumar 1980); Montgomery *et al.* (1981). If a number of references are cited at one place in the text, they should be arranged alphabetically and not chronologically. In the reference list citations should take the forms given below. References with two or more authors should be arranged first alphabetically then chronologically. The names of cited journals should be given in full. Certain foreign language citations may be translated into English, and this should always be done where the English alphabet is not used (e.g. Chinese, Russian, Thai).

FLEMING, T. H. 1982. Foraging strategies of plant-visiting bats. Pp. 287–325 in Kunz, T. H. (ed.). *Ecology of bats*. Plenum Press, New York. 425 pp.

GOH, A. H. & SASEKUMAR, A. 1980. The community structure of the fringing coral reef, Cape Rachado. *Malayan Nature Journal* 34:25–27.

MONTGOMERY, G. G., BEST, R. C. & YAMAKOSHI, M. 1981. A radio-tracking study of the American manatee *Trichechus inunguis* (Mammalia: Sirenia). *Biotropica* 13:81–85.

WHITMORE, T. C. 1984. *Tropical rain forests of the Far East*. (second edition). Oxford University Press, Oxford. 352 pp.

Use the following as contractions in text: 'pers. obs.', 'pers. comm.'; but 'unpubl. data', 'in press'. Authors should double-check that all references in the text correspond exactly to those in the Literature Cited section.

Tables and figures

Tables should be typed, together with their titles, on separate pages. Column headings should be brief, with units of measurement in parentheses. Vertical lines should not be used to separate columns. Avoid presenting tables that are too large to be printed across the page; table width must not exceed 80 characters, including spaces between words, figures and columns. Each table should be numbered consecutively with arabic numerals. The author should indicate in the text where tables and figures are to be inserted; all tables and figures must be mentioned in the text.

Authors should ensure that all figures, whether line drawings or photographs, clarify or reduce the length of the text. The preferred graphics package is Freehand, but many others may be accepted. Please indicate file format and graphics software used for originating artwork files. Typefaces should be restricted to Monotype, Adobe and Bitstream font libraries. High resolution figures should be supplied as TIFF or EPS files, but never as Postscript files. Line drawings should be scanned at 1200 dpi and use only conventional Postscript files. Halftones to be scanned at 600 dpi with the preset dot range from 1–96%. If you wish to compress the files use lossless compression package software such as the LZW compression package.

Proofs

When pdf proofs are received they should be corrected carefully and returned to the publisher without delay. Errors remaining in these first proofs after the author has checked them are the author's responsibility. Any further editorial changes, apart from minor grammatical and syntactical improvements, will be communicated to the author before second proofs are prepared. Ensure that the editorial office knows of changes in your address.

Offprints

Upon publication the corresponding author will automatically receive a pdf of their article from Cambridge University Press. Authors will be offered the opportunity to order paper offprints by using the form supplied at proof stage.

Copyright

Authors of articles published in the journal assign copyright to Cambridge University Press (with certain rights reserved) and you will receive a copyright assignment form for signature on acceptance of your paper. Authors receiving requests for permission to reproduce their work should contact Cambridge University Press for advice.

Business correspondence

Correspondence concerning offprints, copyright, back numbers, advertising and sales to libraries should be addressed to the publishers: Journals Department, Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge CB2 8RU, UK or Cambridge University Press, 32 Avenue of the Americas, New York, NY 10013–2473 USA.

CONTENTS

Fruit removal by hornbills in a semi-evergreen forest of the Indian Eastern Himalaya P. Sethi & H. F. Howe	531
Primary seed dispersal by three Neotropical seed-predating primates (<i>Cacajao melanocephalus</i> <i>ouakary</i> , <i>Chiropotes chiropotes</i> and <i>Chiropotes albinus</i>) A. A. Barnett, S. A. Boyle, L. P. Pinto, W. C. Lourenço, T. Almeida, W. Sousa Silva, B. Ronchi-Teles, B. M. Bezerra, C. Ross, A. MacLarnon & W. R. Spironello	543
Effects of soil water status on the spatial variation of carbon dioxide, methane and nitrous oxide fluxes in tropical rain-forest soils in Peninsular Malaysia M. Itoh, Y. Kosugi, S. Takanashi, S. Kanemitsu, K. Osaka, Y. Hayashi, M. Tani & A. Rahim Nik	557
Remote video-camera traps measure habitat use and competitive exclusion among sympatric chimpanzee, gorilla and elephant in Loango National Park, Gabon J. S. Head, M. M. Robbins, R. Mundry, L. Makaga & C. Boesch	571
Variation in capture height and trap persistence among three Costa Rican understory butterfly species L. G. Alexander & P. J. DeVries	585
Effects of fire on above-ground forest biomass in the northern Brazilian Amazon F. S. R. V. Martins, H. A. M. Xaud, J. R. dos Santos & L. S. Galvão	591
Effect of Hurricane Karl on a plant–ant network occurring in coastal Veracruz, Mexico I. R. Sánchez-Galván, C. Díaz-Castelazo & V. Rico-Gray	603
<i>Short Communications</i>	
The role of earthworms in nitrogen and solute retention in a tropical forest in Sabah, Malaysia: a pilot study S. Johnson, A. Bose, J. L. Snaddon & B. Moss	611
Differential seed germination of a keystone palm (<i>Euterpe edulis</i>) dispersed by avian frugivores A. de Barros Leite, P. H. S. Brancalion, R. Guevara & M. Galetti	615
Index of Subjects	619
Index of Authors	623

Journal of Tropical Ecology now accepts submissions via Manuscript Central.
Go to <http://mc.manuscriptcentral.com/jte>

Cambridge Journals Online
For further information about this journal
please go to the journal website at:
journals.cambridge.org/tro



MIX
Paper from
responsible sources
FSC® C018575

CAMBRIDGE
UNIVERSITY PRESS