


complete characterization

Science continues to challenge the limits of material properties and capabilities. Whether improving conventional materials, such as tungsten alloys, or probing the potential of carbon fiber nanotechnology, our instruments and expertise help scientists characterize and confirm complex chemistries and unique structures. Our comprehensive offering includes innovative imaging and spectroscopy, industry-leading data management and proven method development. All designed to help provide deeper insights and more confident decisions as you drive bold progress in the materials of tomorrow.

speeds discovery in materials science

www.thermoscientific.com/materialsscience



Nanotechnology

Polymers

Metallurgy

Microelectronics

Bio-Materials

Cement

Energy

Ceramics and Glass

Polymers

Carbon

Paints and Coatings

Chemicals

Paper and Printing

Medical Implants

Art Restoration

CODEN: JMREEE ISSN: 0884-2914

Journal of

MATERIALS RESEARCH

Editor-in-Chief: Gary L. Messing, *The Pennsylvania State University*Associate Editor, Biomaterials: Adrian Mann, *Rutgers University*

Associate Editor, Metallic Materials: Jürgen Eckert, IFW Dresden, Germany

Associate Editor, Polymers and Organic Materials: Howard E. Katz, Johns Hopkins University

Editorial Office: Eileen Kiley Novak, Director of Publications and Marketing, Materials Research Society, Warrendale, PA

Ellen W. Kracht, *Publications Manager, Materials Research Society, Warrendale, PA*Linda A. Baker, *JMR Editorial Assistant, Materials Research Society, Warrendale, PA*Lorraine K. Wolf, *JMR Publishing Assistant, Materials Research Society, Warrendale, PA*

2011 Principal Editors:

Robert C. Cammarata, Johns Hopkins University

Edwin A. Chandross, MaterialsChemistry LLC

Ping Chen, Dalian Institute of Chemical Physics, China

Yang-T. Cheng, University of Kentucky

Franz Faupel, Universitäet Kiel, Germany

David S. Ginley, National Renewable Energy Laboratory

Amit Goyal, UT-Battelle/Oak Ridge National Laboratory

Mikko P. Haataja, Princeton University

Himanshu Jain, Lehigh University

Suk-Joong L. Kang, Korean Advanced Institute of Science and Technology, Republic of Korea

C. Robert Kao, National Taiwan University, Taiwan

Koichi Kugimiya, Osaka University, Japan

Sharvan Kumar, Brown University

Yadong Li, Tsinghua University, China

Scott T. Misture, Alfred University

Paul Muralt, Ecole Polytechnique Federale de Lausanne, Switzerland

Michelle Oyen, Cambridge University, United Kingdom

Nitin P. Padture, The Ohio State University

lan M. Reaney, The University of Sheffield, United Kingdom

Joan M. Redwing, The Pennsylvania State University

Clifford L. Renschler, Sandia National Laboratories

Mototsugu Sakai, Toyohashi University of Science and Technology, Japan

Dale Schaefer, University of Cincinnati

Winston Schoenfeld, University of Central Florida

Christopher A. Schuh, *Massachusetts Institute of Technology*

Don W. Shaw, The University of Texas at Dallas

Jay A. Switzer, Missouri University of Science and Technology

Mauricio Terrones, The Pennsylvania State University; and Shinshu University, Japan

Terry M. Tritt, Clemson University

Yoshihisa Watanabe, National Defense Academy, Japan

William J. Weber, University of Tennessee/Oak Ridge National Laboratory

Sam Zhang, Nanyang Technological University, Singapore

Yanchun Zhou, Aerospace Research Institute of Materials and Processing Technology, China

Cover: Electron backscatter diffraction patterns of Ni-Ti shape memory alloy sample that was deformed in the instability region of the processing map. [V.V. Shastry, B. Maji, M. Krishnan, and U. Ramamurty: High-temperature deformation processing maps for a NiTiCu shape memory alloy. p. 2484.]

https://doi.org/10.1557/jmr.2011.325 Published online by Cambridge University Press

Journal of MATERIALS RESEARCH

Volume 26, Number 19, October 14, 2011

INIVITED		F PAPERS
114 V I I F I J	CCAIUNG	- PAPEDS

INVITED FEA	TUNE PAPENS	
2461–2469	Thermomechanical behavior at the nanoscale and size effects in shape memory alloys	Jose San Juan, Maria L. Nó, Christopher A. Schuh
2470–2478	Nanoimprinted complementary organic electronics: Single transistors and inverters	Thomas Rothländer, Ursula Palfinger, Barbara Stadlober, Anja Haase, Herbert Gold, Christian Palfinger, Gerhard Domann, Johanna Kraxner, Georg Jakopic, Paul Hartmann
MATERIALS	COMMUNICATIONS	
2479–2483	Aluminum nanocomposites having wear resistance better than stainless steel	Linan An, Jun Qu, Jinsong Luo, Yi Fan, Ligong Zhang, Jinling Liu, Chengying Xu, Peter J. Blau
ARTICLES		
2484–2492	High-temperature deformation processing maps for a NiTiCu shape memory alloy	Vyasa V. Shastry, Bikas Maji, Madangopal Krishnan, Upadrasta Ramamurty
2493–2502	Dielectric relaxations of high-k poly(butylene succinate) based all-organic nanocomposite films for capacitor applications	Li Yu, Shanming Ke, Yihe Zhang, Bo Shen, Anzhen Zhang, Haitao Huang
2503–2510	A microwave dielectric material for microstrip patch antenna substrate	Qingwei Liao, Lingxia Li, Ping Zhang, Xiang Ding, Xiang Ren, Wei Zhang
2511–2523	Interfacial delamination cracking shapes and stress states during wedge indentation in a soft-film-on-hard-substrate system— Computational simulation and experimental studies	Lei Chen, Kong Boon Yeap, Kai Yang Zeng, Chong Min She, Gui Rong Liu
2524–2532	The effects of low temperature and pressure on the fracture behaviors of organosilicate thin films	Soheil Barakat, Pearl Lee-Sullivan, Steven A. Vitale, Ting Y. Tsui
2533–2542	Analyzing mechanical properties of a nanocrystalline Fe–Ni coating by nanoindentation	Lian-Hao Yi, Chun-Ying Lee, Liuwen Chang, Ting-Ruei Lee, Po-We Kao
2543–2551	Microstructures and electrical properties of CaCu ₃ Ti ₄ O ₁₂ thin films on Pt/TiO ₂ /SiO ₂ /Si substrates by pulsed laser deposition	Sung-Yun Lee, Soon-Mi Choi, Mi-Young Kim, Sang-Im Yoo, Ji Hye Lee, William Jo, Young-Hwan Kim, Kyoung Jin Choi
2552–2557	Thermally induced damages of PECVD SiN_x thin films	Yinong Liu, Neerushana Jehanathan, John Dell
2558–2573	Nanoscale planar faulting in nanocrystalline Ni–W thin films:	Udo Welzel, Johannes Kümmel,

Ewald Bischoff, Silke Kurz, Eric Jan Mittemeijer

Grain growth, segregation, and residual stress

Journal of MATERIALS RESEARCH

JOURNAL OF MATERIALS RESEARCH (JMR) is an interdisciplinary journal serving the materials research community through publication of original research articles and invited reviews encompassing the synthesis, processing, characterization, properties, and theoretical description of materials

JMR publishes new research that demonstrates a significant impact or advance of scientific understanding of interest to the materials research community. Engineering studies and applications to commercial products are beyond the scope of **JMR** and should be submitted elsewhere. Manuscripts that report data without giving an analysis, interpretation, or discussion are only acceptable if the data are sufficiently important that publication is expected to lead to significant new studies or advancements in science or technology.

Manuscripts must be submitted to the *Journal of Materials Research* electronically via ScholarOne manuscripts, at the following website address: http://mc.manuscriptcentral.com/jmr. Electronic submission expedites the review process and also allows authors to track the status of their manuscripts at any time. Complete instructions are available on the ScholarOne site and authors will be prompted to provide all necessary information

Manuscripts must be prepared in English, using a word processing program, formatted to fit $8\frac{1}{2} \times 11$ in. paper, and saved as .doc, .pdf, .rtf, or .ps files. Separate graphics files (.eps and .tif) must be uploaded for each figure. Authors may also upload .xls or .ppt supplemental files as part of the manuscript submission process. All of these files will be converted to .pdf format. Detailed instructions are available on the submission web site. During submission, authors must enter all coauthor names and e-mail addresses. Manuscripts will not be considered for peer review until this information is provided. Authors must also enter manuscript keywords using the JMR keyword list (located on the submission web site). Authors who are not fluent in English must have their manuscript edited for correct English grammar and sentence structure before submission.

Authors are expected to follow the conventional writing, notation, and illustration style prescribed in *Scientific Style and Format: the CSE Manual for Authors, Editors and Publishers, 7th edition, 2006.* Authors should also study the form and style of printed material in this journal. SI units should be used. Authors should use an identical format for their names in all publications to facilitate use of citations and author indexes.

Manuscripts are accepted with the understanding that they represent original research, except for review articles, and that they have not been copyrighted, published, or submitted for publication elsewhere. Authors submitting manuscripts to *JMR* who have related material under consideration or in press elsewhere should send a copy of the related material to *JMR* at the time of submission. While their manuscripts are under consideration at *JMR*, authors must disclose any such related material. To expedite the review process, authors may provide names and contact information for up to four possible reviewers.

Articles are original research reports that include complete, detailed, self-contained descriptions of research efforts. All articles must contain an abstract and section headings.

Commentaries and Reviews: Journal of Materials Research occasionally publishes commentaries on topics of current interest or reviews of the literature in a given area. If an author proposes a review, the title, abstract, and a brief outline should be submitted to the Editorial Office via e-mail for prior consultation on the appropriateness of the topic.

Color policy: It is not necessary for authors to indicate that a figure should be displayed in color online. JMR will assume that any author who submits figures in color wants and agrees to their being produced in color online. Figures may be printed in color at the author's request for an additional charge. Color figures must be submitted before the paper is accepted for publication, and cannot be received later in the process. Authors cannot submit two versions of the same figure, one for color and one for black and white; only one version can be submitted. Authors need to carefully consider the following when submitting figures in color that will

be published in color online only: 1) The colors chosen must reproduce effectively and the colors should be distinguishable when printed in black and white; 2) The descriptions of figures in text and captions must be sufficiently clear for both online and print copy. When submitting figures to be in color online only, authors should include the phrase <<color online>> in the figure captions. This is the author's responsibility. Authors will see these color figures when viewing their author page proofs on screen. Authors should always print their page proofs in black and white to see how they will appear in print. Authors will NOT be allowed to submit color figures to replace black and white figures in the page proof stage. To maximize the probability that figures will be published in color online and also print as good quality black and white or grayscale graphics, authors are encouraged to follow these figure submission guidelines: 1) Submit a color graphic in Tagged Image File Format (.tif); 2) Submit color graphics with a resolution of at least 300 dpi (600 dpi if there is text or line art in the figure); 3) Submit color graphics in CMYK format; 4) Submit figures sized to fit the actual column or page width of the journal so that reduction or enlargement is not necessary; 5) Submit multipart figures in one single electronic file.

Copyright © 2011, Materials Research Society. All rights reserved. No part of this publication may be reproduced, in any form or by any means, electronic, photocopying, or otherwise, without permission in writing from Cambridge University Press. Policies, request forms and contacts are available at: http://www.cambridge.org/rights/permissions/permission. htm. Permission to copy (for users in the USA) is available from Copyright Clearance Center http://www.copyright.com, email: info@copyright.com.

Journal of Materials Researd	11)		
[molddes on-line web access]	USA and Poss.	Non-US	Online Only
MRS Regular and Student Members	\$225.00	\$275.00	\$100.00
Institutions	\$1326.00	\$1423.00	\$1260.00

Journal of Materials Research (ISSN: 0884-2914) is published twenty-four times a year by Cambridge University Press, 32 Avenue of the Americas, New York, NY 10013 – 2473 for the Materials Research Society. Periodical Postage Paid in New York, NY and additional mailing offices. POSTMASTER: Send address changes to Journal of Materials Research, c/o Journals Dept., Cambridge University Press, 100 Brook Hill Drive, West Nyack, NY 10994-2113, USA.

Subscriptions, renewals, address changes, and single-copy orders should be addressed to Subscription Fulfillment, *Journal of Materials Research*, Cambridge University Press, 100 Brook Hill Drive, West Nyack, NY 10994-2133, USA (for USA, Canada, and Mexico); or Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge, CB2 8RU, England (for UK and elsewhere). Allow at least six weeks advance notice. For address changes, please send both old and new addresses and, if possible, include a mailing label from a recent issue. Requests from subscribers for missing journal issues will be honored without charge only if received within six months of the issue's actual date of publication; otherwise, the issue may be purchased at the single-copy price.

Reprints of individual articles in *Journal of Materials Research* may be ordered. For information on reprints, please contact Cambridge University Press.

Individual member subscriptions are for personal use only.