

# **INSECT SCIENCE AND ITS APPLICATION**

**The International Journal of Tropical Insect Science**

**Editor-in-Chief**

**Thomas R. Odhiambo**

**The International Centre of Insect Physiology and Ecology (ICIPE)**

**List of Contents, Author and Subject  
Index for Volume 10, 1989**

**ICIPE SCIENCE PRESS**

# Insect Science and Its Application

## The International Journal of Tropical Insect Science

Sponsored by the International Centre of Insect Physiology and Ecology (ICIPE), and the African Association of Insect Scientists (AAIS)

*Editor-in-Chief: Thomas R. Odhiambo*

*Associate Editor: K. N. Saxena*

*Scientific Editor: Serah W. Mwanycky*

*The International Centre of Insect Physiology and Ecology (ICIPE), P.O. Box 30772, Nairobi, Kenya*

### Editorial Advisory Board

F. T. Abushama, Kuwait, State of Kuwait

H. C. Agarwal, Delhi, India

J. Allen, Saskatoon, Canada

J. K. O. Ampofo, Arusha, Tanzania

A. Attygale, Ithaca, New York, USA

J. L. Auclair, Montreal, Canada

R. Galun, Jerusalem, Israel

I. Fagoonee, Reduit, Mauritius

K. M. Harris, London, U. K.

T. Hidaka, Kyoto, Japan

H. Hirumi, Nairobi, Kenya

A. G. Ibrahim, Serdang, Selangor, Malaysia

R. Kumar, Port Harcourt, Nigeria

V. M. Labeyrie, Paris, France

A. Mansingh, Kingston, Jamaica

F. G. Maxwell, College Station, Texas, U.S.A.

A. I. Mohyuddin, Rawalpindi, Pakistan

J. Mouchet, Paris, France

R. W. Mwangi, Nairobi, Kenya

L. M. Schoonhoven, Wageningen, The Netherlands

P. Singh, Auckland, New Zealand

K. Slama, Praha, Czechoslovakia

G. L. Teetes, College Station, Texas, U.S.A.

S. A. Toye, Ibadan, Nigeria

H. F. van Emden, Reading, U.K.

A. van Huis, Wageningen, The Netherlands

S. Yagi, Tsukuba, Ibaraki, Japan

### PUBLISHED BIMONTHLY

#### *Annual Subscription*

For libraries, university departments, government laboratories, industrial and other multiple reader institutions (US\$ 180.00; 2-year rate (1990–1991) US\$ 360 (including postage and insurance), private individuals US\$ 75.00; 2-year rate US\$150.00. *Specially Reduced Rates for Individuals:* In the interest of maximizing the dissemination of the research results published in this important international journal we have established a two-tier price structure. Any individual whose institution takes out a library subscription may purchase a second or additional subscriptions for personal use at a much reduced rate of US\$ 65.00; 2-year rate US\$ 140.00. Members of the International Centre of Insect Physiology and Ecology (ICIPE) and the African Association of Insect Scientists (AAIS) may purchase a subscription at the special rate of US\$ 20.00.

Application forms for membership of the AAIS (subscription US\$ 20.00; 2-year rate US\$ 38.00) may be obtained from: Hon. Secretary, African Association of Insect Scientists, P.O. Box 59862, Nairobi, Kenya.

Prices are subject to amendment without notice

Copyright © 1990—ICIPE Science Press, The International Centre of Insect Physiology and Ecology

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. However, assignment of copyright is not required from authors who work for organizations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature and translations. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical photocopying, recording or otherwise, without permission in writing from the copyright holder.

#### **Photocopying Information for users in the U.S.A.**

The Item-fee Code for this publication indicates that authorization to photocopy items for internal or personal use is granted by the copyright holder for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided the stated fee for copying beyond that permitted by Section 107 or 108 of the U.S. Copyright Law, is paid. The appropriate remittance of \$3.00 per copy per article is paid directly to the Copyright Clearance Center Inc., 27 Congress Street, Salem, MA 01970.

#### **Permission for other use**

The copyright owner's consent does not extend to copying for general distribution, for promotion for creating new works or for resale. Specific written permission must be obtained from the publisher of such copying.

*The item-fee for this publication is 0191-9040/90 \$3.00+0.00*

**ICIPE SCIENCE PRESS**  
**P. O. Box 72913, Nairobi, Kenya, East Africa**

## CONTENTS OF VOLUME 10

## VOLUME 10 NUMBER 1

THOMAS R. ODHIAMBO	1	Preface
		<i>Mini Review Article</i>
B. U. SINGH and B. S. RANA	3	Varietal resistance in sorghum to spotted stem borer, <i>Chilo partellus</i> (Swinhoe)
		<i>Research Articles</i>
Z. H. MOHSEN and N. S. MEHDI	29	Effects of insect growth inhibitor Alsyntin on <i>Culex quinquefasciatus</i> Say (Culicidae: Diptera)
KAMELIA ALY ABDEL-SALAM	35	Gamma irradiation effects on mating competitiveness of <i>Tribolium castaneum</i> (Herbst)
T. R. AHMAD	43	Pheromone concentration and plant cover types on movement of <i>Anarsia lineatella</i> (Zeller) (Lepidoptera: Gelechiidae)
D. NAMMOUR, J. AUGER et J. HUIGNARD	49	Mise en evidence de l'effet insecticide de composes soufres (disulfures et trisulfures) sur <i>Bruchidus atrolineatus</i> (Pic) (Coleoptere, Bruchidae)
TITUS K. MUKIAMA and RICHARD W. MWANGI	55	Field studies of larval <i>Anopheles arabiensis</i> Patton of Mwea Irrigation Scheme, Kenya
TAHIRA Z. MAHMOOD and M. H. QAZI	63	Density and parasitization of grasshopper egg-pods in Pakistan
AIDA M. EL-HAKIM and KAMELIA A. ABDEL-SALAM	69	Radiosensitivity of different larval stage duration pupae of the Mediterranean fruit-fly, <i>Ceratitis capitata</i> Wied.
L. CHUKA MADUBUNYI	75	Survival and productivity of the tsetse, <i>Glossina morsitans morsitans</i> Westwood (Diptera: Glossinidae) maintained under different feeding regimens, through four successive reproductive cycles in Zambia
B. S. BHUMANAVAR, S. P. SINGH and V. V. SULLADMATH	81	Field evaluation of citrus germplasm for resistance to the black aphid, <i>Toxoptera aurantii</i> (Boy.) under tropical humid south Indian conditions
J. R. COBBINAH and J. APPIAH-KWARTENG	89	Effects of some neem products on stored maize weevil, <i>Sitophilus zeamais</i> Motsch
ALLEN M. YOUNG, BARBARA J. ERICKSON and ERIC H. ERICKSON JR.	93	Pollination biology of <i>Theobroma</i> and <i>Herrania</i> (Sterculiaceae)—III. Steam distilled floral oils of <i>Theobroma</i> species as attractants to flying insects in a Costa Rican cocoa plantation
R. T. GAHUKAR, Y. O. DOUMBIA, A. B. BAL et V. S. BHATNAGAR	99	Distribution géographique, plantes-hotes et fluctuation saisonniere des meloides au Mali et au Senegal
<i>Software Survey Section:</i>		<i>i</i>
<i>Editorial</i>		<i>ii</i>
<i>Information</i>		<i>iii</i>
<i>Instructions to Authors</i>		<i>iv</i>
<i>Author Checklist</i>		<i>vii</i>

## VOLUME 10 NUMBER 2

## Research Articles

- |   |     |   |
|---|-----|---|
| H. J. BARCLAY and P. VAN DEN DRIESSCHE                                  | 107 | Pest control models of combinations of sterile releases and trapping  |
| PEETER PÄTS   | 117 | A marking technique for <i>Chilo partellus</i> (Swinhoe) (Lepidoptera: Pyralidae) by adding dye to the larval diet  |
| T. KASU, J. A. ODEBIYI and K. M. LEMA                                   | 123 | Effects of cassava pubescence on the behaviour, post-embryonic development and reproduction of the cassava mealybug, <i>Phenacoccus manihoti</i> Matile-Ferrero (Homoptera: Pseudococcidae)               |
| ASSEFA GEBRE-AMLAQ  | 131 | Phenology and fecundity of maize stalk borer, <i>Busseola fusca</i> (Fuller) in Awassa, Southern Ethiopia   |
| M. A. A. EID, A. N. EL-NAKKADI and M. A. SALEH                          | 139 | Functional adaptation of silk glands after administration of antibiotic to larvae of <i>Philosamia ricini</i> (Boisd)   |
| S. R. TRIPATHI and RAJESH SINGH   | 145 | Effect of different pulses on development, growth and reproduction of <i>Heliothis armigera</i> (Hubner) (Lepidoptera: Noctuidae)   |
| R. K. THAPPA, K. TIKKU, BHASKAR P. SAXENA, R. M. VAID and K. K. BHUTANI | 149 | Conessine as a larval growth inhibitor, sterilant, and antifeedant from <i>Holarrhena antidysenterica</i> Wall  |
| M. MANI   | 157 | A review of the pink mealybug- <i>Maconellicoccus hirsutus</i> (Green)  |
| G. VEERANNA and S. BASALINGAPPA   | 169 | Nesting pattern of termites <i>Odontotermes obesus</i> Rambur and <i>Odontotermes wallonensis</i> Wasmann (Isoptera: Termitidae)  |
| TAWFIQ M. MUSTAFA   | 181 | Seasonal change in fat and water content in field populations of olive psylla <i>Euphyllura olivina</i> Costa (Homoptera: Psyllidae)  |
| P. ATACHI et B. C. AHOHUENDO  | 187 | Comparaison de quelques parametres caracteristiques de la dynamique des populations entre <i>Megalurothrips sjostedti</i> (Trybom) et <i>Maruca testulalis</i> (Geyer) sur une meme plante-hote, le niche |
| G. J. STECK, G. L. TEETES and S. D. MAIGA                               | 199 | Species composition and injury to sorghum by panicle feeding bugs in Niger  |
| M. B. KALODE and J. S. BENTUR   | 219 | Characterization of Indian biotypes of the rice gall midge, <i>Orseolia oryzae</i> (Wood-Mason) (Diptera: Cecidomyiidae)  |
| M. O. ODINDO, W. A. OTIENO, G. W. OLOO, J. KILORI and R. C. ODHIAMBO    | 225 | Prevalence of microorganisms in field-sampled borers on sorghum, maize, and cowpea in Western Kenya   |
| J. H. NDERITU and J. M. MUEKE   | 229 | Susceptibility of eight potato cultivars to <i>Myzus persicae</i> Sulzer in the greenhouse  |
| C. J. DEN OTTER and M. M. VAN DER HAAGEN                                | 235 | Sex pheromone attractants and inhibitors in the cabbage armyworm, <i>Mamestra brassicae</i> L. (Lep.:Noctuidae): Electrophysiological discrimination  |
| G. W. OLOO  | 243 | The role of local natural enemies in population dynamics of <i>Chilo partellus</i> (Swinh.) (Pyralidae) under subsistence farming systems in Kenya  |
| Book Review   | 253 |   |
| Instructions to Authors   | i   |   |
| Author Checklist  | iv  |   |

## VOLUME 10 NUMBER 3

## Research Articles

- C. P. SRIVASTAVA  
and R. P. SRIVASTAVA 255 Screening for resistance to gram pod borer, *Heliothis armigera* (Hubner), in chickpea (*Cicer arietinum* L.) genotypes and observations on its mechanism of resistance in India
- ELLIE O. OSIR  
and JOHN H. LAW 259 Purification and characterization of vitellin from the palo verde beetle, *Derobracus geminatus*
- M. MUKUNTHAN 269 Life tables of sugar-cane top borer, *Scirpophaga exerpialis* Wlk.
- JOHN MACFARLANE 277 The hemipterous insects and spiders of sorghum panicles in Northern Nigeria
- J. HENDRICHS, J.  
REYES and M. ALUJA 285 Behaviour of female and male Mediterranean fruit flies, *Ceratitis capitata* in and around Jackson traps placed on fruiting host trees
- M. SENTHAMIZSELVAN  
and J. MUTHUKRISHNAN 295 Bioenergetics of *Apanteles flavipes* Cameron (Hymenoptera: Braconidae), a parasitoid of *Porthesia scintillans* Walker (Lepidoptera: Lymantridae)
- S. M. WALADDE, A. HASSANALI  
and S. A. OCHIENG' 301 Taste sensilla responses to limonoids, natural insect antifeedants
- MARTIN ALUJA, MARIO CABRERA,  
JORGE GUILLEN, HILARIO  
CELEDONIO and FELICIANO AYORA 309 Behaviour of *Anastrepha ludens*, *A. obliqua* and *A. serpentina* (Diptera: Tephritidae) on a wild mango tree (*Mangifera indica*) harbouring three McPhail traps
- R. K. TIWARI, K. P. SRIVASTAVA  
and J. N. TIWARI 319 Role of ventral nerve cord and peripheral nerves in metamorphosis and nerve cord shortening in the lemon butterfly, *Papilio demoleus* (Lepidoptera)
- P. USHA RANI and  
KAISER JAMIL 327 Effect of water hyacinth leaf extract on mortality, growth and metamorphosis of certain pests of stored products
- N. K. KRISHNA KUMAR, K. SRINIVASAN  
and H. R. SARDANA 333 Evaluation of time of insecticidal application on the control of leafhopper, *Amrasca biguttula biguttula* Ishida (Cicadellidae: Homoptera) and aphid, *Aphis gossipii* Glover (Aphididae: Homoptera) on okra
- GODWIN P. KAAAYA 341 Assessment of antibiotic potentials of insect antibacterial factors
- BATTAN M. KHAEMBA 347 Studies on the residual activity of three synthetic pyrethroids cypermethrin, fenvalerate and permethrin against cotton stainers, *Dysdercus* spp. (Hemiptera: Pyrrhocoridae)
- PAULINE O. LAWRENCE 353 Differential mortality, fecundity and egg viability of Caribbean fruit fly, *Anastrepha suspensa* adults fed on three diets
- B. N. SUSHEELAMMA,  
R. G. GEETHADEVI  
M. S. JOLLY JALAJA, S. KUMAR,  
KSHAMA GIRIDHAR, K. SENGUPTA  
and MEERA VARMA 359 Effect of different mulberry varieties on silkworm, *Bombyx mori* L.
- DANSOU K. KOSSOU 365 Evaluation des differents produits du neem *Azadirachta indica* A. Juss pour le controle de *Sitophilus zeamais* Motsch sur le mais en post-récolte
- P. ATACHI and B. SOUROKOU 373 Use of Decis® and Systoate® for the control of *Maruca testulalis* (Geyer) in cowpea

MOORGESSEN PILLAY RAMSAMY	383	A survey of three main tephritids and their hosts in Mauritius and some studies on their control with attractive chemical traps
ASHOK K. SINGH and HEINZ REMBOLD	393	Oviposition behaviour of <i>Heliothis armigera</i> (Lepidoptera: Noctuidae) in relation to the day-night cycle
MUTUKU J. MUTINGA and OLUSEGUN O. DIPEOLU	401	Saurian malaria in Kenya: Description of new species of haemoproteid and haemogregarine parasites, anaplasma-like and pirhemocytin-like organisms in the blood of lizards in West Pokot District
OLUSEGUN O. DIPEOLU and MUTUKU J. MUTINGA	413	Saurian malaria in Kenya: Description of ten new species from West Pokot District
T. I. OFUYA	437	Effect of larval infestation on the choice of seed for oviposition by <i>Callosobruchus maculatus</i> (F.) (Coleoptera: Bruchidae)
Book Review	441	
Publisher's Announcement	442	Publishing Reviews
Instructions to Authors	i	
Author Checklist	iv	

## VOLUME 10 NUMBER 4

### Research Articles

K. N. SAXENA, A. PALA OKEYO, K. V. SESHU REDDY, E. O. OMOLO and L. NGOBE	443	Insect pest management and socio-economic circumstances of small-scale farmers for food crop production in Western Kenya: A case study
AYAD A. AL-TAWEEL, MOHAMMED S. H. AHMED, SARAB S. KADHUM, ASAAD A. HAMEED and MAJDOLIN J. NASSER	463	Inherited sterility in different strains of <i>Ephestia cautella</i> (Lepidoptera: Pyralidae)
U. S. SRIVASTAVA and A. K. JAISWAL	471	Precocene II-induced effects in the aphid <i>Aphis craccivora</i> Koch.
PUSHPINDER J. RUP and PARVINDER K. KALRA	477	Quantitative patterns of some hydrolytic enzymes during the development of polyphenic forms of <i>Lipaphis erysimi</i> (Kalt.) (Aphididae)
A. A. AL-TAWEEL and M. S. H. AHMED	481	Orange-eye: A new autosomal recessive mutant of <i>Ephestia cautella</i> (Lepidoptera:Pyralidae)
JOSEPH BEKAE ACKONOR	485	Laboratory studies on the effects of flood on egg development, survival and hatchling weight in <i>Locusta migratoria migratorioides</i> (Reiche and Fairmaire)
P. N. KRISHNA MOORTHY and K. SRINIVASAN	491	Distribution and larval behaviour of <i>Lampides boeticus</i> in vegetable lablab
MARY J. N. OKWAKOL	497	Survival rates of human-feeding <i>Cubitermes testaceus</i> (Williams) (Isoptera: Termitidae) in relation to organic matter content
B. A. ABOU-AWAD, A. K. NASR, E. A. GOMAA and M. M. ABOU-ELELA	503	Feeding, development and reproduction of the predatory mite, <i>Hypoaspis vacua</i> on various kinds of food substances (Acari: Laelapidae)
R. RAMACHANDRAN	507	Hatching pattern and survival of first instars of <i>Ectropis excursaria</i> (Guenee) (Geometridae: Lepidoptera)

A. E. P. MNZAVA and C. F. CURTIS	513	Test for variation in flight activity between chromosome inversion types within <i>Anopheles gambiae</i> ( <i>sensu stricto</i> )
R. NANTHAGOPAL and S. UTHAMASAMY	521	Life tables for American bollworm, <i>Heliothis armigera</i> Hubner on four species of cotton under field conditions
OLUSEGUN O. DIPEOLU and MUTUKU J. MUTINGA	531	Saurian malaria in Kenya: Redescription of some <i>Plasmodium</i> species of lizards in Africa and a key for the identification of all reported species
M. KALAYANASUNDARAM and SELLAMMAL MURUGESAN	545	Yield loss assessment and economic injury level for the leaf miner <i>Aproaerema modicella</i> (Deventer) (Lepidoptera: Gelechiidae) on soyabean in India
K. N. GHOSH and A. BHATTACHARYA	551	Laboratory colonization of <i>Phlebotomus argentipes</i> (Diptera: Psychodidae)
YEBOA A. DUODU and BENARD W. L. LAWSON	557	Reproductive behaviour of the tossa jute defoliator, <i>Acraea terpsicore</i> (L.) (Lepidoptera: Nymphalidae)
Conference announcement	563	
Publisher's Announcement	564	Publishing Reviews

## VOLUME 10 NUMBER 5

### Research Articles

C. P. SRIVASTAVA and R. P. SRIVASTAVA	565	Comparison of <i>Heliothis armigera</i> (Hubner) male moth catches in light and pheromone traps at Udaipur, Rajasthan, India
TEKLEMARIAM AYELE and MUTUKU J. MUTINGA	569	A new record of <i>Phlebotomus celiae</i> (Diptera: Psychodidae) in Ethiopia
C. GAILCE LEO JUSTIN, R. J. RABINDRA and S. JAYARAJ	573	Increased insecticide susceptibility in <i>Heliothis armigera</i> Hbn. and <i>Spodoptera litura</i> F. larvae due to <i>Bacillus thuringiensis</i> Berliner treatment
L. M. KANTIKI and J. K. O. AMPOFO	577	Larval establishment and feeding behaviour of <i>Eldana saccharina</i> Walker (Lepidoptera: Pyralidae) on maize and sorghum plants
E. BALAMANI and V. S. K. NAIR	583	Effects of anti-juvenile hormone agents and a juvenile hormone analog on neck-ligated post-feeding last instar larvae of <i>Spodoptera mauritia</i> Boisid. (Lepidoptera: Noctuidae)
OLUSEGUN O. DIPEOLU	591	Evidence of heredity in oviposition capability of ticks
K. A. ELEMOMO and O. AJAYI	601	Effects of nitrogen on stem borer damage in sorghum/millet mixture
J. G. WILLIAMS	607	Influence of temperature and humidity on the biology of insecticide-resistant and susceptible strains of <i>Tribolium castaneum</i> (Herbst.) (Coleoptera: Tenebrionidae)
B. A. ABOU-AWAD, A. K. NASR, E. A. GOMAA and M. M. ABOU-ELELA	617	Life history of the predatory mite, <i>Cydnodromella negevi</i> and the effect of nutrition on its biology (Acari: Phytoseiidae)
A. J. TAMHANKAR, K. K. GOTHI and G. W. RAHALKAR	625	Responsiveness of <i>Earias vitella</i> and <i>Earias insulana</i> males to their female sex pheromone

- |  |     |  |
|--|-----|--|
| T. O. TAYO   | 631 | Anatomical basis of cowpea resistance to the pod-borer, <i>Maruca testualis</i> (Geyer)  |
| JOSEPH BEKAE ACKONOR   | 639 | Laboratory studies on the impact of drought on egg development, survival and hatchling weight in <i>Locusta migratoria migratorioides</i> (Reiche and Fairmaire) |
| M. BASIMIKE, MUTUKU J. MUTINGA and C. M. MUTERO  | 645 | Vertical distribution of phlebotomine sandflies in two habitats in Marigat leishmaniasis endemic focus, Baringo District, Kenya                                  |
| MARY L. A. OWAGA   | 651 | Efficiency of the biconical trap and biases in catches of female and teneral of <i>Glossina pallidipes</i> Austen  |
| LUCY W. IRUNGU   | 661 | Factors influencing the development of <i>Brugia pahangi</i> microfilariae in <i>Culex quinquefasciatus</i> and <i>Aedes aegypti</i> mosquitos                   |
| M. J. MUTINGA, C. C. KAMAU<br>J. B. KADDU, F. M. KYAI,<br>D. M. OMOGO, J. MWANDANDU<br>and J. NDAMBUKI | 677 | The biology and colonization of some Kenyan phlebotomine sandfly species (Diptera: Psychodidae)  |
| N. VENUGOPAL RAO,<br>A. S. REDDY, R. ANKAIAH<br>and S. MUKUNDAN  | 685 | Effects of whitefly, <i>Bemisia tabaci</i> Genn. on cotton yield and associated components   |
| E. A. GOMAA, B. A. ABOU-AWAD,<br>A. K. NASR and M. M. ABOU-ELELA                                       | 691 | Life-history studies and feeding behaviour of the predatory mite, <i>Pachylaelaps aegyptiacus</i> , with description of immature stages (Acari: Pachylaelapidae) |
| B. M. MOHAMAD and<br>H. F. VAN EMDEN   | 699 | Host plant modification to insecticide susceptibility in <i>Myzus persicae</i> (Sulz.)   |
| MADHUCHHANDA<br>CHATTERJEE and<br>D. K. CHAUDHURI  | 705 | Development of <i>Diacrisia casignetum</i> Köllar (Lepidoptera: Arctiidae) on different host plants  |
| G. A. OMOOGUN, O. O. DIPEOLU and O. A. AKINBOADE   | 713 | Distribution and seasonal variation of tsetse population in the Egbe area of Kwara State, Nigeria  |
| Publisher's Announcement   |     | Publishing Reviews   |

## VOLUME 10 NUMBER 6

### REVIEWS

#### A TEN YEAR PERSPECTIVE OF INSECT SCIENCE 1980-1989

- |  |     |   |
|--|-----|---|
| THOMAS R. ODHIAMBO                                 | 721 | Editor's Foreword   |
| OLUSEGUN O. DIPEOLU                                | 723 | Research on ticks of livestock in Africa: Review of the trends, advances and milestones in tick biology and ecology in the decade 1980-1989 |
| J. A. PICKETT, L. J. WADHAMS<br>and C. M. WOODCOCK | 741 | Chemical ecology and pest management: Some recent insights  |
| GODWIN P. KAAYA                                    | 751 | A review of the progress made in recent years on research and understanding of immunity in insect vectors of human and animal diseases      |



## SPECIAL SECTION

## PEST MANAGEMENT AND THE AFRICAN FARMER

THOMAS R. ODHIAMBO	775	Editor's Foreword
KWESI K. PRAH and ACHOLA PALA OKEYO	777	The role of social science in generating technologies for the farming community in Africa
SANOUMOUSSA	783	Projet de formation CILSS pour le renforcement en personnel dans les activités de protection des végétaux
ASIM A. ABDELRAHMAN and BADAR MUNIR	787	Sudanese experience in integrated pest management of cotton
G. G. M. SCHULTEN	795	The role of FAO in IPM in Africa
S. FACKNATH	809	Biological control of sugar-cane pests in Mauritius: A case study
BURKHARD SECHSER	815	New developments in pesticides for IPM in Africa with special reference to cotton pests
R. A. MOHAMAD and J. M. TERI	821	Farmers' strategies of insect pest and disease management in small-scale bean production systems in Mgeta, Tanzania
<i>Instructions to Authors</i>		<i>i</i>
<i>Author Checklist</i>		<i>iv</i>

## SUBJECT INDEX

- Acigona ignefusalis* 601–605  
*Acraea terpsicore*  
 reproductive behaviour 557–562  
*Acrida exaltata*  
 egg-pod survey 65–67  
 actograph, acoustic 513–520  
*Adelphocoris apicale* 281  
*Aedes aegypti*  
*Brugia pahangi* in 661–675  
 conessine as control 149–154  
 vector immunity 753, 755, 759, 762–764  
*Aedes togoi* 755, 762  
*Aedes triseriatus* 757  
*Aedes trivittatus* 759, 762  
*Aegyptianella elgonensis* 401, 408–412  
 age  
 distribution of *Anopheles arabiensis* 59–61  
 in response to sex pheromone 625–630  
 of trapped female *Glossina pallidipes* 656–675  
*Agrophopus* 281  
*Aiolopus thalassinus* 65–67  
 Alsystin  
 on *Culex quinquefasciatus* 29–33  
*Amblyomma hebraeum* 729, 733–735  
*Amblyomma lepidum* 729  
*Amblyomma maculatum* 591–599  
*Amblyomma variegatum* 724–735  
 American bollworm *see Heliothis armigera*  
*Amrasca biguttula biguttula*  
 insecticide control 333–339  
*Anarsia lineatella*  
 pheromone bait 43–48  
*Anastrepha ludens* 309–318  
*Anastrepha obliqua* 309–318  
*Anastrepha serpentina* 309–318  
*Anastrepha suspensa* 353–357  
*Anopheles arabiensis* 55–62  
*Anopheles gambiae*  
 flight activity 513–520  
 vector immunity 756  
*Anopheles quadrimaculatus* 755, 762  
 ant association of pink mealybug 163  
 antibiosis  
 sorghum 12–14  
 antibiotic  
 effect on silk glands 139–143  
 insect potentials 341–346  
 antifedant  
 conessine 149–155  
 limonoids 301–308  
 neem products 89–92  
 semiochemicals 741–748  
 anti-juvenile hormone agents 583–589  
 antixenosis—sorghum 12–14  
*Apanteles flavipes* 295–299, 528–529  
 aphids *see* under specific scientific or common name  
*Aphis craccivora*  
 effects of precocene II 471–475  
*Aphis gossypii*  
 insecticide control 333–339  
 integrated pest management 787–794  
*Aproaerema modicella*  
 yield loss 545–550  
 apterae aphids on potato 229–234  
*Atractomorpha acutipennis*  
 egg-pod survey 65–67  
 attacins 758–759  
 attractant inhibitors  
 sex pheromone 235–242  
 attractants  
 floral oils 93–98  
 sex pheromone 235–242  
*Aulacaspis tegalensis* 809–813  
*Azadirachta indica*  
 weevil control 89–92, 365–372  
*Bacillus cereus* 753–754  
*Bacillus thuringiensis*  
 as larval treatment 573–576  
 against cotton pests 815–820  
 vector immunity 752, 758, 765  
 bean pests 821–825  
*Beauveria bassiana* 760  
*Beauveria brongniartii* 815–820  
 behaviour  
 of *Anastrepha* spp. 309–318  
 of *Ceratitis capitata* 285–294  
 feeding, of *Eldana saccharina* 577–582  
 feeding, of *Pachylaelaps aegyptiacus* 691–698  
 of fruit flies 285–294  
 of larval *Lampides boeticus* 491–496  
 oviposition, of *Callosobruchus maculatus* 437–440  
 reproduction, of *Acraea terpsicore* 557–562  
*Bemisia tabaci*  
 effect on cotton yield 685–690  
 integrated pest management 787–794  
 benefit/cost ratio  
 insecticides on cowpea 379–380  
 insecticides on okra 333–339  
 biconical trap  
 efficiency with *Glossina pallidipes* 651–659  
 for *Glossina* 715–718  
 bioenergetics  
 of *Apanteles flavipes* 295–299  
 biological control  
*Chilo partellus* 243–251  
 in integrated pest management 443–462  
 pink mealybug 163–164  
 with semiochemicals 746–747  
 of sugar-cane pests 809–813  
 biology  
*Cydnodromella negevi* 617–623  
*Hypoaspis vacua* 503–506  
 phlebotomine sandflies 677–683  
 pink mealybug 158–159  
 biotypes of rice gall midge 219–224  
 black citrus aphid  
 germplasm resistance 81–88  
 blister beetle  
 population dynamics 99–106  
 blood feeding  
*Phlebotomus argentipes* 551–555  
 bollworm *see Heliothis armigera*  
*Bombyx mori*  
 effect of mulberry varieties 359–363  
 book reviews 253, 441  
*Boophilus* 726–728  
*Boophilus decoloratus* 724–735  
*Boophilus geigy* 725–735  
*Boophilus microplus* 731–734  
*Bos indicus* 733–734  
*Bos taurus* 733, 736  
 breeding  
 for resistance in sorghum 17–20  
*Breintia boolianti* 755, 762  
*Bruchidius atrolineatus*  
 sulfur compound control 49–54  
 bruchids  
 sulfur compound control 45–54  
*Brugia pahangi*  
 development in mosquitoes 661–675  
 vector immunity 756, 759, 762–764  
*Busseola fusca*  
 on maize in Ethiopia 131–137  
 microorganisms on 225–228  
 on sorghum/millet mixture 601–605  
 sorghum resistant to 11  
 cabbage armyworm  
 pheromones 235–242  
*Calliphora erythrocephala* 760  
*Callosobruchus maculatus*  
 effect of water hyacinth 327–332  
 oviposition 437–440  
*Campolepis chloridae* 528–529  
*Campylomma angustior* 277–284  
*Campylomma subflava* 277–284  
 carbofuran  
 control on okra 333–339  
*Carcelia illota* 528–529  
 Caribbean fruit fly  
 diet studies 353–357

- cassava  
resistance to mealybug 123–129
- cassava mealybug  
resistance to 123–129
- cecropins 758–759
- Ceratitis capitata*  
behaviour 285–294  
gamma irradiation on 69–74  
in Mauritius 383–391
- cereal stem borer  
microorganisms on 225–228  
population dynamics 243–251
- Charonis aditya* 528–529
- Chelonus* 528–529
- chemical agents  
with semiochemicals 744–746
- chickpea  
resistant genotypes 255–258
- Chilo partellus*  
dye marking technique 117–121  
microorganisms on 225–228  
population dynamics 243–251  
varietal resistance in sorghum 3–27
- Chilo sacchariphagus* 809–813
- Chironomus* 756
- chromosomal inversion  
*Anopheles gambiae* 513–520
- Cicer arietinum*  
resistant genotypes 255–258
- circadian rhythm  
of *Anopheles gambiae* 513–520
- citrus germplasm  
resistance to *Toxoptera aurantii* 81–88
- Citrus  
host to fruit flies 285–294  
resistance to *Toxoptera aurantii* 81–88
- Clavigralla* 281, 283
- Clemora smithi* 809–813
- competitiveness, mating 35–42
- conessine 149–155
- Corchorus olitorius* 557–562
- Corynebacterium pseudotuberculosis* 341–346  
effect of water hyacinth on 327–332
- Costa Rica  
floral oil attractants 93–98
- cotton  
effects of whitefly on yield 685–690  
*Heliothis armigera* on 521–530  
integrated pest management 787–797, 815–820
- cotton stainers  
pyrethroids against 347–352
- courtship and mating  
*Acraea terpsicore* 557–562
- cowpea  
bruchid control 49–54  
*Callosobruchus maculatus*  
oviposition 437–440  
infestations 187–197  
insecticide control 373–381  
integrated pest management 443–462  
resistance to pod borer 631–638
- Creontiades pallidus* 281
- Crithia fasciculata* 760–761
- Crithidia* 752
- critical crop growth stage  
for insecticide control 333–339
- crop protection training 783–786
- Cubitermes testaceus*  
survival rates 497–501
- cucurbits  
trapping on 383–391
- Culex pipiens pipiens* 753, 756
- Culex quinquefasciatus*  
*Brugia pahangi* in 661–675  
insect growth inhibitor on 29–33
- Culex territans* 755
- cypermethrin  
against cotton stainers 347–352  
as larval treatment 573–576
- Dacus cucurbitae* 383–391
- damage assessment  
head bugs on sorghum 201–202, 205–206
- day-night cycle *see also* circadian rhythm, photoperiod  
oviposition behaviour 393–400  
“dead hearts”  
in sorghum 3–6, 8–10, 12, 15–16
- Decis  
on *Maruca testulalis* 373–381
- deltamethrin 373–381
- Dermaecentor variabilis* 591–599
- Derobracus geminatus*  
vitellin analysis 258–267
- development  
*Heliothis armigera* 145–148  
*Hypoaspis vacua* 503–506
- Diacrisia casignetum* 705–711  
diet—Caribbean fruit fly 353–357  
dimethoate 373–381
- Dipetalogaster maximus* 761
- Dirofilaria immitis* 755, 759, 762, 764
- Distodieches* 281
- distribution  
*Lampides boeticus* 491–496  
vertical, of phlebotomine sandflies 645–650
- diurnal activity  
of livestock ticks 730–731
- DNA, silk gland 139–143
- Drosophila virilis* 752
- drought  
impact on *Locusta* 639–643
- dyes, internal 117–121
- Dysdercus* 281
- Dysdercus fasciatus* 347–352
- Dysdercus koenigii* 149–154
- Dysdercus nigrofasciatus* 347–352
- Earias insulana* 625–630
- Earias vittella* 625–630
- eclosion  
livestock tick 727–728
- E. coli* 757–759
- economic injury level  
for leaf miner 545–550
- economic threshold level  
whitefly on cotton 685–690
- Ectopis excursaria* instars 507–511
- effective application interval 347–352
- egg development  
*Locusta migratoria migratorioides* 485–490, 639–643
- egg-pod survey, grasshopper 63–68
- egg structure  
livestock tick 727–728
- egg survival  
*Locusta migratoria migratorioides* 485–490, 639–643
- egg viability  
Caribbean fruit fly 353–357  
*Diacrisia casignetum* 705–711
- Egypt  
trapping fruit flies 285–294
- Eichhornia crassipes*  
effect of leaf extract 327–332
- Eldana saccharina*  
larval establishment and feeding 577–582  
sorghum resistant to 11  
taste sensilla responses 301–308
- embryogenesis  
livestock ticks 727–728
- Empoasca lybica* 787–794
- encapsulation  
cellular 754–755  
humoral 755–757
- Encarsia* 815–820
- endosulfan 573–576
- engorgement weight  
livestock tick 725–727
- Enterobacter cloacae* 341–346
- Eperythrozoon ngokai* 401, 409–412
- Ephesia cautella*  
inherited sterility 463–469  
mutant 481–483
- Ephesia kuhniella* 754
- Eriborus argenteopilosus* 528–529
- esterases 477–480
- Ethiopia  
maize stalk borer 131–137  
*Phlebotomus celiae* 569–571
- Euphyllura olivina* 181–185
- Eurystylus marginatus* 199–217
- Eurystylus rufocunealis* 277–284
- Eutetranychus orientalis* 617–623
- exsheathment  
of *Brugia pahangi* 661–675
- Eyprepocnemis plorans* 65–67
- F<sub>1</sub> sterility 463–469
- family farm labour 777–782
- FAO—role in integrated pest management 795–807
- farming systems 443–462  
*see also* subsistence farming systems
- fat content  
in olive psylla 181–185
- fecundity  
Caribbean fruit fly 353–357  
*Diacrisia casignetum* 705–711  
*Heliothis armigera* 396–398  
*Hypoaspis vacua* 503–506

- irradiated *Ephestia cautella* 463–469  
 livestock tick 725–727  
 maize stalk borer 131–137  
 mutant *Ephestia cautella* 481–483  
*Tribolium castaneum* 607–615
- feeding regimens  
*Hypoaspis vacua* 503–506  
 tsetse 75–80
- feeding sites  
 of *Eldana saccharina* 577–582
- fenvalerate  
 against cotton stainers 347–352  
 as larval treatment 573–576
- fig moth 463–469, 481–483
- flight activity  
*Anopheles gambiae* 513–520
- flood  
 effect on *Locusta migratoria migratorioides* 485–490
- floral oils as attractants 93–98
- flour beetle, rust-red  
 irradiation of 35–42
- flower infestations, cowpea 187–197, 373–381
- fluctuation of larval population  
*Maruca testulalis* 373–381
- food consumption  
 of *Apanteles flavipes* 295–299
- fruit flies *see also* Caribbean fruit fly, Mediterranean fruit fly, tephritid fruit flies  
 behaviour 285–294
- fungus comb, termite 169–179
- Galleria mellonella* 753–755, 762
- gamma irradiation  
 on *Ceratitis capitata* 69–74  
 on *Ephestia cautella* 463–469  
 on *Tribolium castaneum* 35–42
- generations  
 maize stalk borer 131–137
- genetic modification  
 and semiochemicals 747–748
- genetics  
 resistance in sorghum 16–17, 20
- Geocoris* 281
- Glossina*  
 seasonal variation 713–718  
 vector immunity 763
- Glossina austeni* 752, 761
- Glossina morsitans centralis* 761
- Glossina morsitans morsitans*  
 feeding regimens 75–80  
 immune haemolymphs 341–346  
 vector immunity 752–761, 763
- Glossina pallidipes*  
 trapping efficiency 651–659  
 vector immunity 752, 761
- Glossina palpalis* 752
- Glossina palpalis palpalis* 716–718
- Glossina tachinoides* 716–718
- Gossypium arboreum* 521–530
- Gossypium barbadense* 521–530
- Gossypium herbaceum* 521–530
- Gossypium hirsutum* 521–530
- grain yield *see also* yield loss  
 cowpea 379–380  
 with nitrogen treatment 601–605
- gram pod borer *see Heliothis armigera*
- grasshopper egg-pod survey 63–68
- growth  
 effect of water hyacinth on 327–332  
*Heliothis armigera* 145–148
- growth inhibitor  
 conessine 149–155
- Haemaphysalis leachi leachi* 725–726
- haemogregarines 401–412
- haemoproteids 401–412
- Haemoproteus munguii* 401–404, 411
- Haematractidium omogoi* 401–402, 407–408, 411–412
- hatching pattern  
*Ectropis excursaria* 507–511  
 livestock tick 727–728
- hatchling weight  
*Locusta migratoria migratorioides* 639–643
- head bugs  
 on sorghum 199–217
- Heliothis armigera*  
 chickpea resistance to 255–258  
 effect of pulse host on rearing 145–148  
 insecticide susceptibility 573–576  
 integrated pest management 787–794  
 life tables 521–530  
 oviposition 393–400  
 trapping 565–568
- hemipterous insects  
 on sorghum 277–284
- heredity  
 oviposition capability 591–599
- Herrania* 93–98
- Heteronychus licas* 807–813
- Holarrhena antidysenterica* 149–155
- host plants  
 of *Diacrisia casignetum* 705–711  
 of fruit flies 285–294, 309–318  
 of pink mealybug 159–161
- humidity  
 influence on *Tribolium castaneum* 607–615
- Hyaloma* 726–728
- Hyaloma anatolicum anatolicum* 724, 733
- Hyaloma dromedarii* 724, 728, 735
- Hyaloma impellatum* 725
- Hyaloma impressum* 725
- Hyaloma marginatum rufipes* 724
- Hyaloma silacea* 729
- Hyaloma truncatum* 725–727, 729–730, 732
- Hyalophora cecropia*  
 immune haemolymphs 341–346  
 vector immunity 754, 758, 764  
 hydrolyzed protein 285–294, 309–319
- Hypoaspis vacua*  
 feeding regimens 503–506  
 in *Lypaphis erysimi* 477–480
- immune haemolymphs  
 antibacterial activities 341–346
- immune reactions  
 of insect vectors 751–769
- India  
 biotypes of rice gall midge 219–224  
 chickpea resistance 255–258  
 citrus germplasm resistance 81–88  
*Lampides boeticus* in lablab 491–496  
 leaf miner yield loss 545–550  
 sorghum resistance 3–27  
 trapping *Heliothis armigera* 565–568
- inherited sterility  
 in *Ephestia cautella* 463–469
- insect growth inhibitor  
 on *Culex quinquefasciatus* 29–33
- insecticides  
 application time 333–339  
 sulfur compounds on bruchids 49–54  
 susceptibility to 573–576
- integrated pest management 443–462, 741–750  
 of cotton 787–794, 815–820  
 role of FAO 795–807
- intercropping 443–462
- Iraq  
*Anarsia lineatella* 43–48  
*Ephestia cautella* 463–469  
*Isotima javensis* 275
- Jackson traps 285–294
- Karyolysus poleensis* 401–406, 411–412
- Kenya  
 integrated pest management 443–462  
 microorganisms on borers 225–228  
 Mwca Rice Irrigation Scheme 55–62  
 phlebotomine sandflies 645–650, 677–683  
 saurian malarial parasites 401–412, 413–436, 531–544
- Klebsiella pneumoniae* 341–346
- lablab  
*Lampides boeticus* infestation 491–496
- laboratory rearing  
*Glossina morsitans morsitans* 75–80  
 phlebotomine sandflies 677–683  
*Phebotomus argentipes* 551–555
- Lagenidium giganteum* 755, 762
- larval establishment  
 of *Eldana saccharina* 577–582
- larval infestation and oviposition 437–440
- larval stage duration  
*Ceratitis capitata* 69–74
- larval survey  
*Anopheles arabiensis* 55–62
- leafhopper  
 insecticide control 333–339
- leaf miner  
 yield loss 545–550

- lectins 759–762
- legume pod borer  
microorganisms on 225–228
- Leishmania aethiopica* 761
- Leishmania donovani* 761, 764
- Leishmania hertigi* 760
- Leishmania hertigi hertigi* 761
- Leishmania major* 761
- leishmaniases focus  
distribution of sandflies 645–650
- leks  
*Anastrepha* 309–318  
fruit fly 285–294
- Lepidocyrtinus incertus* 504–505
- Lepidosephus ulmi* 505–506
- Leucania loreyi* 807–813
- life history  
*Cydnodromella negevi* 617–623  
*Pachylaelaps aegyptiacus* 691–698
- life tables  
*Heliothis armigera* 521–530  
*Scirpophaga excerptalis* 269–276
- light traps  
for *Heliothis armigera* 565–568
- limonoids  
insect antifeedants 301–308
- Liorhyssus* 281
- Lipaphis erysimi*  
hydrolytic enzymes 477–480
- livestock ticks 723–740
- lizards—malaria parasites 401–412,  
413–436, 531–544
- Locusta migratoria migratorioides*  
effects of flood 485–490  
impact of drought 639–643
- longevity  
Caribbean fruit fly 353–357  
*Heliothis armigera* 398
- Lygaeus* 281
- lysozyme 759
- Maconellicoccus hirsutus*  
review 157–167
- McPhail traps 309–318
- maize  
*Chilo partellus* on 245–251  
*Eldana saccharina* on 577–582  
integrated pest management 443–462  
weevil control 89–92
- maize weevil  
storage control 89–92, 365–372
- malathion 699–703
- Mali  
blister beetles 99–106
- Mamestra brassicae*  
pheromones 235–242
- Mangifera indica*  
trapping on 309–318, 383–391
- marking technique, dye 117–121
- Maruca testulalis*  
cowpea resistance to 631–638  
insecticide control 373–381  
microorganisms on 225–228  
population dynamics 187–197
- mass production of—*Glossina* 75–80
- mating—of *Erias* 625–630
- mating competitiveness  
radiation effects 35–42
- Mauritius  
sugar-cane pests 809–813  
tephritid fruit flies 383–391
- mealybug, cassava 123–129
- mealybug, pink 157–167
- Mediterranean fruit fly  
behaviour 285–294  
gamma irradiation on 69–74
- Megalurothrips sjostedti*  
population dynamics 187–197
- melanization from water hyacinth  
327–332
- metamorphosis  
anti-juvenile hormone agents  
583–589  
effect of water hyacinth on 327–332  
in *Papilio demoleus* 319–325  
precocious 471–475
- microfilariae  
in mosquitoes 661–675
- microorganisms  
on borers 225–228
- midges  
attracted by floral oils 93–98  
rice gall midge 219–224
- migration  
of *Brugia pahangi* 661–675
- millet  
integrated pest management 803  
nitrogen treatment 601–605
- mites, predacious  
*Cydnodromella negevi* 617–623  
*Hypoaspis vacua* 503–506  
*Pachylaelaps aegyptiacus* 691–698
- models  
pest control 107–116
- monocrotophos  
control on okra 333–339  
larval treatment 573–576
- mortality  
of Caribbean fruit fly 353–357  
effect of water hyacinth on 327–332  
of *Heliothis armigera* 521–530
- mulberry  
effect of varieties on silkworm  
359–363
- Musca domestica*  
eggs as feed 503–506, 691–698
- mustard aphid  
hydrolytic enzymes 477–480
- Myzus persicae*  
insecticide susceptibility 699–703  
on potato 229–234
- natural enemies  
of *Chilo partellus* 243–251  
of cotton pests 793  
of *Heliothis armigera* 528–529  
of pink mealybug 159–164  
of *Scirpophaga excerptalis* 274–275
- natural resistance  
of livestock ticks 732–734
- neem  
insect control potential 89–92
- on *Sitophilus zeamais* 365–372
- Neoapectana carpocapsae* 755, 762,  
765
- nerve cord shortening  
in *Papilio demoleus* 319–325
- nests, termite 169–180
- Niger  
*Eurystylus marginatus* on sorghum  
199–217
- Nigeria  
panicle feeders on sorghum 277–284  
tsetse population 713–718
- nitrogen level  
effect on aphid 701–702  
effect on stem borer 601–605
- nodule formation 752–754
- Nomuraea rileyi* 760
- Nosema* 815–820
- nutrition  
effect on *Cydnodromella negevi*  
617–623
- Odontotermes obesus* 169–180
- Odontotermes wallonensis* 169–180
- okra—pest control 333–339
- olive psylla  
seasonal changes 181–185
- Onchocerca* 762
- Onchocerca gutturosa* 764
- Onchocerca lienalis* 756, 762
- Onchocerca volvulus* 764
- Orius* 277–284
- Orseolia oryzae* 219–224
- oviposition  
of *Acraea terpsicore* 557–562  
of *Callosobruchus maculatus*  
437–440  
of *Heliothis armigera* 393–400  
of ticks 591–599, 725–727
- Oxya multidentata* 65–67
- Pachylaelaps aegyptiacus*  
life-history 691–698
- Paecilomyces farinosus* 760
- Pakistan  
grasshopper survey 63–68
- palo verde beetle  
vitellin analysis 259–267
- panicle feeders  
on sorghum 199–217, 277–284
- Panstrongylus megistus* 761
- Papilio demoleus* 319–325
- Paramixia suturalis* 277–284
- parapheromones for attractive chemical  
traps 383–391
- parasitism  
on grasshoppers 63–68  
on *Heliothis armigera* 528–529  
on *Scirpophaga excerptalis* 274–276
- parasitoids  
of *Chilo partellus* 245–251  
of pink mealybug 159, 161–164  
of *Porthesia scintillans* 295–299  
of *Scirpophaga excerptalis* 274–275
- peach twig borer 43–48
- peripheral nerves

- in *Papilio demoleus* 319–325  
*Periplaneta americana* 760  
 permethrin  
   against cotton stainers 347–352  
 pest control *see also* integrated pest management  
   bean production 821–825  
   combination models 107–116  
   social science interface 777–782  
 Pest Management and the African Farmer (proceedings) 775–825  
 phagocytosis 752–753  
*Phaleoba panteli*  
   egg-pod survey 65–67  
*Phenacoccus manihoti*  
   cassava resistance to 123–129  
 phenology  
   head bugs on sorghum 201, 203–205  
   maize stalk borer 131–137  
 pheromones *see also* parapheromones  
   on *Anarsia lineatella* 43–48  
   cabbage armyworm 235–242  
   of *Earias* 625–630  
   fruit fly 285–294  
   livestock tick 734  
   as semiochemicals 741–748  
   in trapping *Heliothis armigera* 565–568  
   as trapping techniques 107–116  
*Philosamia ricini* 139–143  
 phlebotomine sandflies *see also* specific names  
   biology and colonization 677–683  
   vertical distribution 645–650  
*Phlebotomus argentipes* 551–555  
*Phlebotomus celiae* 569–571  
*Phlebotomus chinensis* 764  
*Phlebotomus duboscqi* 677–683  
*Phlebotomus martini* 677–683  
*Phlebotomus mongolensis* 764  
*Phlebotomus papatasi* 761  
 phosphatases 477–480  
 photoperiod *see also* day-night cycle  
   in *Ectropis excursaria* 507–511  
*Pieris brassicae*  
   conessine as control 149–154  
   vector immunity 753, 756  
*Pirhemocytus kongelai* 401, 405, 407, 411–412  
 plasmodia, lizard 413–436, 542–544  
*Plasmodium*  
   key of lizard plasmodia 542–544  
   new species 413–436  
*Plasmodium acuminatum* 536–539, 542–544  
*Plasmodium adunyinkai* 413, 421, 423–424, 432, 434, 543  
*Plasmodium bowiei* 413, 428, 430–435, 544  
*Plasmodium cynomolgi* 756  
*Plasmodium falciparum* 756  
*Plasmodium fischeri* 535–537, 539, 543  
*Plasmodium gallinaceum* 753, 756  
*Plasmodium giganteum* 540–543  
*Plasmodium gloriei* 413, 425, 427–431, 432, 434–435, 543–544  
*Plasmodium icipeensis* 413, 421, 424–427, 432, 434–435, 543  
*Plasmodium kachelibaensis* 413, 419, 421–423, 434, 543  
*Plasmodium kadogoi* 413, 418–420, 432, 434, 542  
*Plasmodium kaninii* 413, 416–419, 432, 434, 542  
*Plasmodium kyaii* 413, 419–422, 432, 434, 542  
*Plasmodium mabuiae* 532–534, 539, 542  
*Plasmodium maculilabre* 537–541, 543  
*Plasmodium odhiamboi* 413, 430, 432–435, 544  
*Plasmodium ovale* 756  
*Plasmodium pitmani* 533–535, 539, 543  
*Plasmodium robinsoni* 537–539, 543  
*Plasmodium sapaaensis* 413, 415–417, 432, 434, 542  
*Plasmodium vivax* 756  
 polyphenism  
   in *Lipaphis erysimi* 477–480  
 population dynamics  
   blister beetles 99–106  
   *Chilo partellus* 243–251  
   *Maruca testulalis* 187–197  
   *Megalurothrips sjostedti* 187–197  
*Porthesia scintillans*  
   parasitoid on 295–299  
 potato  
   susceptibility to *Myzus persicae* 229–234  
 precocene II  
   effects on *Aphis craccivora* 471–475  
 predators  
   of *Chilo partellus* 245–251  
   of *Heliothis armigera* 528–529  
   of pink mealybug 159, 162–164  
*Psalydolytta fusca* 99–106  
*Psalydolytta vestita* 99–106  
*Pseudaletia unipuncta* 752  
*Pterandrus rosa* 383–391  
 pubescence  
   effect in plant resistance 123–129  
 pulses  
   *Heliothis armigera* 145–148  
   *Pulvinaria iceyi* 809–813  
 pupal production  
   *Anopheles arabiensis* 55–62  
 pupal radiosensitivity  
   *Ceratitis capitata* 69–74  
*Pusana regulosa* 65  
 pyrethroids  
   against cotton stainers 347–352  
 rearing, laboratory *see* laboratory rearing  
 recovery resistance in sorghum 12  
 reproduction  
   *Heliothis armigera* 145–148  
   *Hypoaspis vacua* 503–506  
 reproductive behaviour  
   *Acraea terpsicore* 557–562  
 residual action of insecticide 347–352  
 resistance, insect  
   to insecticides 607–615  
 resistance, plant *see also* varietal resistance  
   in chickpea 255–258  
   in citrus 81–88  
   in cowpea 631–638  
   in integrated pest management 443–462  
   mechanisms in sorghum 12–14, 20  
   to *Myzus persicae* 699–703  
*Rhaconolus scirpophagae* 275  
*Rhipicephalus appendiculatus* 724  
*Rhipicephalus evertsi* 733–734  
*Rhipicephalus evertsi evertsi* 729–733  
*Rhipicephalus guilhoni* 729  
*Rhipicephalus sanguineus* 591–599, 724–726  
*Rhodnius prolixus* 752, 754, 761  
*Rhyzoglyphus echinopus* 503–506  
 rice  
   integrated pest management 804  
 rice cycle  
   Mwea Rice Irrigation Scheme 55–62  
 rice gall midge 219–224  
*Ricinus communis* 617–623  
 RNA, silk gland 139–143  
*Romanomermis culicivora* 756  
 royal chamber, termite 169–179  
  
*Saccharum munja* 269–275  
*Saccharum spontaneum* 269–275  
 sandfly in Ethiopia 569–571  
*Sarcophaga peregrina* 757, 759, 764  
 saturation deficit  
   *Ectropis excursaria* 507–511  
   saurian malaria parasites 401–436, 531–544  
*Sauroplasma kachelibaensis* 401, 407–408, 410–412  
*Scelio* 66  
*Schellakia mabuyai* 401, 405–407, 411  
*Schelorbates zaheri* 505–506  
*Schistocerca gregaria* 755, 760  
*Scirpophaga excerptalis*  
   life tables 269–276  
*Sclerostachya fusca* 270–272  
 seasonal activities  
   of livestock ticks 728–730  
 seasonal changes  
   in olive psylla 181–185  
 seasonal variation  
   of tsetse populations 713–718  
 semiochemicals  
   in pest management 741–750  
 Senegal  
   blister beetles 99–106  
*Sergentomyia adleri* 645–649, 677–683  
*Sergentomyia affinis* 645–649  
*Sergentomyia africanus* 645–649, 680–681  
*Sergentomyia antennatus* 645–649, 677–683  
*Sergentomyia bedfordi* 645–649, 677–683

- Sergentomyia clydei* 645–649  
*Sergentomyia garhami* 677–683  
*Sergentomyia ingrami* 645–649, 677–683  
*Sergentomyia schwetzi* 645–649, 677–683  
*Sergentomyia squamipleuris* 645–649  
*Sergentomyia wynnæ* 680–681  
*Serratia marcescens* 765  
*Sesamia calamistis*  
   microorganisms on 225–228  
   sorghum resistant to 11  
   sugar-cane pest 809–813  
 sex pheromones *see* pheromones  
 sex ratio  
   of trapped *Glossina pallidipes* 657  
 sexual communication  
   in *Mamestra brassicae* 235–242  
*Shirakiacris kashmirensis*  
   egg-pod survey 65  
*Shirakiacris shirakii*  
   egg-pod survey 65–67  
 silk glands 139–143  
 silkworms  
   effect of mulberry varieties 359–363  
*Simulium* 762  
*Simulium damnosum* 756  
*Simulium ornatum* 756, 762, 764  
*Sitophilus oryzae*  
   effect of water hyacinth on 327–332  
*Sitophilus zeamais*  
   control with neem 89–92, 365–372  
 small-scale farmers 443–462  
   *see also* subsistence farming systems  
   bean production 821–825  
 social science role in farm technologies 777–782  
 socio-economic conditions 443–462  
 soil organic matter  
   termite survival 497–501  
 sole crop 601–605  
 sooty-mould level  
   whitefly on cotton 685–690  
 sorghum  
   *Chilo partellus* 245–251  
   *Eldana saccharina* on 577–582  
   *Eurystylus marginatus* 199–217  
   hemipterans and spiders on 277–284  
   integrated pest management 443–462, 803–804  
   nitrogen treatment 601–605  
   *Scirpophaga excerptalis* 269–276  
   varietal resistance 3–27  
*Sorghum halepense* 269–275  
 soyabean  
   leaf miner yield loss 545–550  
*Spathosternum prasiniferum*  
   egg-pod survey 65–67  
 spiders—on sorghum 277–284  
*Spodoptera exigus* 760  
*Spodoptera litura*  
   conessine as control 149–154  
   insecticide susceptibility 573–576  
*Spodoptera mauritia*  
   anti-juvenile hormone agents 583–589  
   stem borer  
   damage in sorghum/millet 601–605  
   varietal resistance in sorghum 3–27  
*Stenobracon deessae* 275  
*Stenohippus* 65–67  
 sterilants—conessine 149–155  
 sterile release  
   *Ceratitis capitata* 69–74  
   *Ephesia cautella* 463–469  
   models 107–116  
   *Tribolium castaneum* 35–42  
 stored food crops  
   blister beetle infestations 99–106  
   fig moth control 481–483  
   neem for maize weevil 89–92, 365–372  
   subsistence farming systems 243–251  
 Sudan  
   integrated pest management of cotton 787–794  
   sugar-cane pests  
   biological control 809–813  
   sugar-cane top borer  
   life tables 269–276  
   sulfur compounds  
   bruchid control 49–54  
 survival  
   *Ectropis excursaria* 507–511  
   livestock ticks 731–732  
 survival rate  
   *Cubitermes testaceus* 497–501  
 survivorship and curves  
   *Anopheles arabiensis* 59–61  
   *Heliothis armigera* 521–530  
   *Scirpophaga excerptalis* 274–275  
 susceptibility  
   of *Myzus persicae* 699–703  
   to *Myzus persicae* 229–234  
   of *Tribolium castaneum* 607–615  
 swarming, termite 169–170, 176  
 Systoate  
   for *Maruca testulalis* control 373–381  
 Tanzania  
   bean pests 821–825  
 taste sensilla  
   responses to limonoids 301–308  
 taxonomy  
   haemogregarines 401–412  
   haemoproteids 401–412  
   pirhemocytos 401–412  
   plasmodia 413–436, 531–544  
*Taylorilygus vosseleri*  
   on sorghum 277–284  
 technological inputs  
   social science interface 777–782  
*Telenomus* 274  
 temperature  
   in hatching *Ectropis excursaria* 507–511  
   influence on *Tribolium castaneum* 607–615  
   in rearing *Phlebotomus argentipes* 551–555  
 tephritid fruit flies 383–391  
 termites  
   nesting pattern 169–180  
   survival rates 497–501  
 tetracycline  
   effect on silk glands 139–143  
 tetrahydrofuran  
   in antifeedants 301–308  
*Tetranychus urticae* 617–623  
*Theobroma*  
   floral oil attractants 93–98  
 ticks  
   livestock 723–740  
   oviposition capability 591–599  
 tolerance  
   sorghum 12, 20  
 tossa jute defoliator  
   reproductive behaviour 557–562  
*Toxoptera aurantii*  
   germplasm resistance to 81–88  
 training, crop protection 783–786  
 transaminases in silk glands 139–143  
 traps and trapping  
   biconical efficiency 651–659  
   fruit flies 285–294, 309–318, 383–391  
   *Heliothis armigera* 565–568  
   models 107–116  
   pheromone 43–48  
   tsetse 715–718  
*Triatoma infestans* 753, 755, 763  
*Tribolium castaneum*  
   effect of water hyacinth on 327–332  
   gamma irradiation on 35–42  
   influence of temperature and humidity 607–615  
*Trichogramma* 528–529  
*Trichogramma australicum* 528–529  
*Trichogramma chilonis* 528–529  
*Trichogramma minutum* 815–820  
*Trichogramma pretiosum* 787–794  
 triflumuron 29–33  
*Trilophidia annulata* 65–67  
 trimedlure  
   for trapping fruit flies 285–294, 383–391  
*Trypanosoma brucei brucei* 753–754, 758, 760–761, 763  
*Trypanosoma brucei rhodesiense* 761  
*Trypanosoma congolense* 760–761  
*Trypanosoma cruzi* 755, 761, 763  
*Trypanosoma dionisii* 760  
*Trypanosoma rangeli* 752–754  
 tsetse *see* *Glossina* species  
 varietal resistance—in sorghum 3–27  
 vector control  
   social science interface 777–782  
 vectors, insect  
   immunity in 751–769  
 vegetables  
   integrated pest management 803  
 ventral nerve cord  
   in *Papilio demoleus* 319–325  
*Vigna unguiculata* *see* cowpea  
 vitellin  
   from palo verde beetle 259–267

- water content  
  in olive psylla 181–185
- water hyacinth  
  effect of leaf extract 327–332
- whitefly *see Bemisia tabaci*
- wing development
- in *Aphis craccivora* 471–475
- Wuchereria bancrofti*  
  development in mosquitoes 661–675
- Xanthopimpla predator* 275
- yield loss  
  from leaf miner 545–550  
  from whitefly on cotton 685–690
- Zambia  
  *Glossina* feeding regimens 75–80



## AUTHOR INDEX

- Abdelrahman, Asim A. 787–794  
 Abdel-Salam, Kamelia Aly 35–42, 69–74  
 Abou-Awad, B. A. 503–506, 617–623, 691–698  
 Abou-Elela, M. M. 503–506, 617–623, 691–698  
 Ackonor, Joseph Bekae 485–490, 639–643  
 Ahmad, T. R. 43–48  
 Ahmed, Mohammed S. H. 463–469, 481–483  
 Ahohuendo, B. C. 187–197  
 Ajayi, O. 601–605  
 Akinboade, O. A. 713–718  
 Al-Taweel, Ayad A. 463–469, 481–483  
 Aluja, Martin 285–294, 309–318  
 Ampofo, J. K. O. 577–582  
 Ankaiah, R. 685–690  
 Appiah-Kwarteng, J. 89–92  
 Assefa Gebre-Amlak 131–137  
 Atachi, P. 187–197, 373–381  
 Auclair, Jacques L. 441  
 Auger, J. 49–54  
 Ayora, Feliciano 309–318
- Bal, A. B. 99–106  
 Balamani, E. 583–589  
 Barclay, H. J. 107–116  
 Basalingappa, S. 169–180  
 Basimike, M. 645–650  
 Bentur, J. S. 219–224  
 Bhatnagar, V. S. 99–106  
 Bhattacharya, A. 551–555  
 Bhumannavar, B. S. 81–88  
 Bhutani, K. K. 149–155
- Cabrera, Mario 309–318  
 Celedonio, Hilario 309–318  
 Chatterjee, Madhuchanda 705–711  
 Chaudhuri, D. K. 705–711  
 Chaudhury, M. F. B. 253  
 Cobbinah, J. R. 89–92  
 Curtis, C. F. 513–520
- Den Otter, C. J. 235–242  
 Dipeolu, Olusegun O. 401–412, 413–436, 531–544, 591–599, 713–718, 723–740  
 Doumbia, Y. O. 99–106  
 Duodu, Yeboa A. 557–562
- Eid, M. A. A. 139–143  
 Elemo, K. A. 601–605  
 El-Hakim, Aida M. 69–74  
 El-Nakkadi, A. N. 139–143
- Erickson, Barbara J. 93–98  
 Erickson, Eric H., Jr. 93–98
- Facknath, S. 809–813
- Gahukar, R. T. 99–106  
 Geethadevi, R. G. 359–363  
 Ghosh, K. N. 551–555  
 Giridhar, Kshama 359–363  
 Gomaa, E. A. 503–506, 617–623, 691–698  
 Gothi, K. K. 625–630  
 Guillen, Jorge 309–318
- Hameed, Asaad A. 463–469  
 Hassanali, A. 301–308  
 Hendrichs, J. 285–294  
 Huignard, J. 49–54
- Irungu, Lucy W. 661–675
- Jaiswal, A. K. 471–475  
 Jamil, Kaiser 327–332  
 Jayaraj, S. 573–576  
 Jolly Jalaja, M. S. 359–363  
 Justin, C. Gailce Leo 573–576
- Kaaya, Godwin P. 341–346, 751–769  
 Kaddu, J. B. 677–683  
 Kadhun, Sarab S. 463–469  
 Kalayanasundaram, M. 545–550  
 Kalode, M. B. 219–224  
 Kalra, Parvinder K. 477–480  
 Kamau, C. C. 677–683  
 Kantiki, L. M. 577–582  
 Kasu, T. 123–129  
 Khaemba, Battan M. 347–352  
 Kilori, J. 225–228  
 Kossou, Dansou K. 365–372  
 Krishna Kumar, N. K. 333–339  
 Krishna Moorthy, P. N. 491–496  
 Kumar, S. 359–363  
 Kyai, F. M. 677–683
- Law, John H. 259–267  
 Lawrence, Pauline O. 353–357  
 Lawson, Benard W. L. 557–562  
 Lema, K. M. 123–129
- MacFarlane, John 277–284  
 Madubunyi, L. Chuka 75–80  
 Mahmood, Tahira A. 63–68  
 Maiga, S. D. 199–217  
 Mambiri, Aggrey M. 347–352  
 Mani, M. 157–167  
 Mehdi, N. S. 29–33  
 Mnzava, A. E. P. 513–520
- Mohamad, B. M. 699–703  
 Mohamed, R. A. 821–825  
 Mohsen, Z. H. 29–33  
 Moussa, Sanou 783–786  
 Mueke, J. M. 229–234  
 Mukiyama, Titus K. 55–62  
 Mukundan, S. 685–690  
 Mukunthan, N. 269–276  
 Munir, Badar 787–794  
 Murugesan, Sellammal 545–550  
 Mustafa, Tawfiq M. 181–185  
 Mutero, C. M. 645–650  
 Muthukrishnan, J. 295–299  
 Mutinga, Mutuku J. 401–412, 413–436, 531–544, 569–571, 645–650, 677–683  
 Mwandandu, J. 677–683  
 Mwangi, Richard W. 55–62  
 Nair, V. S. K. 583–589  
 Nammour, D. 49–54  
 Nanthagopal, R. 521–530  
 Nasr, A. K. 503–506, 617–623, 691–698  
 Nasser, Majdolin J. 463–469  
 Ndambuki, J. 677–683  
 Nderitu, J. H. 229–234  
 Ngode, L. 443–462
- Ochieng, S. A. 301–308  
 Odebiyi, J. A. 123–129  
 Odhiambo, R. C. 225–228  
 Odhiambo, Thomas R. 1, 721–722, 775–776  
 Odindo, M. O. 225–228  
 Ofuya, T. I. 437–440  
 Okwakol, Mary J. N. 497–501  
 Oloo, G. W. 225–228, 243–251  
 Omogo, D. M. 677–683  
 Omolo, E. O. 443–462  
 Omoogun, G. A. 713–718  
 Osir, Ellie O. 259–267  
 Otieno, W. A. 225–228  
 Owaga, Mary L. A. 651–659
- Pala Okeyo, Achola 443–462, 777–782  
 Patis, Peeter 117–121  
 Pickett, J. A. 741–750  
 Prah, Kwesi K. 777–782
- Qazi, M. H. 63–68
- Rabindra, R. J. 573–576  
 Rahalkar, G. W. 625–630  
 Ramachandran, R. 507–511  
 Ramsamy, Moorgessen Pillay 383–391  
 Rana, B. S. 3–27

- Reddy, A. S. 685–690  
 Rembold, Heinz 393–400  
 Reyes, J. 285–294  
 Rup, Pushpinder J. 477–480
- Saleh, M. A. 139–143  
 Sardana, H. R. 333–339  
 Saxena, Bhaskar P. 149–155  
 Saxena, K. N. 443–462  
 Schulten, G. G. M. 795–807  
 Sechser, Burkhard 815–820  
 Sengupta, K. 359–363  
 Senthamizhselvan, M. 295–299  
 Seshu Reddy, K. V. 443–462  
 Singh, Ashok K. 393–400  
 Singh, B. U. 3–27  
 Singh, Rajesh 145–148  
 Singh, S. P. 81–88
- Sourokou, B. 373–381  
 Srinivasan, K. 333–339, 491–496  
 Srivastava, C. P. 255–258, 565–568  
 Srivastava, K. P. 319–325  
 Srivastava, R. P. 255–258, 565–568  
 Srivastava, U. S. 471–475  
 Steck, G. J. 199–217  
 Sulladmath, V. V. 81–88  
 Susheelamma, B. N. 359–363  
 Tamhankar, A. J. 625–630  
 Tayo, T. O. 631–638  
 Teetes, G. L. 199–217  
 Teklemariam Ayele 569–571  
 Teri, J. M. 821–825  
 Thappa, R. K. 149–155  
 Tikku, K. 149–155  
 Tiwari, J. N. 319–325  
 Tiwari, R. K. 319–325
- Tripathi, S. R. 145–148  
 Usha Rani, P. 327–332  
 Uthamasamy, S. 521–530
- Vaid, R. M. 149–155  
 Van den Driessche, P. 107–116  
 Van der Haagen, M. M. 235–242  
 Van Emden, H. F. 699–703  
 Varma, Meera 359–363  
 Veeranna, G. 169–180  
 Venugopal Rao, N. 685–690
- Wadhams, L. J. 741–750  
 Waladde, S. M. 301–308  
 Williams, J. O. 607–615  
 Woodcock, C. M. 741–750
- Young, Allen M. 93–98

# INSECT SCIENCE AND ITS APPLICATION

The International Journal of Tropical Insect Science

## AIMS AND SCOPE

*Insect Science and its Application* deals comprehensively with all aspects of scientific research targeted on tropical insects (and related arthropods), and the application of new discoveries and innovations to such diverse fields as pest and vector management and use of insects for human welfare.

A distinctive feature of the journal is its multi- and interdisciplinary nature, which transcends the traditional boundaries of entomology.

Its second feature is its concentration on the recording and reviewing of the progress of insect science in the tropical and subtropical regions of the world. Thus, without excluding any area of the wide-ranging field encompassed by insect science, the journal will accept manuscripts in environmental physiology, the regulation of development and reproduction, population modelling, chemical ecology, natural products chemistry, plant resistance, host-insect relations, behaviour of tropical pest species, epidemiology of tropical diseases, vector biology, pest and vector management research, insect pathology, entomometeorology, insects in relation to farming systems, forest entomology, social insects and arthropods, and the use and farming of insects. It is the intention of the Editors to have the manuscripts published rapidly, consistent with the needs of quality control.

In addition to articles of original research, the journal also publishes mini-review articles, announcements and reports of meetings, book reviews, new patents, obituaries of prominent scientists and software survey. Each regular issue of the journal usually contains a short review article on a critical or rapidly developing area of tropical insect science; normally, the Editors will have invited an author to contribute such a mini-review.

*Insect Science and its Application* is an international journal, pursuing its own independent policy through its editorial staff

and the Editorial Advisory Board, which is internationally appointed. Its sponsors, the ICIPE and the African Association of Insect Scientists (AAIS), do not intervene in editorial matters.

## INSTRUCTIONS TO AUTHORS

For indications of the design of papers, the author should consult a recent issue of the journal. The following paragraphs are provided as guidelines for the preparation and submission of manuscripts.

1. All papers for publication in *Insect Science and its Application* should be submitted directly to Professor Thomas R. Odhiambo, Editor-in-Chief, *Insect Science and its Application*, ICIPE Science Press, P.O. Box 72913, Nairobi, Kenya. Papers should be mailed in a strong envelope, preferably linen, as they will otherwise arrive in a damaged condition.

2. Papers should be typed in English or French, and be original contributions in the field of tropical insect science. Each paper should have a summary in the form of an abstract in both English and French.

3. Submission of a paper implies that it has not been published previously, that it is not under consideration for publication elsewhere, and that if accepted for *Insect Science and its Application* the authors will transfer copyright to the ICIPE Science Press of the International Centre of Insect Physiology and Ecology. Manuscripts and illustrations become the property of the journal.

4. There is no page charge for papers accepted for publication.

5. Manuscripts and illustrations must be submitted in triplicate (original and two copies) to ensure efficient refereeing. In the case of multiple authorship, the authors should indicate who is to receive correspondence and the correct address for the mailing of proofs.

6. Manuscripts must be typewritten with double spacing (including the reference list), with wide margins, and on one side of the paper only. Authors are requested to keep their communications as concise as possible. Footnotes should be avoided, and italics should not be used for emphasis. A running head of not more than 30 letters should be

supplied.

7. The manuscript should contain the following features:

**Title:** This should be followed by the author's name and full address.

**Abstract** containing a brief summary of the contents, and conclusions of the paper. It should not be longer than 200 words, and should be supplied in both English and French.

**Key Words:** A short list of key words should be provided for rapid scanning of the contents of the paper and use in compiling the Index to the completed volume of the journal.

**Introduction** should contain a brief survey of the relevant literature and the reasons for doing the work.

**Materials and Methods:** Sufficient information should be given to permit repetition of the experimental work by other workers. The technical description of methods should be given only when such methods are new.

**Results** should be presented concisely. Only in exceptional cases will it be permissible to present the same set of results in both a table and a figure. The results section should not be used for discussion.

**Discussion** should be separate from the Results section, and should deal with the significance of the results and their relationship to the object of the work.

Comparison with relevant published work should be made, and conclusions drawn.

**Acknowledgements:** Only pertinent acknowledgements should be cited.

**Reference:** The Harvard system will be followed. References should be detailed in the following order: Authors' names and initials, date of publication (in brackets), the title of the article, the name of the journal as abbreviated in the *World List of Scientific Periodicals* (4th edn. 1964), the volume, and the first and last pages of the article, e.g.

Delobel A. G. L (1983) Influence of temperature and host plant condition on preimaginal development and survival in sorghum shootfly *Atherigona soccata*. *Insect Sci. Applic.* 4, 327–335.

For books, the author's names, date of publication, title, edition, page reference, publisher's name and the place of publication should be given, e.g.

Zurfleuh R. C. (1976) Phenylethers as

insect growth regulators: laboratory and field experiments. In *Juvenile Hormones* (Edited by Gilbert L. L.), pp. 61–74. Plenum Press, New York.

Within the text, references should be given as Unnithan (1981) or (Unnithan, 1981). When a citation includes more than two authors, e.g. Ochieng', Onyango and Bungu, the paper should be referred to in the text as Ochieng' et al., provided that this is not ambiguous. If there are only two authors, they should be referred to as Ochieng' and Onyango. If papers by the same authors in the same year are cited, they should be distinguished by letters (a,b,c, etc.).

Reference to papers "in press" must mean that the article has been accepted for publication and should be given as follows:

Darlington J. P. E. C. (1988) Primary reproductives and royal cells of the termite, *Macrotermes michaelseni*. *Insect Sci. Applic.* In press.

References to "personal communication" and unpublished work are permitted in the text only.

8. Illustrations. All necessary original illustrations should accompany the manuscript, but should not be inserted in the text. All photographs, graphs and diagrams should be numbered consecutively in arabic numerals in the order in which they are referred to in the text.

Black and white glossy photographs or positive prints (not slides or X-ray negatives) should be sent, unmounted wherever possible, and should be restricted to the minimum necessary.

Charts, graphs or diagrams should be drawn boldly in black ink on good quality white paper or card. Lettering to appear on the illustrations should be given in full and should be of sufficient size to withstand considerable reduction, where necessary. Alternatively, lettering may be shown on a rough overlay and will be inserted by the printer.

Illustrations should not be larger than 24 x 30 cm, or they may be damaged in the post. On the back of each illustration should be indicated the author's name, the figure number (in arabic numerals), and the top of the illustration, where this is not clear.

The following symbols should be used on line drawings as they are readily available to the printer: ▲ △ ▼ ▽ ■ □ × + ● ○.

Legends to figures should be typed on a separate sheet, not under the figures, and should give sufficient data to make the illustration comprehensible without reference to the text.

Magnification of photographs and illustrations should be indicated by an appropriate scale bar and not in the legend. This practice obviates the complications which arise through change of size in reproduction.

9. Tables should be constructed so as to be intelligible without reference to the text, numbered in arabic numerals, and typed on separate sheets. Every table should be provided with an explanatory caption, and each column should carry an appropriate heading. Units of measurement should always be indicated clearly. All tables and figures must be referred to in the text in numerical order.

10. Only standard abbreviations should be used. Where specialized abbreviations are used, the name should be given initially in full with the abbreviation indicated in parentheses.

11. The common and Latin names should be given for all species used in the investigation, although taxonomic affiliation and authority should not be provided in the title.

12. Page proofs will be sent to the authors by the publisher. They will already have been proof read for the printer's errors; but it is the author's responsibility to ensure that the proof contains no errors. Correction to proofs should be restricted to printer's errors only. Other than these, substantial alterations will be charged to the author. Proofs should be returned to the ICIPE Science Press within 48 hr of receipt for final preparation for the printer. Failure to meet this deadline may result in the inadvertent inclusion of errors in the published article.

---

Contents—continued from outside back cover]

LILORY D. McCOMIE and G. DHANARAJAN	197	Respiratory rate and energy utilization by <i>Macrotermes carbonarius</i> (Hagen) (Isoptera, Termitidae, Macrotermitinae) in Penang, Malaysia
R. T. GAHUKAR	205	Preliminary comparison of spike development stages for insecticide application against <i>Heliocheilus albipunctella</i> de Joannis in pearl millet
J. ALLOTEY and L. GOSWAMI	209	Comparative biology of two phycitid moths, <i>Plodia interpunctella</i> (Hubn.) and <i>Ephestia cautella</i> (Wlk.) on some selected food media
S. FIREMPONG and H. MAGALIT	217	Spatial distribution of <i>Maruca testulalis</i> larvae on cowpea, and a sequential sampling plan for estimating larval densities
K. Y. MUMCUOGLU, JACQUELINE MILLER and RACHEL GALUN	223	Susceptibility of the human head and body louse ( <i>Pediculus humanus</i> ) (Anoplura: Pediculidae) to insecticides
GEORGE N. MBATA	227	Some aspects of the biology of <i>Callosobruchus subinnotatus</i> (Pic) (Coleoptera: Bruchidae) a pest of stored bambarra groundnuts
OLUSEGUN O. DIPEOLU	235	Expression and quantification of degrees of resistance by rabbits to infestation with <i>Rhipicephalus sanguineus</i> (L), <i>Dermacentor variabilis</i> (Say) and <i>Amblyomma maculatum</i> Koch, (Acari, Ixodidae)
GEORGE N. MBATA	245	Studies on the intraspecific larval interaction in a laboratory culture of <i>Plodia interpunctella</i> (Hubner) (Lepidoptera: Pyralidae) on two food media
Book Reviews	253	
<i>Instructions to Authors</i>	i	
<i>Author checklist</i>	iv	

# Insect Science and Its Application

The International Journal of Tropical Insect Science

VOLUME 11 NUMBER 2

1990

## CONTENTS

- Research Articles*
- OLUPOMI AJAYI 109 Possibilities for integrated control of the millet stem borer, *Acigona ignefusalis* Hampson (Lepidoptera:Pyralidae) in Nigeria
- TITUS K. MUKIAMA and RICHARD W. MWANGI 119 Population and cytogenetic observations on *Anopheles arabiensis* Patton of Mwca Irrigation Scheme, Kenya
- J. P. R. OCHIENG'-ODERO 133 New strategies for quality assessment and control of insects produced in artificial rearing systems
- TONYE G. OKORIE and J. OKEKE 143 Comparative studies on the blowfly, *Lucilia caesar* (Diptera, Calliphoridae) reared from three rearing media prepared from local materials, and the standard Snyder's medium
- MATT F. IVBIJARO 149 The efficacy of seed oils of *Azadirachta indica* A. Juss and *Piper guineense* Schum and Thonn on the control of *Callosobruchus maculatus* F.
- TONYE G. OKORIE, O. O. SIYANBOLA and V. O. EBOCHUO 153 Neemseed powder, as a protectant for dried *Tilapia* fish against *Dermestes maculatus* Degeer infestation
- MAMDOUH H. IDRIS 159 Action of juvenile hormone and ecdysone in the metamorphic endocrine centres
- M. MANI, A. KRISHNAMOORTHY and S. P. SINGH 167 The impact of the predator, *Cryptolaemus montrouzieri* Mulsant, on pesticide-resistant populations of the striped mealybug, *Ferrisia virgata* (Ckll.) on guava in India
- F. K. EWETE and R. A. OLAGBAJU 171 The development of *Aspavia armigera* Fabricius (Hemiptera:Pentatomidae) and its status as a pest of cowpea and rice
- LAWRENCE E. WONGO 179 Factors of resistance in sorghum against *Sitotroga cerealella* (Oliv.) and *Sitophilus oryzae* (L.)
- ETHEL-DORIS N. UMEH 189 *Exochomus troberti* Mulsant (Coleoptera:Coccinellidae): A predator of cassava mealybug, *Phenacoccus manihoti* Mat-Ferr (Homoptera:Pseudococcidae) in southeastern Nigeria

[continued on inside back cover

Indexed/Abstracted in  
Current Contents, CABS, C. A. B. International, BIOSIS, The African  
Book Publishing Record

ISSN 0191-9040  
ISIADL 11(2) 109-256 (1990)

Typeset by Computer Prolific Ltd., Nairobi, Kenya  
Printed by English Press Ltd., Nairobi, Kenya