P02-141

PSYCHOSEXUAL INDICATORS OF SEXUAL VIOLENCE IN CHILDREN AND ADOLESCENTS

E. Yakovleva

Laboratory of Forensic Sexology, V.P.Serbsky Center for Social and Forensic Psychiatry, Moscow, Russia

Purpose: Searchof psychosexual indicators of sexual violence. **Object:** Infant and juvenile victims of sexual offends (51 persons). **Method:** Sexological.

Results: Psychosexual disorders associated with sexual violence were observed in 24%. For children of 3-7 years set is significant:

- 1. Sexualization of behavior:
 - french kissing with friends;
 - interest to intimate parts of body;
 - a frequent situating of fingers in perineum;
 - inserting into genitals different subjects;
 - seizing for a breast or genitals.
- 2. Description to strangers those sexual actions which with them were realized.

For children of 7-12 years set is significant:

- 1. Sexualization of behavior:
 - tempting behavior with persons of an opposite sex with make a suggestion of sexual contact;
 - imitation of sexual contact;
 - masturbation in public place.
- 2. Unusual sexual knowledge for this age.

For male adolescents set is significant:

- 1. Psychosexual dissociation: platonic and erotic libido is heterosexual, sexual libido is homosexual.
- 2. Disorders of identity: feminine identity and hyper-role behavior only with coevals of own sex.

For female adolescents set is significant:

- 1. Psychosexual dissociation:
 - love for the concrete coeval with lack of sexual desire to him;
 - presence of physiological sexual reactions on without personality object (heroes of books, television movies, etc.).
- 2. Illegible erotic behavior and lack of sexual desire.
- 3. Sexual aversion, restrictions of verbal contacts with young men, victims terminate to use of formal female attributes.

Conclusion: Results may be used for differential diagnostics of sexual development's disorders of different genesis.