

# Aldrin

## makes the earth a healthy place for crops to grow in

Aldrin is a highly effective Shell insecticide.

It works *underground* to destroy the full range of soil insect pests, which attack the vital root system of your crop. For the major groups of soil pests, wireworms, cutworms, white grubs and mole-crickets, it is recognised as the most efficient insecticide there is. It can be applied to any type of soil in the world, and is harmless to beneficial micro-organisms in the soil.


Used for row treatment, as an overall application, as a root dip, or as a seed-treatment, aldrin is especially suited for use with maize and other cereals, sugar cane, sugar beet, potatoes and tobacco.

Aldrin has excellent residual action. It is stable in the presence of other agricultural chemicals, does not affect germination, and has no taint. Used as directed, aldrin is harmless to both farmers and consumers. It is available as the technical material and high

concentrate dusts for further formulation, and also in forms suitable for the grower: emulsifiable concentrates, wettable powders, field strength dusts and granules.

For details of approved uses and advice on application of aldrin consult your Shell company or Shell chemicals distributor.

Shell Chemicals



# The Journal of Agricultural Science

is one of over  
50 learned journals published by  
Cambridge University Press.

A descriptive catalogue  
of Cambridge journals  
with details of back  
volumes is available from  
the London and New York offices  
of the Press.

Cambridge journals may  
be ordered from a  
bookseller or direct from the  
publishers.

**Cambridge University Press**

P.O. Box 92, London, N.W.1  
32 East 57th Street, New York  
N.Y. 10022

# Pergamon Press



## **INTENSIVE BEEF PRODUCTION**

T. R. PRESTON and M. B. WILLIS  
This unique monograph, after a comprehensive survey and analysis of all aspects of the growing and fattening of cattle for meat, presents an operational approach to beef production of world wide application.  
*536 pp (Publication: Summer 1970) 160s*

## **HEALTH AND DISEASE IN FARM ANIMALS**

W. H. PARKER  
A textbook of veterinary science for the agricultural student which covers the anatomy of farm animals (excluding poultry) and their main diseases. The emphasis throughout is on promoting health and preventing disease by good husbandry.  
*304 pp \*30s/40s*

## **THE ANALYSIS OF RESPONSE IN CROP AND LIVESTOCK PRODUCTION**

J. L. DILLON  
An introduction to the analytical principles needed for the appraisal of the efficiency of input-output processes in crop, livestock and forestry production.  
*134 pp \*15s/25s*

## **THE ROLE OF WATER IN AGRICULTURE**

J. A. TAYLOR  
The contents of this book are based on papers and discussions at a Symposium held at the Welsh Plant Breeding Station near Aberystwyth in March 1969.  
*256 pp 55s*

\*first price: flexicover edition

second price: hard cover edition

For further details of these or other books from Pergamon Press, please write to: College Department, Pergamon Press Ltd., Headington Hill Hall, Oxford.

# Azodrin

## does its job inside out-outside in

... and that means double trouble for cotton pests, because Shell's powerful new organo-phosphorus insecticide Azodrin works *two* ways.

By contact, immediately destroying insects on the plant surface. And systemically, by penetrating foliage rapidly where it kills sucking and chewing pests as they try to eat.

This sophisticated dual action makes Azodrin by far the most wide-ranging insecticide yet devised giving *continuing* control over *more* pests *more* effectively.

Azodrin has already been employed with outstanding success in the United States and

Central America, and is now proving world-wide to be one of the cotton grower's most powerful allies.

Suddenly pests that took a bite out of profits are losing their appetite.


For further information or supplies of Azodrin contact your Shell company or Shell chemicals distributor. Shell works today for your more profitable tomorrow.

Shell Chemicals



# CHOOSE THE EEL 140 —


It has proved itself by  
its successful record in  
**ATOMIC ABSORPTION**



## 140

### ATOMIC ABSORPTION SPECTROPHOTOMETER

The simplest, least costly, most versatile of  
them all—yet reliable, stable and ultra sensitive.  
Let us demonstrate these claims—brochure and  
price list available too.



A typical pen recorder trace obtained during  
routine analysis.



**EVANS ELECTROSELENIUM LIMITED**  
HALSTEAD · ESSEX · ENGLAND

Telephone: Halstead 2461

Telex: 98204

DISTRIBUTORS AND SERVICE ENGINEERS IN MOST COUNTRIES



# Gardona

## the spray-safe insecticide

Gardona is a new insecticide from Shell. And it's a spray-safe insecticide because it can be sprayed without the use of special protective clothing. What's new about Gardona is its low toxicity to man and animals.

Gardona is especially effective against caterpillars, flies and beetles. It protects apples and pears from Codling moth, citrus fruits from fruit flies, and vegetables from caterpillars and flea-beetles.

And Gardona's selective activity against these pests means most beneficial insects and organisms survive the spraying.

Although Gardona will control pests for up to fourteen days, depending on the dosage, its low-mammalian toxicity means crops may be safely harvested a very short time after treatment. In most cases the following day.

Spray-safe Gardona is also showing promising results in the control

of major pests in a variety of other crops such as cotton, rice and maize.

Gardona is another product of Shell's continuing research into the development of effective and safe insecticides. For further information or supplies of Gardona contact your Shell company or Shell Chemicals distributor.

Shell Chemicals



(v)

# THE JOURNAL OF AGRICULTURAL SCIENCE

EDITED BY

G. D. H. BELL, C.B.E., PH.D., F.R.S. Plant Breeding Institute, Cambridge

K. L. BLAXTER, PH.D., N.D.A. (HONS.), D.SC., F.R.S.E., F.R.S.,  
Rowett Research Institute, Bucksburn, Aberdeen

G. W. COOKE, PH.D., F.R.I.C., F.R.S., Rothamsted Experimental Station, Harpenden

JOHN HAMMOND, Jr., M.A., School of Agriculture, Cambridge

Prof. Sir J. B. HUTCHINSON, C.M.G., SC.D., F.R.S., School of Agriculture,  
Cambridge

H. L. PENMAN, O.B.E., PH.D., F.R.S., Rothamsted Experimental Station, Harpenden

W. J. RIDGMAN, M.A., School of Agriculture, Cambridge

H. H. ROGERS, B.SC., DIP.AG.SCI., Plant Breeding Institute, Cambridge

Prof. E. W. RUSSELL, C.M.G., PH.D., F.INST.P., Department of Soil Science,  
University of Reading

F. YATES, C.B.E., SC.D., F.R.S., Rothamsted Experimental Station, Harpenden

VOLUME LXXIV 1970

CAMBRIDGE  
AT THE UNIVERSITY PRESS  
1970

PUBLISHED BY  
THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS  
Bentley House, 200 Euston Road, London, N.W. 1.  
American Branch: 32 East 57th Street, New York, N.Y. 10022

*Printed in Great Britain at the University Printing House, Cambridge*

# Contents

## PART 1 (FEBRUARY 1970)

	PAGE
GOLDSWORTHY, P. R. and TAYLER, R. S. The effect of plant spacing on grain yield of tall and short sorghum in Nigeria . . . . .	1
MUDD, A. J. The influence of heavily fertilized grass on mineral metabolism of dairy cows. (With 1 text-figure) . . . . .	11
ALLINSON, D. W. and OSBOURN, D. F. The cellulose-lignin complex in forages and its relationship to forage nutritive value. (With 4 text-figures) . . . . .	23
BOYD, D. A., TINKER, P. B. H., DRAYCOTT, A. P. and LAST, P. J. Nitrogen requirement of sugar beet grown on mineral soils. (With 2 text-figures) . . . . .	37
YOELAO, K. JACKSON, M. G. and SARAN, ISHWAR. The effect of wilting berseem and lucerne herbage on voluntary dry-matter intake by buffalo heifers . . . . .	47
PATTERSON, H. D. and LOWE, BRIDGET, I. The errors of long-term experiments . . . . .	53
MC EWEN, J. Fertilizer nitrogen and growth regulators for field beans ( <i>Vicia faba</i> L.). I. The effects of seed bed applications of large dressings of fertilizer nitrogen and the residual effects on the following winter wheat . . . . .	61
MC EWEN, J. Fertilizer nitrogen and growth regulators for field beans ( <i>Vicia faba</i> L.). II. The effects of large dressings of fertilizer nitrogen, single and split applications, and growth regulators . . . . .	67
TINKER, P. B. Fertilizer requirements of sugar beet on fen peat soils . . . . .	73
MATTINGLY, G. E. G. Total phosphorus contents of soils by perchloric acid digestion and sodium carbonate fusion. (With 2 text-figures) . . . . .	79
LYNE, A. G., JOLLY, M. and HOLLIS, D. E. Effects of experimentally produced local subdermal temperature changes on skin temperature and wool growth in the sheep. (With 8 text-figures) . . . . .	83
GALLAGHER, J. R. and YEATS, N. T. M. An evaluation of Merino wool quality. I. The incidence of coarse fibres in two Australian Merino flocks. (With 1 plate and 2 text-figures) . . . . .	91
GALLAGHER, J. R. An evaluation of Merino wool quality. II. An estimate of the incidence of coarse fibres in Australian Merino wool. (With 2 text-figures) . . . . .	99
HALLIDAY, R. Protein concentrations in colostrum from Finnish Landrace x Scottish Blackface ewes during the first week of lactation and in sera from the ewes and their lambs on the third day of lactation. (With 1 text-figure) . . . . .	103
GASSER, J. K. R. The decomposition of crotonylidene di-urea in soil and the recovery of nitrogen by ryegrass. (With 2 text-figure) . . . . .	107
SPRATT, E. D. and GASSER, J. K. R. The effect of ammonium sulphate with a nitrification inhibitor, and calcium nitrate, on growth and N-uptake of spring wheat, ryegrass and kale. (With 3 text-figures) . . . . .	111
ADDISCOTT, T. M. Use of the quantity/potential relationship to provide a scale of the ability of extractants to remove soil potassium. (With 1 text-figure) . . . . .	119



	PAGE
ADDISCOTT, T. M. The uptake of initially available soil potassium by ryegrass. (With 5 text-figures) . . . . .	123
ADDISCOTT, T. M. The potassium <i>Q/I</i> relationships of soils given different K manuring. (With 4 text-figures) . . . . .	131
DRAYCOTT, A. P. and HOLLIDAY, R. Comparisons of liquid and solid fertilizers and anhydrous ammonia for sugar beet. (With 1 text-figure) . . . . .	139
DRAYCOTT, A. P. and LAST, P. J. Effect of previous cropping and manuring on the nitrogen fertilizer needed by sugar beet. (With 1 text-figure) . . . . .	147
COLLIER, P. A., HOOD, A. E. M., POWELL, R. A. and TEMPLEMAN, W. G. The agronomic properties of urea-containing compound fertilizers. I. High-nitrogen type. (With 2 text-figures) . . . . .	153
MANSTON, R. and VAGG, M. J. Urinary phosphate excretion in the dairy cow. (With 3 text-figures) . . . . .	161
VAN GYLSWYK, N. O. The effect of supplementing a low-protein hay on the cellulolytic bacteria in the rumen of sheep and on the digestibility of cellulose and hemicellulose. (With 4 text-figures) . . . . .	169
EDEY, T. N. Nutritional stress and pre-implantation embryonic mortality in Merino sheep, 1965. (With 2 text-figures) . . . . .	181
EDEY, T. N. Nutritional stress and pre-implantation embryonic mortality in Merino sheep, 1966. (With 2 text-figures) . . . . .	187
EDEY, T. N. Nutritional stress and pre-implantation embryonic mortality in Merino sheep, 1967. (With 2 text-figures) . . . . .	193
EDEY, T. N. Nutritional stress and pre-implantation mortality in Merino sheep, 1964–7. General discussion and conclusions . . . . .	199
MORAN, J. B. Seasonal and diurnal variations in body temperatures of Hereford and Brahman cross cattle in a cool temperate environment. (With 2 text-figures) . . . . .	205

## PART 2 (APRIL 1970)

PIKE, I. H. The effect on nitrogen utilization in the sow of variation in dietary protein concentration and pattern of feeding in pregnancy . . . . .	209
BROSTER, W. H., SUTTON, J. D., SMITH, T., BROSTER, VALERIE, J. and BALCH, C. C. The effect of supplements of sucrose and of glucose monohydrate on the milk production and live weight of dairy cows. (With 4 text-figures) . . . . .	217
REID, D. The effects of a wide range of nitrogen application rates on the yields from a perennial ryegrass sward with and without white clover. (With 8 text-figures) . . . . .	227
THOMAS, N. W. and JUDGE, M. D. Alteration of porcine skeletal muscle myoglobin by the environment . . . . .	241
ALLEN, T. E., BENNETT, J. W., DONEGAN, SUSAN M. and HUTCHINSON, J. C. D. Moisture, its accumulation and site of evaporation in the coats of sweating cattle. (With 3 text-figures) . . . . .	247
MORRIS, J. G. and PAYNE, E. Ammonia and urea toxicoses in sheep and their relation to dietary nitrogen intake. (With 1 plate and 6 text-figures) . . . . .	259

Contents

v

	PAGE
MEADLEY, J. T. and MILBOURN, G. M. The growth of vining peas. II. The effect of density of planting. (With 5 text-figures) . . . . .	273
LEA, C. H., SWOBODA, P. A. T. and GATHERUM, D. P. A chemical study of soft fat in cross-bred pigs. (With 2 text-figures) . . . . .	279
GORDON, J. G. and McALLISTER, I. K. The circadian rhythm of rumination. (With 2 text-figures) . . . . .	291
ROBERTSON, I. S., PAVER, H. and WILSON, J. C. Effect of castration and dietary protein level on growth and carcass composition in beef cattle. (With 3 text-figures) . . . . .	299
WAINMAN, F. W., BLAXTER, K. L. and PULLAR, J. D. The nutritive value for ruminants of a complete processed diet based on barley straw . . . . .	311
MORAN, J. B. Brahman cattle in a temperate environment. I. Live-weight gains and carcass characteristics. (With 2 plates and 2 text-figures) . . . . .	315
MORAN, J. B. Brahman cattle in a temperate environment. II. Adaptability and grazing behaviour. (With 1 text-figure) . . . . .	323
MONYO, J. H. and WHITTINGTON, W. J. Genetic analysis of root growth in wheat. (With 4 text-figures) . . . . .	329
CONNIFFE, D., BROWNE, D. and WALSHE, M. J. Experimental design for grazing trials. (With 2 text-figures) . . . . .	339
PERRY, D. A. The relation of seed vigour to field establishment of garden pea cultivars . . . . .	343
OCARIZ, J. L. H., LITTLEJOHN, A. and ROBERTSON, I. S. A comparison of entire and ovariectomized beef heifers treated with ethylestrenol . . . . .	349
SEARLE, T. W. Body composition in lambs and young sheep and its prediction <i>in vivo</i> from tritiated water space and body weight (With 3 text-figures) . . . . .	357
OJEHOMON, O. O. A comparison of the vegetative growth, development and seed yield of three varieties of cowpea, <i>Vigna unguiculata</i> (L.) Walp. (With 8 text-figures) . . . . .	363
OJEHOMON, O. O. Effect of continuous removal of open flowers on the seed yield of two varieties of cowpea, <i>Vigna unguiculata</i> (L.) Walp. (With 3 text-figures) . . . . .	375
BACHE, B. W. and ROGERS, N. E. Soil phosphate values in relation to phosphate supply to plants from some Nigerian soils. (With 2 text-figures) . . . . .	383
DAVIES, J. M. L. and GARETH JONES, D. The response of seven barley varieties to inoculation in the field with different isolates of <i>Cercospora herpotrichoides</i> Fron. (With 1 text-figure) . . . . .	391
BROCKMAN, J. S., SHAW, P. G. and WOLTON, K. M. The effect of phosphate and potash fertilizers on cut and grazed grassland. (With 6 text-figures) . . . . .	397

PART 3 (JUNE 1970)

MOULICK, S. K. and SYRSTAD, O. Genetic and environmental causes of variation in birth weight of Black Bengal goats . . . . .	409
ROBINSON, J. J. and FORBES, T. J. The effect of roughage to concentrate ratio in the diet on protein and energy utilization by the non-pregnant ewe . . . . .	415

	PAGE
PAQUAY, R., DE BAERE, R. and LOUSSE, A. Statistical research on the fate of water in adult cow. I. Dry cows. (With 3 text-figures)	423
RIBEIRO, M. V. A. M. Assessment and selection of initial material for breeding perennial ryegrass ( <i>Lolium perenne</i> L.). (With 1 text-figure)	433
WILKINS, R. J. and MINSON, D. J. The effects of grinding, supplementation and incubation period on cellulose digestibility <i>in vitro</i> and its relationship with cellulose and organic matter digestibility <i>in vivo</i> . (With 3 text-figures)	445
RIXON, A. J. Differential effect of pasture species on the pH and cation exchange capacity of a subsequently cultivated soil. (With 1 text-figure)	453
WAITE, R. The structural carbohydrates and the <i>in vitro</i> digestibility of a ryegrass and a cocks-foot at two levels of nitrogenous fertilizer	457
WELLINGTON, K. E., MAHADEVAN, P. and ROACHE, K. L. Production characteristics of the Jamaica Hope breed of dairy cattle	463
ROACHE, K. L., WELLINGTON, K. E. and MAHADEVAN, P. The extent of selection for milk yield among cows of the Jamaica Hope breed	469
MAHADEVAN, P., WELLINGTON, K. E. and ROACHE, K. L. An evaluation of Jamaica Hope bulls	473
KEENAN, D. M., MCMANUS, W. R. and FREER, M. Voluntary intake of food by mature sheep following restricted feeding. (With 3 text-figures)	477
HAGGAR, R. J. Seasonal production of <i>Andropogon gayanus</i> . I. Seasonal changes in yield components and chemical composition. (With 9 text-figures)	487
ADDISCOTT, T. M. and MITCHELL, J. D. D. Potassium uptake by potatoes. (With 5 text-figures)	495
BOLTON, J. and BENZIAN, BLANCHE. Sulphur as a nutrient for Sitka spruce ( <i>Picea sitchensis</i> ) seedlings and radish ( <i>Raphanus sativus</i> ) grown on a sandy podzol in England	501
THOMPSON, A. K. The effects of subtoxic concentrations of 2,4-D in combination with mineral nutrients on the potato ( <i>Solanum tuberosum</i> ). (With 6 text-figures)	505
WIDDOWSON, F. V. and PENNY, A. The effects of three crops and of the N fertilizer given to them on the yield of following barley. (With 2 text-figures)	511
GOLDSWORTHY, P. R. The sources of assimilate for grain development in tall and short sorghum	523
ISHAG, H. M. Growth and yield of irrigated groundnuts ( <i>Arachis hypogaea</i> L.) grown at different spacings in the Sudan Gezira. I. Flowering, yield and yield component. (With 1 text-figure)	533
LAWRENCE, T. L. J. High level cereal diets for the growing/finishing pig. IV. A comparison at two slaughter weights (120 and 200 lb) of diets containing high levels of maize, sorghum, wheat and barley	539
CHANDRA, G. and BHARADWAJ, M. B. Microscopic observations on the muzzle skin of buffaloes ( <i>Bos bubalis</i> ). (With 2 plates)	549
RATHORE, A. K. Physiological reactions of rams exposed in the hot room at various temperatures	555

*Contents*

vii

	PAGE
TERNOUTH, J. H. and PRYOR, W. J. The effect of early-weaning rations upon the efficiency of growth and carcass production with some observations on the development of fore-stomachs in calves. (With 1 text-figure) . . . . .	559
DRAYCOTT, A. P., MARSH, J. A. P. and TINKER, P. B. H. Sodium and potassium relationships in sugar beet. (With 3 text-figures) . . . . .	568
BRAUDE, R. and LERMAN, P. Protein and lysine levels in practical rations . . . . .	575
LOW, A. J. and ARMITAGE, E. R. The effect of nitrogenous fertilizers on white clover . . . . .	583
SUCKLING, G. W. and CUTRESS, T. W. Serum citrate levels in sheep . . . . .	591
SREENAN, J., SCANLON, P. and GORDON, I. Storage of fertilized cattle ova <i>in vitro</i> . . . . .	593
ELLORY, J. C. and TUCKER, ELIZABETH M. High potassium type red cells in cattle. (With 1 text-figure) . . . . .	595

CONTENTS

Vol. 74 Part 3 June 1970

	PAGE
MOULICK, S. K. and SYRSTAD, O. Genetic and environmental causes of variation in birth weight of Black Bengal goats . . . . .	409
ROBINSON, J. J. and FORBES, T. J. The effect of roughage to concentrate ratio in the diet on protein and energy utilization by the non-pregnant ewe . . . . .	415
PAQUAY, R., DE BAERE, R. and LOUSSE, A. Statistical research on the fate of water in the adult cow. I. Dry cows. (With 3 text-figures) . . . . .	423
RIBEIRO, M. A. V. Assessment and selection of initial material for breeding perennial ryegrass ( <i>Lolium perenne</i> L.). (With 1 text-figure) . . . . .	433
WILKINS, R. J. and MINSON, D. J. The effects of grinding, supplementation and incubation period on cellulose digestibility <i>in vitro</i> and its relationship with cellulose and organic matter digestibility <i>in vivo</i> . (With 3 text-figures) . . . . .	445
RIXON, A. J. Differential effect of pasture species on the pH and cation exchange capacity of a subsequently cultivated soil. (With 1 text-figure) . . . . .	453
WAITE, R. The structural carbohydrates and the <i>in vitro</i> digestibility of a ryegrass and a cocksfoot at two levels of nitrogenous fertilizer . . . . .	457
WELLINGTON, K. E., MAHADEVAN, P. and ROACHE, K. L. Production characteristics of the Jamaica Hope breed of dairy cattle . . . . .	463
ROACHE, K. L., WELLINGTON, K. E. and MAHADEVAN, P. The extent of selection for milk yield among cows of the Jamaica Hope breed . . . . .	469
MAHADEVAN, P., WELLINGTON, K. E. and ROACHE, K. L. An evaluation of Jamaica Hope bulls . . . . .	473
KEENAN, D. M., MCMANUS, W. R. and FREER, M. Voluntary intake of food by mature sheep following restricted feeding. (With 3 text-figures) . . . . .	477
HAGGAR, R. J. Seasonal production of <i>Andropogon gayanus</i> . I. Seasonal changes in yield components and chemical composition. (With 9 text-figures) . . . . .	487
ADDISCOTT, T. M. and MITCHELL, J. D. D. Potassium uptake by potatoes. (With 5 text-figures) . . . . .	495
BOLTON, J. and BENZIAN, BLANCHE. Sulphur as a nutrient for Sitka spruce ( <i>Picea sitchensis</i> ) seedlings and radish ( <i>Raphanus sativus</i> ) grown on a sandy podzol in England . . . . .	501
THOMPSON, A. K. The effects of subtoxic concentrations of 2,4-D in combination with mineral nutrients on the potato ( <i>Solanum tuberosum</i> ). (With 6 text-figures) . . . . .	505
WIDDOWSON, F. V. and PENNY, A. The effects of three crops and of the N fertilizer given to them on the yield of following barley. (With 2 text-figures) . . . . .	511
GOLDSWORTHY, P. R. The sources of assimilate for grain development in tall and short sorghum . . . . .	523
ISHAG, H. M. Growth and yield of irrigated groundnuts ( <i>Arachis hypogaea</i> L.) grown at different spacings in the Sudan Gezira. I. Flowering, yield and yield component. (With 1 text-figure) . . . . .	533
LAWRENCE, T. L. J. High level cereal diets for the growing finishing pig. IV. A comparison at two slaughter weights (120 and 200 lb) of diets containing high levels of maize, sorghum, wheat and barley . . . . .	539
CHANDRA, G. and BHARADWAJ, M. B. Microscopic observations on the muzzle skin of buffaloes ( <i>Bos bubalis</i> ). (With 2 plates) . . . . .	549
RATHORE, A. K. Physiological reactions of rams exposed in the hot room at various temperatures . . . . .	555
TERNOUTH, J. H. and PRYOR, W. J. The effect of early-weaning rations upon the efficiency of growth and carcass production with some observations on the development of forestomachs in calves. (With 1 text-figure) . . . . .	559
DRAYCOTT, A. P., MARSH, J. A. P. and TINKER, P. B. H. Sodium and potassium relationships in sugar beet. (With 3 text-figures) . . . . .	568
BRAUDE, R. and LERMAN, P. Protein and lysine levels in practical rations . . . . .	575
LOW, A. J. and ARMITAGE, E. R. The effect of nitrogenous fertilizers on white clover . . . . .	583
SUCKLING, G. W. and CUTRESS, T. W. Serum Citrate levels in sheep . . . . .	591
SREENAN, J., SCANLON, P. and GORDON, I. Storage of fertilized cattle ova <i>in vitro</i> . . . . .	593
ELLORY, J. C. and TUCKER, ELIZABETH M. High potassium type red cells in cattle. (With 1 text-figure) . . . . .	595

SUBSCRIPTIONS. Two volumes of three parts are published annually. The subscription price is £6 net (U.S.A. \$19.50) per volume (post free); single parts are available at £2 12s. net (U.S.A. \$8.00) plus postage. Orders or enquiries may be sent to any bookseller or subscription agent, or to Cambridge University Press, P.O. Box 92, London, N.W. 1. (U.S.A. and Canada, Cambridge University Press American Branch, 32 East 57th Street, New York, N.Y. 10022, U.S.A.)