

GEOLOGICAL MAGAZINE

Edited by

O. M. B. BULMAN, S. R. NOCKOLDS, and
W. B. HARLAND

assisted by

PROFESSOR W. G. FEARNSIDES PROFESSOR O. T. JONES
PROFESSOR LEONARD HAWKES SIR WILLIAM PUGH
PROFESSOR C. E. TILLEY

CONTENTS

	PAGE
CRAMPTON, C. B. Regional Study of Epidote, Mica, and Albite Fabrics of the Moines	89
TRIPP, R. P. The Classification and Evolution of the Superfamily Lichacea (Trilobita)	104
WILKINSON, J. F. G. The Clinopyroxenes of a Differentiated Teschenite Sill Near Gunnedah, New South Wales	123
HAMILTON, J. Banded Olivines in some Scottish Carboniferous Olivine-Basalts	135
CHORLEY, R. J. Illustrating the Laws of Morphometry	140
THOMAS, H. D., and S. OMARA. The Cenomanian Compound Coral, <i>Aspidiscus cristatus</i> (Lamarck), from Nezzazat, Western Sinai	151
GOODLET, G. A. A Megaphyton from the Limestone Coal Group in Fife	156
RAST, N., and J. I. PLANT. Cross-folds	159

REVIEWS

pp. 168-9

CORRESPONDENCE

pp. 170-6

DEPARTMENT OF GEOLOGY

BIRKBECK COLLEGE

UNIVERSITY OF LONDON

STEPHEN AUSTIN & SONS, LTD.

CAXTON HILL, WARE ROAD, HERTFORD, HERTS

SUBSCRIPTION 45/- PER ANNUM

GEOLOGICAL MAGAZINE

founded in 1864

by the late Dr. H. Woodward, F.R.S., with which
is incorporated

THE GEOLOGIST

(founded 1858)

Published every two months, price 45/- per annum
(single numbers, 10/-).

Subscriptions for 1957, inquiries relating to back
stock, advertising, etc., should be sent to Stephen
Austin & Sons, Ltd., Caxton Hill, Ware Road,
Hertford, Herts.

*The Editors are directed to make it known to the public that the authors
alone are responsible for the facts and opinions contained in their respective
papers and for the correctness of their references.*

Instructions to Contributors.

Articles submitted for publication in the *Geological Magazine* should be
addressed to the Editors at the *Sedgwick Museum, Cambridge*, not to the
Publishers.

Manuscripts should be typewritten, double-spaced, and preferably with a
wide margin, and should be carefully revised; they should be as concise as
possible and should not exceed 10,000 words. In the case of a long article
allowance must be made for text-figures at the rate of approximately twenty
words per sq. in. MS. must be accompanied by a short abstract, 50-100 words.
References should not be given in footnotes, but arranged in alphabetic order
of author's names at the end of the article; the author's name should be
followed by date of publication, and the title of each paper should be given in
addition to volume and page numbers of the Journal, thus:—

LAPWORTH, C. 1878. The Moffat Series. *Quart. Journ. Geol. Soc.*, xxxiv,
240-343.

References should be cited in the text by author's name and date, with page
reference if necessary, in brackets:—(Lapworth, 1878, p. 339).

Illustrations should be so drawn as to allow reduction to a maximum size of
 $6\frac{1}{2} \times 3\frac{1}{2}$ inches (the type-area of the Magazine) and originals must not exceed
 40×22 inches. Map lettering should be such as to be clearly legible after
reduction (equivalent to 5-point as a *minimum* on reduction), while lettering
on text-figures should in general be left in pencil for printing.

Authors will receive 25 reprints free of cost.

THE
GEOLOGICAL MAGAZINE

VOL. XCIV OF WHOLE SERIES

JANUARY-DECEMBER, 1957

GEOLOGICAL MAGAZINE

with which is incorporated

THE GEOLOGIST

FOUNDED IN 1864 BY THE LATE DR. HENRY WOODWARD, F.R.S.

Edited by

O. M. B. BULMAN, Sc.D., A.R.C.Sc., F.R.S.,

S. R. NOCKOLDS, Ph.D.,

and

W. B. HARLAND, M.A.

assisted by

67123

PROFESSOR W. G. FEARNSIDES, M.A., F.R.S.

PROFESSOR LEONARD HAWKES, D.Sc., F.R.S.

PROFESSOR O. T. JONES, M.A., D.Sc., F.R.S.

PROFESSOR SIR WILLIAM PUGH, O.B.E., D.Sc., F.R.S.

PROFESSOR C. E. TILLEY, Ph.D., F.R.S.

Vol. XCIV of Whole Series

JANUARY—DECEMBER, 1957

STEPHEN AUSTIN & SONS, LTD
CAXTON HILL, WARE ROAD, HERTFORD, HERTS

Stephen Austin & SONS LTD
ORIENTAL AND GENERAL PENINIA
MILFORD - 1921

CONTENTS OF VOLUME XCIV, 1957

No. 1	JANUARY—FEBRUARY	PAGE
P. CLIFFORD, M. J. FLEUTY, J. G. RAMSAY, J. SUTTON, and J. WATSON. The Development of Lineation in Complex Fold Systems		1
E. H. T. WHITTEN. The Petrogenetic Significance of the Contact Relationships of the Donegal Granite in Gweedore and Cloghaneely		25
S. H. WARREN. On the Early Pebble Gravels of the Thames Basin from the Hertfordshire-Essex Border to Clacton-on-Sea		40
K. ERGUVANLI. Outline of Geology of the Dardanelles		47
V. A. EYLES and C. R. K. BLUNDELL. On a Volcanic Vent and Associated Monchiquite Intrusions in Monmouthshire		54
F. CHAYES. A Provisional Reclassification of Granite		58
J. H. WEYMOUTH and W. O. WILLIAMSON. Some Effects of Artificial Heating on Fluorite-Bearing Albite-Granite from St. Austell, Cornwall		69
S. R. N. RAO, B. S. TEWARI, K. MOHAN, and A. K. CHATTERJI. The Miocene of Western India		81
ANNOUNCEMENT.—80.		
REVIEW.—Structural Geology, 86.		
No. 2	MARCH—APRIL	
C. B. CRAMPTON. Regional Study of Epidote, Mica, and Albite Fabrics of the Moines		89
R. P. TRIPP. The Classification and Evolution of the Superfamily Lichacea (Trilobita)		104
J. F. G. WILKINSON. The Clinopyroxenes of a Differentiated Teschenite Sill near Gunnedah, New South Wales		123
J. HAMILTON. Banded Olivines in some Scottish Carboniferous Olivine-Basalts		135
R. J. CHORLEY. Illustrating the Laws of Morphometry		140
H. D. THOMAS and S. OMARA. The Cenomanian Compound Coral, <i>Aspidiscus cristatus</i> (Lamarck), from Nezzazat, Western Sinai		151
G. A. GOODLET. A Megaphyton from the Limestone Coal Group in Fife		156
N. RAST and J. I. PLATT. Cross-folds		159
REVIEWS.—The Metalliferous Mining Region of South-West England, 168; Geological History of the Netherlands, 169.		
CORRESPONDENCE.—Supposed Unconformities in the Old Red Sandstone of Western Moray, 170; Erosion Surfaces in Uganda, 171; Flow-markings and Load-casts, 173; Primary Origin of the Limestone-Shale Rhythm in the British Lower Lias, 175.		
No. 3	MAY—JUNE	
D. H. MACKENZIE. On the Relationship between Migmatization and Structure in Mid-Strathspey		177
D. J. BLUNDELL. A Palaeomagnetic Investigation of the Lundy Dyke Swarm		187
B. W. SPARKS. The Taele Gravel near Thriplow, Cambridgeshire		194
A. WILLIAMS. Evolutionary Rates of Brachiopods		201

J. P. T. BURCHELL. A Temperate Bed of the last Inter-glacial Period at Northfleet, Kent	212
W. HOPKINS and G. M. BENNISON. A Palaeontological Link between the Midgeholme Outlier, Cumberland, and the Northumberland and Durham Coalfield	215
L. J. CHUBB. The Pattern of Some Pacific Island Chains	221
G. A. L. JOHNSON. The Goniatite <i>Girtyoceras</i> cf. <i>weetsense</i> Moore from the shales above the Jew Limestone, Northumberland	229
W. J. ARKELL. Sutures and Septa in Jurassic Ammonite Systematics	235
L. BERRY and B. P. RUXTON. Structure and Form of Cheung Chau Island, Hong Kong	249
CORRESPONDENCE.—Lineation in Complex Fold Systems, 261.	
REVIEWS.—Structural Geology for Petroleum Geologists, 262 ; Microscopic Petrography, 262 ; Petrographic Mineralogy, 262.	
PUBLICATIONS RECEIVED.—263.	

No. 4

JULY–AUGUST

M. STONE. The Aberfoyle Anticline, Callander, Perthshire	265
H. I. DREVER. A Note on the Occurrence of Rhythmic Layering in the Eilean Mhuire Sill, Shiant Isles	277
R. CAVE. <i>Salterolithus caractaci</i> (Murchison) from Caradoc Strata near Welshpool, Montgomeryshire	281
F. G. H. BLYTH. The Lustleigh Fault in North-East Dartmoor	291
N. J. SNELLING. Notes on the Petrology and Mineralogy of the Barrovian Metamorphic Zones	297
W. H. C. RAMSBOTTOM. Namurian Goniatites in the U.S.S.R.	305
P. C. SYLVESTER-BRADLEY and F. HODSON. The Fuller's Earth of Whatley, Somerset	312
W. J. ARKELL. Ammonites from the Fuller's Earth Rock, Whatley, Somerset	322
P. M. KIER. A New Upper Carboniferous Echinoid from Texas	326
C. E. TILLEY. A note on the Pitchstones of Arran	329
G. F. ELLIOTT. Accessory Brachial Structures in Long-looped Brachiopods	334
C. J. HUGHES, W. J. WADSWORTH, and C. H. EMELEUS. The contact between Tertiary Granophyre and Torridonian Arkose on Minishal, Isle of Rhum	337
REVIEW.—Jurassic Geology of the World, 340.	
CORRESPONDENCE.— <i>Crataniophyllum</i> , a New Name for a Carboniferous Coral Genus, 341 ; A Slow Tempo of Denudation Claimed for Eastern Australia, 341 ; Determination of [001] Axes in Muscovite, 342.	

No. 5

SEPTEMBER–OCTOBER

A. H. V. SMITH. The Sequence of Microspore Assemblages Associated with the Occurrence of Crassidurite in Coal Seams of Yorkshire	345
N. SPJELDNEES. A Redescription of some Type Specimens of British Ordovician Bryozoa	364
M. B. BAYLY. The Lower Hecla Hoek Rocks of Ny Friesland, Spitsbergen	377
R. G. S. HUDSON, F. E. EAMES, and G. L. WILKINS. The Fauna of Some Recent Marine Deposits Near Basrah, Iraq	393

G. M. PHILIP. Interambulacral Plate Atrophy in *Lovenia woodsi* (Etheridge Fil) 402

H. M. PANTIN. A Variety of Quartzite from Craig-choinnich Lodge, near Blair Atholl, Perthshire 409

D. T. DONOVAN. Notes on the species *Cymbites laevigatus* (J. de C. Sowerby) and on the genus *Cymbites* Neumayr 413

R. GOLDRING and C. J. STUBBLEFIELD. *Brachymetopus* (*Brachymetopus*) and *B.* (*Brachymetopina*) (Trilobita, Devonian to Upper Carboniferous) 421

J. D. D. SMITH. Graptolites with Associated Sedimentary Grooving 425

NOTICE.—International Trust for Zoological Nomenclature 428

CORRESPONDENCE.—The Limestone-Shale Rhythm in the British Lower Lias, 429 ; The Lustleigh Fault in North-East Dartmoor, 430 ; Determination of [001] Axes in Muscovite, 431.

PUBLICATIONS RECEIVED.—431.

No. 6

NOVEMBER—DECEMBER

W. A. CUMMINS. The Denbigh Grits ; Wenlock Greywackes in Wales 433

K. BURKE. An Outline of the Structure of the Galway Granite 452

G. R. COOPE. The Insertion of Septa in the Later Growth Stages of *Palaeosmilia murichisoni* (Edwards and Haime) 465

A. LAMONT. Slow Anti-Dunes and Flow Marks 472

G. KELLING and E. K. WALTON. Load-cast Structures : Their Relationship to Upper-Surface Structures and their Mode of Formation 481

J. T. TEMPLE. Growth of the glabella of *Dalmanitina olini*. 491

J. E. MASON. An Isolated Occurrence of Igneous Rocks at Gorei in the Las Anod District of the Somaliland Protectorate. 498

M. SUDBURY. *Diplograptus spinulosus* sp. nov., from the Ordovician of Syria. 503

J. S. HAMPTON. Some Holothurian Spicules from the Upper Bathonian of the Dorset Coast 507

CORRESPONDENCE.—The Physique of Wales, 511 ; the Limestone-Shale Rhythm in the British Lower Lias, 512 ; Association pour l'Étude Géologique des Zones Profondes de l'Écorce Terrestre, 514.

REVIEWS.—Sedimentary Rocks, 516 ; The Quaternary Era, 516 ; The Origin of the African Flora, 517 ; The History of the British Flora ; A Factual Basis for Phyto-Geography, 517 ; Principles of Stratigraphy, 518.

NOTICE.—International Palaeontological Union 520

PUBLICATIONS RECEIVED.—520.

INDEX.—521.